

<b>Paver</b>	<i>Cat Buyboard</i>	<i>Cat HGAC</i>	<i>KSMI Buyboard</i>	<i>KSMI HGAC</i>	<i>KSMI Tarrant Co.</i>
	\$292,612.00	\$292,612.00	\$295,750.00	\$291,357.00	\$286,260.00
<i>Low Quote w/desired options</i>	\$292,612.00	\$292,612.00			low; no buyback
<i>Note: KSMI stated that auger tunnels were not recommended; Cat stated that auger tunnel and beam features were included in quote with automation feature KSMI does not offer Buyback; Cat offers 3 year Buyback of \$79,500. Cat received excellent machine operations and vendor support reports.</i>					
Recommended award:	HOLT CAT with 3 year Buyback for AP500E				

<b>Reclaimer</b>	<i>Cat Buyboard</i>	<i>Cat HGAC</i>	<i>KSMI Buyboard</i>	<i>KSMI HGAC</i>
	\$540,852.00	\$540,852.00	\$508,449.00	\$508,449.00
<i>Low Quote w/desired options</i>	\$540,852.00	\$540,852.00	low; no buyback	low; no buyback
Incl-4 sets bits	\$4,378.00	\$4,378.00	\$5,480.00	\$5,480.00
Incl-Backup Camera	\$3,810.00	\$3,810.00	ns	ns
<i>Note: Cat machine utilizes chain drive which is preferred over belt drive for maintenance/downtime purposes; KSMI does not offer Buyback; Cat offers 3 year Buyback of \$210,914 and 5 year Buyback of \$140,609. Cat received excellent machine operations and vendor support reports.</i>				
Recommended award:	HOLT CAT with 3 & 5 year Buyback for RM500			

<b>Compactor</b>	<i>Cat Buyboard</i>	<i>Cat HGAC</i>	<i>KSMI Buyboard</i>	<i>KSMI HGAC</i>
	\$166,501.00	\$166,501.00	\$198,800.00	\$198,800.00
<i>Low Quote w/desired options</i>	\$166,501.00	\$166,501.00		
<i>Note: Cat offers 3 year Buyback of \$65,614 and 5 year Buyback of \$43,761. Cat received excellent machine operations and vendor support reports.</i>				
Recommended award:	HOLT CAT with 3 & 5 year Buyback for CB64			

**OWNERSHIP COSTS & BUYBACK CONSIDERATIONS**

<b>COMPACTOR</b>		1000 hrs per yr	
	<i>Hamm</i>	<i>Cat</i>	
cost	\$198,800	\$166,501	
1000 hrs/yr cph	\$398	\$333	
3 yr cph	\$66	\$56	
5 yr cph	\$40	\$33	
Buyback	\$0	\$65,614	
	\$0	\$43,761	
<b>Buyback Effect:</b> Reduces cost per hour of operation			
	no buyback	w/buyback	
3 yr cph	\$66	\$34	
5 yr cph	\$40	\$25	
Result:	Option for new machine at 3 yr or 5 yr interval at reduced cost		
		Estimated cost	less Buyback
			Future Machine Cost
3 yrs		\$166,501	\$65,614
5 yrs		\$166,501	\$43,761
			<b>\$100,887</b>
			<b>\$122,740</b>

<b>RECLAIMER</b>		1000 hrs per year	
	<i>Wirgten</i>	<i>Cat</i>	
cost	\$508,449	\$540,852	
1000 hrs/yr cph	\$508	\$541	
3 yr cph	\$169	\$180	
5 yr cph	\$102	\$108	
Buyback	\$0	\$210,914	
	\$0	\$140,609	
<b>Buyback Effect:</b> Reduces cost per hour of operation			
3 yr cph	\$169	\$110	
5 yr cph	\$102	\$80	
Result:	Option for new machine at 3 yr or 5 yr interval at reduced cost		
		Estimated cost	less Buyback
			Future Machine Cost
3 yrs		\$540,852	\$210,914
5 yrs		\$540,852	\$140,609
			<b>\$329,938</b>
			<b>\$400,243</b>

<b>PAVER</b>		1000 hours per year	
	<i>Vogele</i>	<i>Cat</i>	
cost	\$286,260	\$292,612	
1000 hrs/yr cph	\$286	\$293	
3 yr cph	\$95	\$98	
Buyback	\$0	\$79,500	
<b>Buyback Effect:</b> Reduces cost per hour of operation			
3 yr cph	\$95	\$71	
Result:	Option for new machine at 3 yr interval at reduced cost		
		Estimated cost	less Buyback
			Future Machine Cost
3 yrs		\$292,612	\$79,500
			<b>\$213,112</b>

# HOLT®

# CAT®

Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash •  
Tyler • Victoria • Waco • Weslaco

07/27/2011

COLLIN COUNTY COUNTY AUDITORS  
OFFICE 0282292  
2300 BLOOMDALE RD STE 3100  
MCKINNEY 75071-8517

#G11130912

Thank you for the opportunity to present the following BuyBoard quotation for your review and consideration. This quote will expire at the end of August. If you have any questions or would like some additional options, please call Cliff Hutcheson @ 972 974 8025.

## CATERPILLAR INC AP500E ASPHALT PAVER

### STANDARD MACHINE

#### POWERTRAIN

CAT C4.4 ACERT, 4-cylinder, diesel, turbocharged engine, 106 kW (142 HP) EPA Tier 3 / EU Stage IIIA certified. Air cleaner, dry-type dual element with integral precleaner; Air-to-air after cooler (ATAAC); Belt, automatic tensioner; Demand fan Fuel filter / water separator; Fuel priming pump, manual; Muffler, folding stack; Propel system - direct hydrostatic, dual path drive, electronic control Dual braking systems (service&parking) Dual propel pump and motor system Front wheels (4), solid rubber on bogie axles Planetary rear wheel drive; Propel modes, Pave/Travel/Maneuver; Speed control system

#### ELECTRICAL

Alarm, back-up; Alternator, 75-amp Batteries, two maintenance free, 1000 CCA each CAT ET diagnostic connector; Generator, belt drive, 25 Kw; Horn, forward warning Machine Security System wire-ready Product Link System ready Remote jump start post Starting and charging system, 24-volt

#### OPERATOR ENVIRONMENT

Advisor, electronic monitoring and warning system Automatic engine speed control. Dual, swing-out operator stations; Control and propel consoles, tilting; Cup holder; Ground speed indicator Propel lever with speed control dial Steering wheel, spring return Toggle switches for control functions Seats, vinyl, suspension Armrest, flip-up Seat belt, retractable, 76mm (3") 12 aux power port

Hour meter; Instrumentation, LCD gauge display Lockable vandalism guards; Platform handrails / guardrails; Power assist steering; Throttle control, high/low idle and variable, electronic

#### APPLICATION SPECIFIC COMPONENTS

Adjustable height augers, hydraulic Cast NI-Hard steel, split segment, 406 mm (16") diameter; Electronic auger/feeder control system Gateless feeder system; Manual override Reversible; Variable speed Heavy-duty feeder flight bars, forged steel, bushed roller chain; High-hardness, abrasion resistant drag pans, replaceable; Hopper, 6.2 cu m (219 cu ft) capacity with flashing; Outboard feeder drives Remote mounted bearing lube points

#### FLUIDS

Extended Life Coolant with protection to -34C (-29F)

#### OTHER STANDARD EQUIPMENT

Doors, service access, hinged, locking Fuel tank with sediment drain, 190 L (50 gal) Grouped lube points Filters, hydraulic, grouped Pressure test ports, hydraulic, quick-connect Screed counter balance Screed lock pins Sight gauges (engine coolant, pump drive, air filter restriction indicator) S.O.S. sampling ports Sound-suppression insulation kit Steering guide (1) Tow point indicator scales, lower Vandalism protection caplocks

Your Caterpillar dealer from the Red River to the Rio Grande  
Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website  
[WWW.HOLTCAT.COM](http://WWW.HOLTCAT.COM)



Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash • Tyler • Victoria • Waco • Weslaco

**MACHINE SPECIFICATIONS**

AP500E SN: JWK00124 LOCATED AT HOLT/CAT IRVING

Description	Ref. No.	
AP500E LANE 2 CONFIGURATION B	3564006	
LANE 2 ORDER	0P9002	
INSTRUCTIONS, NORTH AMERICAN	3212463	
PUBLICATIONS, ENGLISH	0P3574	
LIGHT, HAZARD	1988284	
DOMESTIC TRUCK	0P0210	
INLAND FREIGHT, HEAVY/WIDE	0P4592	
EXTENSION, 6" AUGER, PAIR	2313532	
CONFIG B CONSISTS INCLUDES BELOW	*****	
AP500E WHEEL ASPHALT PAVER	3212450	
APRON, MANUAL FOLD	3548220	
DECEL + VENT + NO CANOPY	3548222	
ECO TANK + HOSE REEL	3548209	
VIBE ADAPTER + WIRING-V	3548231	
FRONT WHEEL ASSIST	3212459	
TIRES, 17.5R25 MX XTLA	3212439	
LIGHTS, WORKING	2886925	
PUSH ROLLER, OSCILLATING	2752449	
SENSOR, FEEDER, SONIC	2940112	
EXTENSION, MAINFRAME, POWER	3501625	
SCREED, AS2252C VERS-A-MAT	2940947	
THICKNESS SCREW, COARSE CW	1654720	
EXTENDER, BERM, NONE	2952942	
END OF CONSIST CONFIG B	2792461	
CONTROL, TOPCON - AUTOMATION	2828520	
CONTROL, TSD SONIC TYPE		
PRODUCT LINK		
UMBRELLA, CAT		
HITCH, HYD PREP, TRACTOR		
HITCH, HYDRAULIC TRUCK		
<b>TOTAL LIST PRICE</b>		<b>\$379,630</b>
<b>BUYBOARD DISCOUNT 9% OFF LIST</b>	<b>CONTRACT # 345-10</b>	

**WARRANTY**

Caterpillar Standard New Machine Warranty - 12 Months/Unlimited Hours  
Caterpillar Extended Powertrain + Hydraulic Coverage - 36 Months/5,000 Hours  
(To run concurrently with Standard New Machine Warranty).

**F.O.B./TERMS**

Delivered to Customer's Yard  
Machine in stock is subject to availability. Delivery may be up to 19 Weeks from date of Purchase Order

---

**QUOTE GRAND TOTAL** **USD \$ 292,612**

GUARANTEED REPURCHASE  
3 YEARS / 5,000 HOURS \$79,500

**Your Caterpillar dealer from the Red River to the Rio Grande**  
**Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website**  
**WWW.HOLTCAT.COM**



Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash • Tyler • Victoria • Waco • Weslaco

07/27/2011

COLLIN COUNTY COUNTY AUDITORS  
OFFICE 0282292  
2300 BLOOMDALE RD STE 3100  
MCKINNEY 75071-8517

#G11130912

Thank you for the opportunity to present the following HGAC quotation for your review and consideration. This quote will expire at the end of August. If you have any questions or would like some additional options, please call Cliff Hutcheson @ 972 974 8025.

**CATERPILLAR INC AP500E ASPHALT PAVER**

**STANDARD MACHINE**

**POWERTRAIN**

CAT C4.4 ACERT, 4-cylinder, diesel, turbocharged engine, 106 kW (142 HP) EPA Tier 3 / EU Stage IIIA certified. Air cleaner, dry-type dual element with integral precleaner; Air-to-air after cooler (ATAAC); Belt, automatic tensioner; Demand fan Fuel filter / water separator; Fuel priming pump, manual; Muffler, folding stack; Propel system - direct hydrostatic, dual path drive, electronic control Dual braking systems (service&parking) Dual propel pump and motor system Front wheels (4), solid rubber on bogie axles Planetary rear wheel drive; Propel modes, Pave/Travel/Maneuver; Speed control system

**ELECTRICAL**

Alarm, back-up; Alternator, 75-amp Batteries, two maintenance free, 1000 CCA each CAT ET diagnostic connector; Generator, belt drive, 25 Kw; Horn, forward warning Machine Security System wire-ready Product Link System ready Remote jump start post Starting and charging system, 24-volt

**OPERATOR ENVIRONMENT**

Advisor, electronic monitoring and warning system Automatic engine speed control. Dual, swing-out operator stations; Control and propel consoles, tilting; Cup holder; Ground speed indicator Propel lever with speed control dial Steering wheel, spring return Toggle switches for control functions Seats, vinyl, suspension Armrest, flip-up Seat belt, retractable, 76mm (3") 12 aux power port

Hour meter; Instrumentation, LCD gauge display Lockable vandalism guards; Platform handrails / guardrails; Power assist steering; Throttle control, high/low idle and variable, electronic

**APPLICATION SPECIFIC COMPONENTS**

Adjustable height augers, hydraulic Cast NI-Hard steel, split segment, 406 mm (16") diameter; Electronic auger/feeder control system Gateless feeder system; Manual override Reversible; Variable speed Heavy-duty feeder flight bars, forged steel, bushed roller chain; High-hardness, abrasion resistant drag pans, replaceable; Hopper, 6.2 cu m (219 cu ft) capacity with flashing; Outboard feeder drives Remote mounted bearing lube points

**FLUIDS**

Extended Life Coolant with protection to -34C (-29F)

**OTHER STANDARD EQUIPMENT**

Doors, service access, hinged, locking Fuel tank with sediment drain, 190 L (50 gal) Grouped lube points Filters, hydraulic, grouped Pressure test ports, hydraulic, quick-connect Screed counter balance Screed lock pins Sight gauges (engine coolant, pump drive, air filter restriction indicator) S.O.S. sampling ports Sound-suppression insulation kit Steering guide (1) Tow point indicator scales, lower Vandalism protection caplocks

**Your Caterpillar dealer from the Red River to the Rio Grande  
Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website  
WWW.HOLTCAT.COM**



Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash • Tyler • Victoria • Waco • Weslaco

**MACHINE SPECIFICATIONS**

AP500E SN: JWK00124 LOCATED AT HOLT CAT IRVING

Description	Ref. No.	
AP500E LANE 2 CONFIGURATION B	3564006	
LANE 2 ORDER	0P9002	
INSTRUCTIONS, NORTH AMERICAN	3212463	
PUBLICATIONS, ENGLISH	0P3574	
LIGHT, HAZARD	1988284	
DOMESTIC TRUCK	0P0210	
INLAND FREIGHT, HEAVY/WIDE	0P4592	
EXTENSION, 6" AUGER, PAIR	2313532	
CONFIG B CONSISTS INCLUDES BELOW	*****	
AP500E WHEEL ASPHALT PAVER	3212450	
APRON, MANUAL FOLD	3548220	
DECEL + VENT + NO CANOPY	3548222	
ECO TANK + HOSE REEL	3548209	
VIBE ADAPTER + WIRING-V	3548231	
FRONT WHEEL ASSIST	3212459	
TIRES, 17.5R25 MX XTLA	3212439	
LIGHTS, WORKING	2886925	
PUSH ROLLER, OSCILLATING	2752449	
SENSOR, FEEDER, SONIC	2940112	
EXTENSION, MAINFRAME, POWER	3501625	
SCREED, AS2252C VERS-A-MAT	2940947	
THICKNESS SCREW, COARSE CW	1654720	
EXTENDER, BERM, NONE	2952942	
END OF CONSIST CONFIG B	2792461	
CONTROL, TOPCON - AUTOMATION	2828520	
CONTROL, TSD SONIC TYPE		
PRODUCT LINK		
UMBRELLA, CAT		
HITCH, HYD PREP, TRACTOR		
HITCH, HYDRAULIC TRUCK		
<b>TOTAL LIST PRICE</b>		<b>\$379,630</b>
<b>HGAC DISCOUNT 9% OFF LIST</b>	<b>CONTRACT # SM 10-10</b>	

**WARRANTY**

Caterpillar Standard New Machine Warranty - 12 Months/Unlimited Hours  
Caterpillar Extended Powertrain + Hydraulic Coverage - 36 Months/5,000 Hours  
(To run concurrently with Standard New Machine Warranty).

**F.O.B./TERMS**

Delivered to Customer's Yard  
Machine in stock is subject to availability. Delivery may be up to 19 Weeks from date of Purchase Order

---

**QUOTE GRAND TOTAL** **USD \$ 292,612**

---

GUARANTEED REPURCHASE  
3 YEARS / 5,000 HOURS \$79,500

**Your Caterpillar dealer from the Red River to the Rio Grande  
Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website  
WWW.HOLTCAT.COM**

**HOLT**<sup>®</sup>**CAT**<sup>®</sup>

Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash •  
Tyler • Victoria • Waco • Weslaco

07/27/2011

COLLIN COUNTY 0282292  
2300 BLOOMDALE RD STE 3100  
MCKINNEY 75071-8517

#G11130958

Thank you for the opportunity to present the following BuyBoard quotation for your review and consideration. This quote will expire at the end of August. If you have any questions or would like some additional options, please call Cliff Hutcheson @ 972 974 8025.

**CATERPILLAR INC RM500 RECLAIMER****STANDARD MACHINE****OPERATOR ENVIRONMENT**

Access ladder, left and right side  
Monitoring system with lit, analog gauges  
Tachometer with digital hour meter  
Feet/meters per minute indicator  
Engine coolant, hydraulic oil temperature  
Rotor transmission temp, engine oil pressure, fuel level, voltage indicator; Platform handrails / guardrails; Power steering, hydraulic; Propel console with speed control dial, padded armrest  
Seat, vinyl, suspension, rotating, flip-up armrests  
Seat belt, retractable, 3" (76 mm) wide  
Sliding operator station, full width, hyd  
Steering wheel, tilting and telescoping  
Throttle control, two-position, elect  
Vandalism guard for control consoles  
Warning system, action light and horn

**POWERTRAIN**

CAT C-15 diesel, ACERT, 6-cylinder, turbocharged engine, 540 HP (403 kW) U.S. EPA Tier 3 and EU Stage IIIA certified; Air cleaner, dry-type dual element with precleaner; Air-to-air after cooler (ATAAC) Belt, serpentine, automatic tensioner  
Demand fan; Fuel filter / water separator  
Fuel priming pump, electric  
Ground level engine shutdown  
Muffler Propel system - All Wheel Drive  
Dual propel pumps with dual flow dividers  
Two-speed, axial piston hydraulic motors (4) with 2F/2R speeds  
Heavy-duty, wheel planetary gearsets  
Brakes, oil-bath, sealed at each wheel  
Secondary parking brake switch  
Engine load / speed control, automatic  
Steering, four modes  
Front, crab, coordinated and rear

**ELECTRICAL**

Alarm, back-up; Alternator, 95-amp; Batteries, two maintenance free, 1365 CCA each  
Horn, warning (front & rear)  
Lighting system, 2 rear red running lamps and 6 halogen, adjustable floodlights (2 front, 2 rear, 1 facing each rotor chamber door)  
Starting and charging system, 24-volt  
Product Link Ready

**ROTOR DRIVE SYSTEM**

Axle, heavy-duty; Depth control, automatic  
Dual sealed chain cases; Self-lubricating  
Single strand drive chains; Heavy-duty shear disc  
Maintenance free U-joint drive shafts  
Transmission, 3-speed, powershift

**OTHER STANDARD EQUIPMENT**

Doors, service access, hinged; Ecology drains  
Electrical system; Circuit breaker panel and disconnect switch; Machine diagnostic connector  
Machine Security System wire-ready  
Starting receptacle for emergency start, ground level  
Engine enclosure, fiberglass, hyd  
Fuel tank with sediment drain, 279 gal (1056 L)  
Guard, (crankcase and powertrain)  
Hitch, front bumper with pin  
Hydraulic system; Filters, grouped, ground level service; Oil cooler  
Pressure test ports, quick-connect  
Rotor chamber doors, F & R, hyd with position indicators; Rotor hood lock-up device; Rotor hood side access doors; Rotor transmission oil cooler  
Sight gauges (engine coolant, hydraulic oil level, rotor bearing lube reservoir, air filter restriction indicator)  
S.O.S. sampling ports  
Steering guide chains (2)

Your Caterpillar dealer from the Red River to the Rio Grande  
Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website  
[WWW.HOLTCAT.COM](http://WWW.HOLTCAT.COM)

**HOLT**<sup>®</sup>**CAT**<sup>®</sup>

Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash •  
Tyler • Victoria • Waco • Weslaco

**MACHINE SPECIFICATIONS**

Description	Ref. No.	Price
RM-500 ROTARY MIXER	3668344	515,500
PRODUCT LINK, PL321	3179939	1,420
CAB	2390113	37,830
DISC, DRIVETRAIN SHEAR	1517256	0
INSTRUCTIONS, NORTH AMERICAN	2545135	0
TIRES, FRONT	2316084	195
TIRES, REAR	2316085	132
LIGHT, WARNING BEACON	2340310	920
LIGHTS, ROADING	2366606	1,720
ROPS	2539377	6,250
DOMESTIC TRUCK	0P0210	0
ENGINE, NACD ONLY	3662132	0
SPRAY, WATER & EMULSION	2938605	78,410
COUNTERWEIGHT, RECLAMATION	2873675	6,850
ROTOR, 16" UNIVERSAL	2871724	53,820
SERVICE MANUAL & EXTRA OMM	-	-
<b>TOTAL LIST PRICE</b>		<b>\$703,047</b>
<b>BUYBOARD DISCOUNT 10% OFF LIST</b>	<b>CONTRACT 345-10</b>	

**WARRANTY**

Caterpillar Standard New Machine Warranty - 12 Months/Unlimited Hours

**F.O.B./TERMS**

Delivered to Customer's Yard

Delivery may be up to 19 Weeks from date of Purchase Order

---

**QUOTE BEFORE OPTIONS** **USD \$ 532,664**

---

## ADDITIONAL OPTIONS:

PALLET (800 BITS) OF REPLACEMENT BITS	\$4,378
CAMERA, REAR VISION	\$3,810

---

**QUOTE GRAND TOTAL** **USD \$ 540,852**

---

**BUYBACK OPTIONS**

3 YEAR / 5,000 HOUR	\$210,914
5 YEAR / 7,500 HOUR	\$140,609

Your Caterpillar dealer from the Red River to the Rio Grande  
Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website  
[WWW.HOLTCAT.COM](http://WWW.HOLTCAT.COM)

**HOLT**<sup>®</sup>

Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash •  
Tyler • Victoria • Waco • Weslaco

07/27/2011

COLLIN COUNTY 0282292  
2300 BLOOMDALE RD STE 3100  
MCKINNEY 75071-8517

#G11130958

Thank you for the opportunity to present the following HGAC quotation for your review and consideration. This quote will expire at the end of August. If you have any questions or would like some additional options, please call Cliff Hutcheson @ 972 974 8025.

### CATERPILLAR INC RM500 RECLAIMER

#### STANDARD MACHINE

##### OPERATOR ENVIRONMENT

Access ladder, left and right side  
Monitoring system with lit, analog gauges  
Tachometer with digital hour meter  
Feet/meters per minute indicator  
Engine coolant, hydraulic oil temperature  
Rotor transmission temp, engine oil pressure, fuel level, voltage indicator; Platform handrails / guardrails; Power steering, hydraulic; Propel console with speed control dial, padded armrest  
Seat, vinyl, suspension, rotating, flip-up armrests  
Seat belt, retractable, 3" (76 mm) wide  
Sliding operator station, full width, hyd  
Steering wheel, tilting and telescoping  
Throttle control, two-position, elect  
Vandalism guard for control consoles  
Warning system, action light and horn

##### POWERTRAIN

CAT C-15 diesel, ACERT, 6-cylinder, turbocharged engine, 540 HP (403 kW) U.S. EPA Tier 3 and EU Stage IIIA certified; Air cleaner, dry-type dual element with precleaner; Air-to-air after cooler (ATAAC) Belt, serpentine, automatic tensioner  
Demand fan; Fuel filter / water separator  
Fuel priming pump, electric  
Ground level engine shutdown  
Muffler Propel system - All Wheel Drive  
Dual propel pumps with dual flow dividers  
Two-speed, axial piston hydraulic motors (4) with 2F/2R speeds  
Heavy-duty, wheel planetary gearsets  
Brakes, oil-bath, sealed at each wheel  
Secondary parking brake switch  
Engine load / speed control, automatic  
Steering, four modes  
Front, crab, coordinated and rear

##### ELECTRICAL

Alarm, back-up; Alternator, 95-amp; Batteries, two maintenance free, 1365 CCA each  
Horn, warning (front & rear)  
Lighting system, 2 rear red running lamps and 6 halogen, adjustable floodlights (2 front, 2 rear, 1 facing each rotor chamber door)  
Starting and charging system, 24-volt  
Product Link Ready

##### ROTOR DRIVE SYSTEM

Axle, heavy-duty; Depth control, automatic  
Dual sealed chain cases; Self-lubricating  
Single strand drive chains; Heavy-duty shear disc  
Maintenance free U-joint drive shafts  
Transmission, 3-speed, powershift

##### OTHER STANDARD EQUIPMENT

Doors, service access, hinged; Ecology drains  
Electrical system; Circuit breaker panel and disconnect switch; Machine diagnostic connector  
Machine Security System wire-ready  
Starting receptacle for emergency start, ground level  
Engine enclosure, fiberglass, hyd  
Fuel tank with sediment drain, 279 gal (1056 L)  
Guard, (crankcase and powertrain)  
Hitch, front bumper with pin  
Hydraulic system; Filters, grouped, ground level service; Oil cooler  
Pressure test ports, quick-connect  
Rotor chamber doors, F & R, hyd with position indicators; Rotor hood lock-up device; Rotor hood side access doors; Rotor transmission oil cooler  
Sight gauges (engine coolant, hydraulic oil level, rotor bearing lube reservoir, air filter restriction indicator)  
S.O.S. sampling ports  
Steering guide chains (2)

Your Caterpillar dealer from the Red River to the Rio Grande  
Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website  
[WWW.HOLTCAT.COM](http://WWW.HOLTCAT.COM)

**HOLT**<sup>®</sup>**CAT**<sup>®</sup>

Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash •  
Tyler • Victoria • Waco • Weslaco

**MACHINE SPECIFICATIONS**

Description	Ref. No.	Price
RM-500 ROTARY MIXER	3668344	515,500
PRODUCT LINK, PL321	3179939	1,420
CAB	2390113	37,830
DISC, DRIVETRAIN SHEAR	1517256	0
INSTRUCTIONS, NORTH AMERICAN	2545135	0
TIRES, FRONT	2316084	195
TIRES, REAR	2316085	132
LIGHT, WARNING BEACON	2340310	920
LIGHTS, ROADING	2366606	1,720
ROPS	2539377	6,250
DOMESTIC TRUCK	0P0210	0
ENGINE, NACD ONLY	3662132	0
SPRAY, WATER & EMULSION	2938605	78,410
COUNTERWEIGHT, RECLAMATION	2873675	6,850
ROTOR, 16" UNIVERSAL	2871724	53,820
SERVICE MANUAL & EXTRA OMM	-	-
<b>TOTAL LIST PRICE</b>		<b>\$703,047</b>
<b>HGAC DISCOUNT 10% OFF LIST</b>	<b>CONTRACT SM 10-10</b>	

**WARRANTY**

Caterpillar Standard New Machine Warranty - 12 Months/Unlimited Hours

**F.O.B./TERMS**

Delivered to Customer's Yard

Delivery may be up to 19 Weeks from date of Purchase Order

---

**QUOTE BEFORE OPTIONS** **USD \$ 532,664**

---

## ADDITIONAL OPTIONS:

PALLET (800 BITS) OF REPLACEMENT BITS	\$4,378
CAMERA, REAR VISION	\$3,810

---

**QUOTE GRAND TOTAL** **USD \$ 540,852**

---

**BUYBACK OPTIONS**

3 YEAR / 5,000 HOUR	\$210,914
5 YEAR / 7,500 HOUR	\$140,609

Your Caterpillar dealer from the Red River to the Rio Grande  
Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website  
[WWW.HOLTCAT.COM](http://WWW.HOLTCAT.COM)

**HOLT**<sup>®</sup>**CAT**<sup>®</sup>

Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash •  
Tyler • Victoria • Waco • Weslaco

07/26/2011

COLLIN COUNTY 0282292  
2300 BLOOMDALE RD STE 3100  
MCKINNEY 75071-8517

#G11130944

Thank you for the opportunity to present the following BuyBoard quotation for your review and consideration. This quote will expire at the end of August. If you have any questions or would like some additional options, please call Cliff Hutcheson @ 972 974 8025.

**CATERPILLAR INC CB64 ASPHALT COMPACTOR****STANDARD MACHINE****POWERTRAIN**

Cat C4.4 ACERT Engine (137HP /102kW, four cylinder turbo-charged)  
Cyclonic air cleaner; Water separator  
Ultra clean fuel filter with integrated electric prime pump; Two-speed electric throttle switch  
Dual braking systems (service & parking)  
Two-speed hydrostatic transmission  
**ELECTRICAL**  
12-volt electric starting; 80-ampere alternator  
Maintenance free battery - 950 CCA  
Halogen working lights - bumper mounted (2 front-facing and 2 rear-facing)  
Backup alarm and forward warning horn  
Product Link Ready  
Cat Engine and Vehicle ECM's - ET compatible

**OPERATOR ENVIRONMENT**

Isolated ROPS/FOPS structure  
Platform handrails / guardrails  
Four heavy-duty isolation mounts  
Power steering; Adjustable suspension, vinyl seat  
3" (76mm) wide retractable seat belt  
Adjustable tilt-steering column/instrument panel  
Sliding, rotating seat  
Lockable, vandalism guard for instrument panel  
Indicator light package with audible warning alarm for: hydraulic oil pressure, hydraulic oil temperature, engine oil pressure, engine coolant temperature, glow plugs, and service fault indicator.  
Fuel level gauge; Water level gauge; Service hour meter; Automatic speed control  
Auto-vibe with adjustable on/off control  
Vibe tachometer; Speedometer  
Externally mounted rear view mirrors, quantity of 4

**COOLING**

Premixed 50% concentration of Extended Life Coolant with freeze protection to -37C (-35F)

**DRUMS**

Smooth drum - 84" (2130 mm) wide x 51" (1300 mm) diameter

5 Amplitudes with single vibe frequency  
Front & Rear self adjusting scraper blades  
Pod-style eccentric weight housing

**OTHER STANDARD EQUIPMENT**

Locking engine enclosure  
Sealed-for-life hitch bearings  
Sight gauges: hydraulic tank Level, and air restriction indicator  
Cap lock for hydraulic tank  
Articulated frame with safety lock  
Transport tie-down and lift points  
50 gal (191 L) fuel tank capacity  
291 gal (1100 L) water tank capacity  
Quick-connect hydraulic pressure test ports  
SOS ports: engine, hydraulic and coolant

Your Caterpillar dealer from the Red River to the Rio Grande  
Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website  
[WWW.HOLTCAT.COM](http://WWW.HOLTCAT.COM)

**HOLT**<sup>®</sup>**CAT**<sup>®</sup>

Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash •  
Tyler • Victoria • Waco • Weslaco

**MACHINE SPECIFICATIONS**

Description	Ref. No.	Price
CB64 VIBRATORY COMPACTOR	2816460	192,080
LIGHTS, ROADING AND WORKING PLATFORM, ROPS/FOPS	3002655	745
OIL, HYDR, FACTORY FILLED	2816815	0
INSTRUCTIONS, NORTH AMERICAN	3298044	0
MATS, WATER DISTRIBUTION	2892969	0
LIGHT, ROTATING BEACON	2983726	1,585
SYSTEM, 5 AMPLITUDE	3283920	575
DOMESTIC TRUCK	2816816	0
HITCH, OFFSET	0P0210	0
SENSOR, ANGLE	2909869	3,320
MAPPING, GPS	3533838	0
ACCUGRADE OFFICE SOFTWARE	3502860	20,500
SERVICE MANUAL	-	-
4 SETS OF KEYS	-	-
<b>TOTAL LIST PRICE</b>		<b>\$218,805</b>
<b>BUYBOARD DISCOUNT 9% OFF LIST</b>	<b>CONTRACT 345-10</b>	

**WARRANTY**

Caterpillar Standard New Machine Warranty - 12 Months/Unlimited Hours  
Caterpillar Extended Powertrain + Hydraulic Coverage - 36 Months/5,000 Hours  
(To run concurrently with Standard New Machine Warranty).

**F.O.B./TERMS**

Delivered to Customer's Yard

Delivery may be up to 19 Weeks from date of Purchase Order

CAB – Not available from factory

---

**QUOTE GRAND TOTAL**
**USD \$ 166,501****BUYBACK OPTIONS**

3 YEAR / 5,000 HOUR	\$65,614
5 YEAR / 7,500 HOUR	\$43,761

Your Caterpillar dealer from the Red River to the Rio Grande  
Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website  
[WWW.HOLTCAT.COM](http://WWW.HOLTCAT.COM)

**HOLT**<sup>®</sup>**CAT**<sup>®</sup>

Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash •  
Tyler • Victoria • Waco • Weslaco

07/27/2011

COLLIN COUNTY 0282292  
2300 BLOOMDALE RD STE 3100  
MCKINNEY 75071-8517

#G11130944

Thank you for the opportunity to present the following HGAC quotation for your review and consideration. This quote will expire at the end of August. If you have any questions or would like some additional options, please call Cliff Hutcheson @ 972 974 8025.

**CATERPILLAR INC CB64 ASPHALT COMPACTOR****STANDARD MACHINE****POWERTRAIN**

Cat C4.4 ACERT Engine (137HP /102kW, four cylinder turbo-charged)  
Cyclonic air cleaner; Water separator  
Ultra clean fuel filter with integrated electric prime pump; Two-speed electric throttle switch  
Dual braking systems (service & parking)  
Two-speed hydrostatic transmission

**ELECTRICAL**

12-volt electric starting; 80-ampere alternator  
Maintenance free battery - 950 CCA  
Halogen working lights - bumper mounted (2 front-facing and 2 rear-facing)  
Backup alarm and forward warning horn  
Product Link Ready  
Cat Engine and Vehicle ECM's - ET compatible

**OPERATOR ENVIRONMENT**

Isolated ROPS/FOPS structure  
Platform handrails / guardrails  
Four heavy-duty isolation mounts  
Power steering; Adjustable suspension, vinyl seat 3" (76mm) wide retractable seat belt  
Adjustable tilt-steering column/instrument panel  
Sliding, rotating seat  
Lockable, vandalism guard for instrument panel  
Indicator light package with audible warning alarm for: hydraulic oil pressure, hydraulic oil temperature, engine oil pressure, engine coolant temperature, glow plugs, and service fault indicator.  
Fuel level gauge; Water level gauge; Service hour meter; Automatic speed control  
Auto-vibe with adjustable on/off control  
Vibe tachometer; Speedometer  
Externally mounted rear view mirrors, quantity of 4

**COOLING**

Premixed 50% concentration of Extended Life Coolant with freeze protection to -37C (-35F)

**DRUMS**

Smooth drum - 84" (2130 mm) wide x 51" (1300 mm) diameter

5 Amplitudes with single vibe frequency  
Front & Rear self adjusting scraper blades  
Pod-style eccentric weight housing

**OTHER STANDARD EQUIPMENT**

Locking engine enclosure  
Sealed-for-life hitch bearings  
Sight gauges: hydraulic tank Level, and air restriction indicator  
Cap lock for hydraulic tank  
Articulated frame with safety lock  
Transport tie-down and lift points  
50 gal (191 L) fuel tank capacity  
291 gal (1100 L) water tank capacity  
Quick-connect hydraulic pressure test ports  
SOS ports: engine, hydraulic and coolant

Your Caterpillar dealer from the Red River to the Rio Grande  
Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website  
[WWW.HOLTCAT.COM](http://WWW.HOLTCAT.COM)



Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash • Tyler • Victoria • Waco • Weslaco

**MACHINE SPECIFICATIONS**

Description	Ref. No.	Price
CB64 VIBRATORY COMPACTOR	2816460	192,080
LIGHTS, ROADING AND WORKING PLATFORM, ROPS/FOPS	3002655	745
OIL, HYDR, FACTORY FILLED INSTRUCTIONS, NORTH AMERICAN MATS, WATER DISTRIBUTION	2816815	0
LIGHT, ROTATING BEACON SYSTEM, 5 AMPLITUDE	3298044	0
DOMESTIC TRUCK	2892969	0
HITCH, OFFSET	2983726	1,585
SENSOR, ANGLE	3283920	575
MAPPING, GPS	2816816	0
ACCUGRADE OFFICE SOFTWARE	0P0210	0
SERVICE MANUAL	2909869	3,320
4 SETS OF KEYS	3533838	0
<b>TOTAL LIST PRICE</b>	3502860	<b>20,500</b>
<b>HGAC DISCOUNT 9% OFF LIST</b>	<b>CONTRACT SM 10-10</b>	<b>\$218,805</b>

**WARRANTY**

Caterpillar Standard New Machine Warranty - 12 Months/Unlimited Hours  
 Caterpillar Extended Powertrain + Hydraulic Coverage - 36 Months/5,000 Hours  
 (To run concurrently with Standard New Machine Warranty).

**F.O.B./TERMS**

Delivered to Customer's Yard

Delivery may be up to 19 Weeks from date of Purchase Order

CAB – Not available from factory

---

**QUOTE GRAND TOTAL** **USD \$ 166,501**

BUYBACK OPTIONS

3 YEAR / 5,000 HOUR	\$65,614
5 YEAR / 7,500 HOUR	\$43,761

Your Caterpillar dealer from the Red River to the Rio Grande  
 Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website  
**WWW.HOLTCAT.COM**



K S P I

P.O. Box 270300  
Oklahoma City, OK 73137  
405.495.7820  
800.375.3339

February 27, 2011 **Revised 7/25/2011- for Ms. Liz Gray**



Oklahoma City, Oklahoma  
6715 W. Reno  
Oklahoma City, OK 73127  
405.495.7820  
800.375.3339  
405.787.5973 fax

**Mr. Mike McClatchy**  
**COLLIN COUNTY**  
2300 BLOOMDALE RD #3100  
MCKINNEY, TX 75071

Dear Mike:

Tulsa, Oklahoma  
12321 E. Pine St.  
Tulsa, OK 74116  
918.438.1700  
800.375.3733  
918.437.7065 fax

We are pleased to quote the following for your consideration:

(1) Vogele Wheeled Paver- Model: 5103-2 Unit# N.I.S., S/N Factory Order. Price: \$276,725.00

The following factory and dealer options are included:

St. Louis, Missouri  
12920 Gravois Rd.  
St. Louis, MO 63127  
314.729.0125  
866.279.1392  
314.729.1317 fax

- \* All standard factory equipment,
- \* As per the bid specifications on **Tarrant County Contract #2011-014,**
- \* Less deduct for Easy slide tunnels from Bid Specification sheet- Section # VII-  
Easy Slide powered tunnels **-\$6,000.00**
- \*Plus on-contact sonic aluminum beams- **Plus \$15,535.00**

Price Complete, Delivered: \$286,260.00

Ft. Worth, Texas  
5300 Lone Star Blvd.  
Ft. Worth, TX 76106  
817.378.0600  
877.851.9977  
817.378.0080 fax

Option: Above surface non- contact aluminum beam which utilizes sensors for smoothness averaging.. please add \$15,535.00

We believe the equipment as quoted will exceed your expectations. On behalf of Kirby-Smith Machinery, Inc., thank you for the opportunity to quote your machinery requirements.

Sincerely,

Sol Gieser  
Texas - Governmental Sales Manager

'Subject to pricing and availability at time of order'

File: COLLIN COUNTY Vogele 5103-2, Proposal 1, 022711.doc

## Texas Association of School Boards Quotation Worksheet

Quote Date	May 17, 2011	Quote Request No.	
Quotation To		Contract No.	345-10
Buying Agency	Collin County	Vendor ID	345-10
Contact	Jeff Bond / Liz Gray	<b>Wirtgen / Kirby Smith Machinery, Inc.</b>	
Phone	972-548-3710	Contact	Sol Gieser
Fax		Phone	817-475-6544
Email		Fax	214-375-7903
		Email	sgieser@kirby-smith.com

Pricing Based On Manufacturer's Price List Dated:		Contract Discount	15.0%
		Factor	85.0%

**A. Base Unit:**

Brand	Model No.	Description	List Price	Net Price
Vogele	5103-2	Asphalt paver	\$ 394,666.00	\$ 335,466.00

Includes All Standard equipment & attachments as listed in attached brochures and delivery to your facility.

**B. Factory options and attachments INSTALLED**

Sales Code	Description	List Price	Net Price
5103-2	Vogele Asphalt Paver		\$ -
	Includes Front wheel drive assist		\$ -
	Carlson Easy IV screed		\$ -
Sonic beams	On-contact sonic aluminum beams		\$ 15,750.00
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
	Sub Total		\$ 15,750.00

**C. Non-Factory options and attachments INSTALLED**

Sales Code	Description	Net Price
		\$ -
		\$ -
		\$ -
		\$ -
		\$ -
		\$ -
	Sub Total	\$ -

**D. Other applicable charges. Allowances, Trade-Ins, Special Discounts, etc.**

Description	Net Price
On site training	\$ 2,500.00
Operator, Parts, Service manuals	\$ 1,200.00
Less JBLG discount	\$ (59,166.00)
Sub Total	\$ (55,466.00)

	<b>TOTAL PURCHASE PRICE: \$ 295,750.00</b>
Delivery: <input style="width: 200px;" type="text"/>	

Transmit copy of this quotation with a copy of your purchase order to:  
Texas Association of School Boards, PO Box 400, Austin, TX 78764-0400 email: buyboard@tasb.org





P.O. Box 270300  
Oklahoma City, OK 73137  
405.495.7820  
800.375.3339

July 5, 2011

Oklahoma City, Oklahoma  
6715 W. Reno  
Oklahoma City, OK 73127  
405.495.7820  
800.375.3339  
405.787.5973 fax

**MS. LIZ GRAY**  
**COLLIN COUNTY**  
2300 BLOOMDALE RD #3100  
MCKINNEY, TX 75071

Dear Liz:

We are pleased to quote the following for your consideration:

Tulsa, Oklahoma  
12321 E. Pine St.  
Tulsa, OK 74116  
918.438.1700  
800.375.3733  
918.437.7065 fax

(1) Wirtgen Mixer / Reclaimer- Model: WR 2400 Unit# N.I.S., S/N Factory Order. Price: \$502,769.32

St. Louis, Missouri  
12920 Gravois Rd.  
St. Louis, MO 63127  
314.729.0125  
866.279.1392  
314.729.1317 fax

The following factory and dealer options are included:

Ft. Worth, Texas  
5300 Lone Star Blvd.  
Ft. Worth, TX 76106  
817.378.0600  
877.851.9977  
817.378.0080 fax

- \* High Performance Mixer/Reclaimer, (not for use in Concrete Reclamation)
- \* Equipped with Mercedes, 563 HP engine, Please note engine to machine weight ratio. **STANDARD**
- \* Adjustable rotor drum drive system with Four cutting depth speeds: the drum can go up and down and roll-out; has an automatic (non-mechanical) belt tensioner. **STANDARD**
- \* Unit has an Emergency system/operation mode to raise drum and allow inoperable machine to be loaded/winchd upon a trailer. **STANDARD**
- \* Machine can operate in up milling or down milling mode, **STANDARD**
- \* Automatic adaption of mixing compartment size according to working depth,
- \* Variable mixing chamber concept,
- \* 96" working Universal drum width and depth up to 20 inches, (not for use in Concrete Reclamation) **STANDARD**
- \* Hydraulically adjustable scraper blades, **STANDARD**
- \* Infinitely variable hydraulic four wheel drive with 4 speed ranges and differential lock, **STANDARD**
- \* 96" drum with HT 11 quick change holder system, **STANDARD**
- \* Enclosed can with Air conditioner/ Heater. **STANDARD**
- \* Enclosed cab can side shift –beyond machine’s right side for better operator viewing. **STANDARD**
- \* Operator seat has up to 90 degree turn ability. **STANDARD**
- \* Cab has full complement of gauges. **STANDARD**
- \* Two amber warning beacons mounted on each end of machine. **STANDARD**
- \* Push bar/devise for tanker truck, **STANDARD**
- \* Tow bar. **STANDARD**
- \* Quick change Bolt-On tool holder system. **STANDARD**
- \* Industry wide standard hard-faced bits **STANDARD**
- \* Slope Control sensor for slope adjustment. **STANDARD**
- \* Adjustable Breaker / Scraper bar with beam, **STANDARD**
- \* One pump and one sprayer bar with universal nozzles -Injector system for water, bitumen, or cement slurry. **STANDARD**
- \* Variable width spray bar with 16 nozzles. **STANDARD**
- \* Self cleaning spray nozzle system. Standard on bitumen system. **STANDARD**
- \* Microprocessor to ensure accurate amount of product/water into the mix. **STANDARD**

**Your Source for a World of Equipment**

[www.kirby-smith.com](http://www.kirby-smith.com)

**Standard Equipment continued.**

- \* Lockable tool box: W-13"; L-36"; D-25" **STANDARD**
- \* Vandalism protection system **STANDARD**
- \* Full set of manuals **STANDARD**
- \* Training program for Operators and Technicians: Full initial training and repetitive training to insure machine knowledge and advanced productivity. **STANDARD**
- \* Lug tires. **STANDARD**
- \* Even machine weight distribution- no need for counterweight. **STANDARD**
- \* Four power speeds for greater machine control/performance and fuel economy. **STANDARD**
- \* Same large tire size for front and rear-larger tire = greater traction. **STANDARD**
- \* Ability to flush cut on the Right (Operator) side to be able to near obstacles. **STANDARD**
- \* Maximum displacement of 210 gpm,
- \* Warranty: Standard factory warranty- 12 months / 1,000 hours

Price Complete, Delivered: \$502,769.00.

**Options:**

Printer for job data. Add \$2,580.00 to cost.  
 Hose connection to tanker with quick connects. Cannot quote- it is not known what length of hose the County might want and do not know the tanker truck connection fixture. If we would supply, we would just go to Stuart Hose- purchase it and mark it up 20%. It would be prudent for the County to purchase it directly themselves.  
 Extra set of teeth- 178 teeth = 4 boxes = \$1370.00.  
 Self contained wash down system. Add \$5,445.00  
 Extra operator's manual. Add \$200.00.  
 Capability to add (at a future date) as additional system for foamed bitumen application. This may require a foam lab if the County does not have access to one. Also it would require the removal on the Bitumen Emulsion system. Add \$195,115.00.  
 Counterweight- Not required. No charge.  
 Torque limiter to protect rotor drive train- Wirtgen unit is belt driven with a clutch and an automatic belt tensioner. Torque limiters are only required for the higher maintenance chain driven machines- Like Cat. Therefore- not required and no charge.  
 OBD Diagnostic software- STANDARD- no charge.  
 Ejector type picks for bit removal- STANDARD - no charge.  
**Other tools that might be required-** Torque wrench capable of 368 ft/lb torque- Please add \$750.00.  
 Pneumatic drive/knock-out tool for removing cuttings bits. STANDARD- no charge.  
 Hydraulic pressure test machine- No required- County can use a hydraulic test gauge. No test machine required.

KS R3

Delivery Time: Cannot quote, until the County decides what equipment requirements it wants. There are too many variables. Kirby-Smith Machinery does have a unit on order that meets basic specifications- Factory made additional items added at our dealership would be printer, and a Wash-down system. This unit should be in within 30 days or less. Unit is subject to first sale availability.

Cooperative Purchasing Information: H-GAC- Contract # SM 10-10: Product code: N 540.  
BuyBoard Contract # 345-10: Code: WR 2400, line #32.

We believe the equipment as quoted will exceed your expectations. On behalf of Kirby-Smith Machinery, Inc., thank you for the opportunity to quote your machinery requirements.

Sincerely,



Sol Gieser  
Texas - Governmental Sales Manager

'Subject to pricing and availability at time of order'

File: COLLIN COUNTY Wirtgen WR 2400, Proposal 1, 070311.doc



## Texas Association of School Boards Quotation Worksheet

Quote Date	May 17, 2011	Quote Request No.	
Quotation To		Contract No.	345-10
		Vendor ID	345-10
Buying Agency	Collin County	<b>Wirtgen / Kirby Smith Machinery, Inc.</b>	
Contact	Jeff Bond / Liz Gray	Contact	Sol Gieser
Phone	972-548-3710	Phone	817-475-6544
Fax		Fax	214-375-7903
Email		Email	sgieser@kirby-smith.com

Pricing Based On Manufacturer's Price List Dated:		Contract Discount	15.0%
		Factor	85.0%

**A. Base Unit:**

Brand	Model No.	Description	List Price	Net Price
Hamm	HD 120 VV	Double Drum Asphalt Roller	\$ 159,000.00	\$ 135,130.00

**Includes All Standard equipment & attachments as listed in attached brochures and delivery to your facility.**

**B. Factory options and attachments INSTALLED**

Sales Code	Description	List Price	Net Price
HD 120 VV	Double Drum Roller		\$ -
			\$ -
			\$ -
Line item #3			\$ -
	<b>REVISED FROM 6/14/2011</b>		\$ -
			\$ -
			\$ -
			\$ -
			\$ -
		Sub Total	\$ -

**C. Non-Factory options and attachments INSTALLED**

Sales Code	Description	List Price	Net Price
Electronic Temp	Electronic Thermometer to check asphalt temperature		\$ 2,650.00
HCC	Hamm compaction quality system- GPS		\$ 61,400.00
	First annual subscription charge		\$ 2,500.00
			\$ -
			\$ -
			\$ -
			\$ -
		Sub Total	\$ 66,550.00

**D. Other applicable charges. Allowances, Trade-Ins, Special Discounts, etc.**

Description	Net Price
On site training	\$ 1,000.00
Operator, Parts, Service manuals	\$ 1,200.00
Extended warranty- 5yr/6,000 hrs. Power tarin + Hydraulics	\$ 5,835.00
Less JBLG discount	\$ (10,915.00)
	Sub Total
	\$ (2,880.00)

**TOTAL PURCHASE PRICE: \$ 198,800.00**

Delivery: 30 days

Transmit copy of this quotation with a copy of your purchase order to:  
Texas Association of School Boards, PO Box 400, Austin, TX 78764-0400 email: buyboard@tasb.org