

**Bid Tabulation Packet
for
Solicitation 2014-197**

VEHICLE, FUEL TANKER TRUCK

Bid designation: Public



Collin County

Bid #2014-197 - VEHICLE, FUEL TANKER TRUCKCreation Date **Mar 24, 2014**End Date **May 29, 2014 2:00:00 PM CDT**Start Date **May 14, 2014 8:25:38 AM CDT**Awarded Date **Not Yet Awarded**

2014-197--01-01 Fuel Tanker Truck					
Supplier	Unit Price	Qty/Unit	Total Price	Attch.	Docs
SOUTHWEST INTERNATIONAL TRUCKS INC.	First Offer - \$275,844.84	1 / each	\$275,844.84	Y	Y
Product Code: Agency Notes:		Supplier Product Code: SF667 Supplier Notes: Name of Nearest Truck Service Facility: Southwest International Trucks Location of Truck Service Facility: 2105 N. Central Expressway Name of Nearest Tank Service Facility: Young's Tanks Inc., Location of Tank Service Facility: 3673 Hwy 114 Boyd, Texas Delivery Time After Receipt of Order: 365 days Vehicle Make:: International Vehicle Model:: 7600 6x4 Engine Type:: Navistar N13 Transmission Type:: Allison Automatic Tank Manufacturer:: Young's Tanks LINE ITEM 4.17.49 ALL KEY ALIKE OPTION 27.00 EACH TRUCK, TRUCK ONLY			

2014-197--01-02 Optional Truck Warranty, 60 Months/150,000 Miles					
Supplier	Unit Price	Qty/Unit	Total Price	Attch.	Docs
SOUTHWEST INTERNATIONAL TRUCKS INC.	First Offer - \$9,000.00	1 / each	\$9,000.00	Y	Y
Product Code: Agency Notes:		Supplier Product Code: 40GEN Supplier Notes: EXTENDED VEHICLE/ 60 MONTHS 150K MILES COST: 9,000 EACH NOT INCLUDED IN BID PRICE CODE: 40GEN			

2014-197--01-03 Optional Truck Warranty, 60 Months/250,000 Miles					
Supplier	Unit Price	Qty/Unit	Total Price	Attch.	Docs
SOUTHWEST INTERNATIONAL TRUCKS INC.	First Offer - \$0.00	1 / each	\$0.00	Y	Y
Product Code: Agency Notes:		Supplier Product Code: CODE 40CPN SEE NOTES BELOW Supplier Notes: 60 MONTHS 250,000 IS NOT AVAILABLE 60 MONTHS 200,000 IS AVAILABLE : CODE 40CPN : COST 10000.00 NOT INCLUDED IN BID PRICE			

2014-197--01-04 Optional Truck Warranty, 84 Months/150,000 Miles					
Supplier	Unit Price	Qty/Unit	Total Price	Attch.	Docs
SOUTHWEST INTERNATIONAL TRUCKS INC.	First Offer - \$0.00	1 / each	\$0.00	Y	Y
Product Code: Agency Notes:		Supplier Product Code: Supplier Notes: 84 MONTHS/ 150,000 MILES IS NOT AVAILABLE			

2014-197--01-05 Optional Truck Warranty, 84 Months/250,000 Miles					
Supplier	Unit Price	Qty/Unit	Total Price	Attch.	Docs
SOUTHWEST INTERNATIONAL TRUCKS INC.	First Offer - \$0.00	1 / each	\$0.00	Y	Y
Product Code: Agency Notes:		Supplier Product Code: Supplier Notes: 84 MONTHS/ 250,000 IS NOT AVAILABLE			
SOUTHWEST INTERNATIONAL TRUCKS INC.	Alt 1 - \$0.00	1 / each	\$0.00	Y	Y
Product Code: Agency Notes:		Supplier Product Code: 40KMD TOWING Supplier Notes: TOWING WTY/ 60 MONTHS UNLIMITED MILES COST: 1,400 EACH NOT INCLUDE IN BID PRICE CODE: 40KMD			
SOUTHWEST INTERNATIONAL TRUCKS INC.	Alt 2 - \$0.00	1 / each	\$0.00	Y	Y

Product Code: Agency Notes:		Supplier Product Code: 40KCL AFTERTREATMENT Supplier Notes: AFTERTREATMET SYSTEM 84 MONTHS 250K MILES COST: 1,300 EACH NOT INCLUDED IN BID PRICE CODE : 40KCL
SOUTHWEST INTERNATIONAL TRUCKS INC.	Alt 3 - \$0.00	1 / each \$0.00 Y Y
Product Code: Agency Notes:		Supplier Product Code: 40KHV ENGINE Supplier Notes: ENGINE WTY/ 84 MONTHS 150K MILES COST: 5,600 EACH NOT INCLUDED IN BID PRICE CODE: 40KHV
SOUTHWEST INTERNATIONAL TRUCKS INC.	Alt 4 - \$0.00	1 / each \$0.00 Y Y
Product Code: Agency Notes:		Supplier Product Code: CTS-2003X STANDARD TRUCK WTY Supplier Notes: SEE ATTACHED STANDARD BASIC TRUCK WTY. FOR DETAILS
SOUTHWEST INTERNATIONAL TRUCKS INC.	Alt 5 - \$0.00	1 / each \$0.00 Y Y
Product Code: Agency Notes:		Supplier Product Code: ALLISON TRANS WTY Supplier Notes: 4500 RDS UTILITY AND OTHER; 60 MONTHS UNLIMITED MILES CAST: 748.00 EACH NOT INCLUDED IN BID PRICE
SOUTHWEST INTERNATIONAL TRUCKS INC.	Alt 6 - \$0.00	1 / each \$0.00 Y Y
Product Code: Agency Notes:		Supplier Product Code: 40JMA ENGINE Supplier Notes: ENGINE WTY/ 84 MONTHS 250K MILES COST: 8,000 EACH NOT INCLUDED IN BID PRICE CODE: 40JMA
SOUTHWEST INTERNATIONAL TRUCKS INC.	Alt 7 - \$0.00	1 / each \$0.00 Y Y
Product Code: Agency Notes:		Supplier Product Code: 40JLY Supplier Notes: ENGINE WTY / 60 MONTHS 250K MILES COST: 3,000 EACH NOT INCLUDED IN BID PRICE CODE 40JLY

2014-197--01-06 Optional Tank Warranty					
Supplier	Unit Price	Qty/Unit	Total Price	Attch.	Docs
SOUTHWEST INTERNATIONAL TRUCKS INC.	First Offer - \$0.00	1 / each	\$0.00	Y	Y
Product Code: Agency Notes:		Supplier Product Code: YOUNGS TANK ATTACHMENT Supplier Notes: SEE ATTACHMENT ON THE STANDARD YONNGS TANK WTY, NO OPTIONAL TANK AVAIALE FROM YOUNG'S TANK			

Supplier Totals

SOUTHWEST INTERNATIONAL TRUCKS INC.		\$284,844.84 (6/6 items)
Bid Contact	Calvin B Lewis calvin.lewis@swit-tx.com Ph 972-542-1201	Address P.O. Box 580 2105 North Central Expressway McKinney, TX 75069
Bid Notes	LINE ITEM 4.10 DESCRIPTIVE LITERATURE: REFER TO YOUNG'S WEBSITE AT YOUNG'S TANK.COM FOR GENERAL IDEA OF YOUNG'S EQUIPMENT. LINE ITEM 4.19.3 MANUALS FOR TANK: ALL MANUALS FOR INSTALLED EQUIPMENT WILL BE PROVIDED. MOST MANUALS ARE NOW ON LINE. LINE ITEM 4.28 REFERENCES: LYNCH OIL COMPANY 1244 E CARROLL ST. KISSIMMEE, FL 34744 ATTN: GENE HURTT 407-908-4151 LOCAL COMPANIES WHO OWN OUR EQUIPMENT: CITY OF FT. WORTH ATTN: RANDY RENDON 817-994-6918 RANDY.RENDON@FORTWORTHGOV.ORG MILLEN OIL CO. 212 MAIN ST. MCKINNEY, TX 75069 ATTN: MICHAEL MILLEN 972-542-0206	
Agency Notes:	Supplier Notes: LINE ITEM 4.10 DESCRIPTIVE LITERATURE: REFER TO YOUNG'S WEBSITE AT YOUNG'S TANK.COM FOR GENERAL	

IDEA OF YOUNG'S EQUIPMENT.
LINE ITEM 4.19.3 MANUALS FOR TANK: ALL MANUALS FOR
INSTALLED EQUIPMENT WILL BE PROVIDED. MOST
MANUALS ARE NOW ON LINE.
LINE ITEM 4.28 REFERENCES:
LYNCH OIL COMPANY
1244 E CARROLL ST.
KISSIMMEE, FL 34744
ATTN: GENE HURTT 407-908-4151
LOCAL COMPANIES WHO OWN OUR EQUIPMENT:
CITY OF FT. WORTH
ATTN: RANDY RENDON 817-994-6918
RANDY.RENDON@FORTWORTHGOV.ORG
MILLEN OIL CO.
212 MAIN ST.
MCKINNEY, TX 75069
ATTN: MICHAEL MILLEN
972-542-0206

**

SOUTHWEST INTERNATIONAL TRUCKS INC.

Bid Contact Calvin B Lewis Address P.O. Box 580
calvin.lewis@swit-tx.com 2105 North Central Expressway
Ph 972-542-1201 McKinney, TX 75069

Bid Notes LINE ITEM 4.10 DESCRIPTIVE LITERATURE: REFER TO YOUNG'S WEBSITE AT YOUNG'S TANK.COM FOR GENERAL IDEA OF YOUNG'S EQUIPMENT.
LINE ITEM 4.19.3 MANUALS FOR TANK: ALL MANUALS FOR INSTALLED EQUIPMENT WILL BE PROVIDED. MOST MANUALS ARE NOW ON LINE.
LINE ITEM 4.28 REFERENCES:
LYNCH OIL COMPANY
1244 E CARROLL ST.
KISSIMMEE, FL 34744
ATTN: GENE HURTT 407-908-4151
LOCAL COMPANIES WHO OWN OUR EQUIPMENT:
CITY OF FT. WORTH
ATTN: RANDY RENDON 817-994-6918
RANDY.RENDON@FORTWORTHGOV.ORG
MILLEN OIL CO.
212 MAIN ST.
MCKINNEY, TX 75069
ATTN: MICHAEL MILLEN
972-542-0206

Item #	Line Item	Notes	Unit Price	Qty/Unit	Attch.	Docs	
2014-197--01-01	Fuel Tanker Truck	Supplier Product Code: SF667 Name of Nearest Truck Service Facility: Southwest International Trucks Location of Truck Service Facility: 2105 N. Central Expressway Name of Nearest Tank Service Facility: Young's Tanks Inc., Location of Tank Service Facility: 3673 Hwy 114 Boyd, Texas Delivery Time After Receipt of Order: 365 days Vehicle Make:: International Vehicle Model:: 7600 6x4 Engine Type:: Navistar N13 Transmission Type:: Allison Automatic Tank Manufacturer:: Young's Tanks Supplier Notes: LINE ITEM 4.17.49 ALL KEY ALIKE OPTION 27.00 EACH TRUCK, TRUCK ONLY	First Offer - \$275,844.84	1 / each	\$275,844.84	Y	Y
2014-197--01-02	Optional Truck Warranty, 60 Months/150,000 Miles	Supplier Product Code: 40GEN Supplier Notes: EXTENDED VEHICLE/ 60 MONTHS 150K MILES COST: 9,000 EACH NOT INCLUDED IN BID PRICE CODE: 40GEN	First Offer - \$9,000.00	1 / each	\$9,000.00	Y	Y
2014-197--01-03	Optional Truck Warranty, 60 Months/250,000	Supplier Product Code: CODE 40CPN SEE NOTES BELOW	First Offer - \$0.00	1 / each	\$0.00	Y	Y

	Miles	Supplier Notes: 60 MONTHS 250,000 IS NOT AVAILABLE 60 MONTHS 200,000 IS AVAILABLE : CODE 40CPN : COST 10000.00 NOT INCLUDED IN BID PRICE						
2014-197--01-04	Optional Truck Warranty, 84 Months/150,000 Miles	Supplier Product Code: Supplier Notes: 84 MONTHS/ 150,000 MILES IS NOT AVAILABLE	First Offer - \$0.00	1 / each	\$0.00	Y	Y	
2014-197--01-05	Optional Truck Warranty, 84 Months/250,000 Miles	Supplier Product Code: Supplier Notes: 84 MONTHS/ 250,000 IS NOT AVAILABLE	First Offer - \$0.00	1 / each	\$0.00	Y	Y	
		Supplier Product Code: 40KMD TOWING Supplier Notes: TOWING WTY/ 60 MONTHS UNLIMITED MILES COST: 1,400 EACH NOT INCLUDE IN BID PRICE CODE: 40KMD	Alt 1 - \$0.00	1 / each	\$0.00	Y	Y	
		Supplier Product Code: 40KCL AFTERTREATMENT Supplier Notes: AFTERTREATMET SYSTEM 84 MONTHS 250K MILES COST: 1,300 EACH NOT INCLUDED IN BID PRICE CODE : 40KCL	Alt 2 - \$0.00	1 / each	\$0.00	Y	Y	
		Supplier Product Code: 40KHV ENGINE Supplier Notes: ENGINE WTY/ 84 MONTHS 150K MILES COST: 5,600 EACH NOT INCLUDED IN BID PRICE CODE: 40KHV	Alt 3 - \$0.00	1 / each	\$0.00	Y	Y	
		Supplier Product Code: CTS-2003X STANDARD TRUCK WTY Supplier Notes: SEE ATTACHED STANDARD BASIC TRUCK WTY. FOR DETAILS	Alt 4 - \$0.00	1 / each	\$0.00	Y	Y	
		Supplier Product Code: ALLISON TRANS WTY Supplier Notes: 4500 RDS UTILITY AND OTHER; 60 MONTHS UNLIMITED MILES CAST: 748.00 EACH NOT INCLUDED IN BID PRICE	Alt 5 - \$0.00	1 / each	\$0.00	Y	Y	
		Supplier Product Code: 40JMA ENGINE Supplier Notes: ENGINE WTY/ 84 MONTHS 250K MILES COST: 8,000 EACH NOT INCLUDED IN BID PRICE CODE: 40JMA	Alt 6 - \$0.00	1 / each	\$0.00	Y	Y	
		Supplier Product Code:	Alt 7 - \$0.00	1 / each	\$0.00	Y	Y	

Code: 40JLY
Supplier
Notes: ENGINE WTY /
 60 MONTHS 250K MILES
 COST: 3,000
 EACH NOT INCLUDED
 IN BID PRICE CODE
 40JLY

2014-197--01-06	Optional Tank Warranty	Supplier Product Code: YOUNGS TANK ATTACHMENT Supplier Notes: SEE ATTACHMENT ON THE STANDARD YONNGS TANK WTY, NO OPTIONAL TANK AVAIABLE FROM YOUNG'S TANK	First Offer - \$0.00	1 / each	\$0.00	Y	Y
-----------------	---------------------------	---	-----------------------------	----------	---------------	---	---

Supplier Total **\$284,844.84**

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: Fuel Tanker Truck

Attachments

PP 1901-01 report.pdf

Collin County Concept Streetside View.pdf

Collin County 4500 x 5 Rear Del Dual Pump Internal Tank DEF System 5.27.14.docx

WARRANTY - 5 Year.docm

Youngs Tank Warranty.docm



7600 SBA 6x4 2010

**Sales Proposal For:
COLLIN COUNTY AUDITOR'S**

**Presented By:
SOUTHWEST INTL TRKS**


INTERNATIONAL®**May 23, 2014****Prepared For:**

COLLIN COUNTY AUDITOR'S
JEFF BOND
2300 Bloomdale Rd. Ste. 3160
Mc Kinney, TX 75071-8517
(972)548 - 4115
Reference ID: PP 5576-01

Presented By:

SOUTHWEST INTL TRKS
Calvin B Lewis
2105 N. CENTRAL EXPRSWAY
MCKINNEY TX 75069 -
(972)629-3600

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

**Model Profile****2015 7600 SBA 6X4 2010 (SF667)****APPLICATION:**

Fuel Oil (Tank)

MISSION:

Requested GVWR: 54000. Calc. GVWR: 66000
Calc. Start / Grade Ability: 35.18% / 3.40% @ 55 MPH
Calc. Geared Speed: 68.1 MPH

FUEL ECONOMY:

7.51 MPG @ 55 MPH

DIMENSION:

Wheelbase: 254.00, CA: 186.90, Axle to Frame: 100.00

ENGINE, DIESEL:

{Navistar N13} EPA 10, SCR, 410 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM
Governed Speed, 410 Peak HP (Max)

TRANSMISSION, AUTOMATIC:

{Allison 4500_RDS_P} 5th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; On/Off
Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder

CLUTCH:

Omit Item (Clutch & Control)

AXLE, FRONT NON-DRIVING:

{Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity

AXLE, REAR, TANDEM:

{Meritor RT-46-164P} Single Reduction, 46,000-lb Capacity, Lube Oil Pump, R Wheel Ends Gear
Ratio: 4.89

CAB:

Conventional

TIRE, FRONT:

(2) 315/80R22.5 G289 WHA (GOODYEAR) 484 rev/mile, load range L, 20 ply

TIRE, REAR:

(8) 11R22.5 G288 MSA (GOODYEAR) 498 rev/mile, load range H, 16 ply

SUSPENSION, REAR, AIR, TANDEM:

{Hendrickson HAS-460-55} 55" Axle Spacing; 46,000-lb Capacity, 9.5" Ride Height, With Shock
Absorbers Mounted Inboard

FRAME REINFORCEMENT:

Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312";
(274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL

PAINT:

Cab schematic 100GS

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

INTERNATIONAL®**Vehicle Specifications
2015 7600 SBA 6X4 2010 (SF667)****May 23, 2014**

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
SF66700	Base Chassis, Model 7600 SBA 6X4 2010 with 254.00 Wheelbase, 186.90 CA, and 100.00 Axle to Frame.	8494/6530	15024
1570	TOW HOOK, FRONT (2) Frame Mounted	8/0	8
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL	155/403	558
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL	465/759	1224
1LEH	LICENSE PLATE HOLDER Single Plate, Swing Type, Mounted Below Front Bumper	3/0	3
1LLA	BUMPER, FRONT Steel, Swept Back <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color	0/0	0
1WHR	WHEELBASE RANGE 250" (635cm) Through and Including 311" (790cm)	0/0	0
2ARY	AXLE, FRONT NON-DRIVING {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	141/0	141
3AHU	SUSPENSION, FRONT, SPRING Multi-Stage, Taper Leaf; 20,000-lb Capacity, With Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	283/2	285
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4 <u>Notes</u> : Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.	0/0	0
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers	0/0	0

INTERNATIONAL®

Vehicle Specifications
2015 7600 SBA 6X4 2010 (SF667)

May 23, 2014

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.		
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank	0/0	0
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	0/0	0
4EBD	AIR DRYER {Meritor Wabco System Saver 1200} with Heater	13/5	18
	<u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab		
4ETE	BRAKE CHAMBERS, FRONT AXLE {Haldex} 24 SqIn	0/0	0
4EVL	BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake	0/0	0
	<u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater		
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	0/0	0
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.		
4SPM	AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM Capacity, Single Cylinder	0/0	0
4WZJ	AIR TANK LOCATION (2) : One Mounted Under Each Frame Rail, Front of Rear Suspension, Parallel to Rail	4/21	25
5AAA	STEERING COLUMN Stationary	0/0	0
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	0/0	0
5PTB	STEERING GEAR (2) {Sheppard M-100/M-80} Dual Power	122/-3	119
7BEP	EXHAUST SYSTEM Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	28/-2	26
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height)		
7WAZ	TAIL PIPE (1) Turnback Type, Non-Bright, for Single Exhaust	0/0	0
7WBS	MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel	0/0	0
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0
	<u>Includes</u> : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover		

INTERNATIONAL®

Vehicle Specifications
2015 7600 SBA 6X4 2010 (SF667)

May 23, 2014

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : HORN, ELECTRIC Single : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered		
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord	1/0	1
8GGN	ALTERNATOR {Bosch LH160} Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount	0/0	0
8HAA	BODY BUILDER WIRING To Rear of Frame, With Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket	2/0	2
8MKL	BATTERY SYSTEM {International} Maintenance-Free, (3) 12-Volt 1950CCA Total	0/0	0
8RME	RADIO AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers, With CD Player	1/0	1
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3
8TKB	STOP, TURN, TAIL & B/U LIGHTS {Truck Lite} Super 44, With LED Bulbs for Stop, Turn & Tail Lights and Truck Lite Super 40 for Backup lights, With Power Module, "International" Termination and Less Junction Box	0/5	5
8TMH	SWITCH, AUXILIARY Accessory Control; for Wiring in Roof, With Maximum of 20 amp Load With Switches In Instrument Panel	1/0	1
8VUN	BATTERY BOX Aluminum, With Plastic Cover, Mounted 53" Back of Cab, Left Side Perpendicular to Frame Rail	-17/-8	-25
8WBW	JUMP START STUD Remote Mounted	2/0	2
	<u>Includes</u> : JUMP START STUD Mounted to Battery Box		
8WMA	SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light	2/1	3
8WVP	HORN, AIR (2) Single Tone, Rectangular; Chrome	9/-1	8
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start	0/0	0
	<u>Notes</u> : This starter is designed to work reliably without the need for thermal overcrank protection and provides the same warranty coverage as starters with thermal overcrank protection.		
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	0/0	0

INTERNATIONAL®

Vehicle Specifications
2015 7600 SBA 6X4 2010 (SF667)

May 23, 2014

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
9585	FENDER EXTENSIONS Rubber	0/0	0
9HAN	INSULATION, UNDER HOOD for Sound Abatement	10/0	10
9HBM	GRILLE Stationary, Chrome	0/0	0
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	3/0	3
9WAC	BUG SCREEN Front End; Mounted Behind Grille	5/0	5
9WBK	FRONT END Tilting, Fiberglass, With Three Piece Construction Includes Long Hood	0/0	0
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GS"	0/0	0
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
10943	KEYS - ALL ALIKE Fleet - Includes Ignition and Cab Door Keys	0/0	0
10WBB	KEYS - ALL ALIKE, ID Z-200	0/0	0
11001	CLUTCH Omit Item (Clutch & Control)	-138/-18	-156
12864	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1500 Watt <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	2/0	2
12926	RADIATOR HOSES Silicone; Molded	0/0	0
12BCR	ENGINE, DIESEL {Navistar N13} EPA 10, SCR, 410 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 410 Peak HP (Max)	0/0	0
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	3/0	3
12UBL	RADIATOR Aluminum; Welded, Front to Back CrossFlow System, 1593 SqIn, 1929 SqIn Dual CAC, 1548 SqIn 3 Core LTR <u>Includes</u> : DEAERATION SYSTEM with Clear Fill/Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	0/0	0
12UNB	FEDERAL EMISSIONS EPA, OBD and GHG Certified for Calendar Year 2014; N13 Engines	0/0	0
12VBB	AIR CLEANER Dual Element <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	4/0	4
12WEG	COLD STARTING EQUIPMENT Automatic; With Engine ECM Control	0/0	0
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	0/0	0
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Idle Regulations	0/0	0

INTERNATIONAL®

Vehicle Specifications
2015 7600 SBA 6X4 2010 (SF667)

May 23, 2014

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
13AUT	TRANSMISSION, AUTOMATIC {Allison 4500_RDS_P} 5th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder	249/70	319
13WAW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil, for Allison or CEEMAT Transmission	25/0	25
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission	0/0	0
13WLM	TRANSMISSION OIL Synthetic; 63 thru 76 Pints	0/0	0
13WUA	AUTOMATIC NEUTRAL Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged	0/0	0
13WUS	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks Modified for Single Input Auto Neutral	0/0	0
13WYK	SHIFT CONTROL PARAMETERS Allison Load Based Shift Schedules (LBSS)	0/0	0
14899	SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab	6/2	8
14HRW	AXLE, REAR, TANDEM {Meritor RT-46-164P} Single Reduction, 46,000-lb Capacity, Lube Oil Pump, R Wheel Ends . Gear Ratio: 4.89 <u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	0/503	503
14ULT	SUSPENSION, REAR, AIR, TANDEM {Hendrickson HAS-460-55} 55" Axle Spacing; 46,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted Inboard <u>Includes</u> : CROSSMEMBER, SUSPENSION 3-Piece <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	3/442	445
14WAS	SUSPENSION LEVELING VALVE Dual Height; One Additional, for Air Ride Suspension	0/5	5
14WMK	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 65 thru 89.99 Pints	0/0	0
15DYP	DEF TANK 9.5 U.S. Gal. 36.0L Capacity, Frame Mounted Outside Left Rail, Under Cab	0/0	0
15SJZ	FUEL TANK Top Draw; Non-Polished Aluminum, 26" Diam., 80 U.S. Gal., 302 L Capacity Mounted Left Side, Under Cab	35/11	46
15WCS	FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module	15/0	15

INTERNATIONAL®**Vehicle Specifications
2015 7600 SBA 6X4 2010 (SF667)****May 23, 2014**

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door	0/0	0
16975	HEATER HOSES Silicone	0/0	0
16HBA	GAUGE CLUSTER English With English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)	0/0	0
16HGG	GAUGE, OIL TEMP, ENGINE	1/0	1
16HGL	GAUGE, OIL TEMP, REAR AXLE	1/0	1
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel	2/0	2
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0
16HLJ	GAUGE, DEF FLUID LEVEL	0/0	0
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust <u>Includes</u> : SEAT BELT 3-Point, Lap and Shoulder Belt Type	0/0	0
16SDL	MIRRORS (2) {Lang Mekra} Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatic Controlled, Black Heads, Brackets and Arms	0/0	0
16SEE	GRAB HANDLE Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar	3/0	3
16SMN	SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl	18/5	23
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3
16WCT	AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster <u>Includes</u>	50/4	54

INTERNATIONAL®

Vehicle Specifications
2015 7600 SBA 6X4 2010 (SF667)


May 23, 2014

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
	: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A		
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	0/0	0
16WKY	HVAC FRESH AIR FILTER	0/0	0
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	1/0	1
16WRZ	CAB INTERIOR TRIM Premium <u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator, Premium Floormat, and Sound Dampening Patches : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets, CB Radio Pocket, Speakers, and Reading Lights : COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side : DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors : FLOOR COVERING Rubber, Black : GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (2) Molded Plastic (Carpet Texture), Full-Length; Driver and Passenger Doors : SUN VISOR (3) Padded Vinyl: 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side	0/0	0
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0
27DMW	WHEELS, FRONT DISC; 22.5" Painted Steel, 5 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 9.00 DC Rims; With Steel Hubs. <u>Includes</u> : PAINT IDENTITY, FRONT WHEELS White <u>Notes</u> : Compatible Tire Sizes: 12R22.5, 295/75R22.5, 295/80R22.5, 315/80R22.5	79/0	79
28DPM	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With .472" Thick Increased Capacity Disc and With Steel Hubs <u>Includes</u> : PAINT IDENTITY, REAR WHEELS White <u>Notes</u> : Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	0/39	39
29597	WHEEL SEALS, REAR {Stemco Voyager} Oil Lubricated Wheel Bearings	0/0	0

INTERNATIONAL®**Vehicle Specifications**
2015 7600 SBA 6X4 2010 (SF667)**May 23, 2014**

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
29598	WHEEL SEALS, FRONT (Stemco Voyager) Oil Lubricated Wheel Bearings ILO Standard Oil Seals	0/0	0
7382130126	(8) TIRE, REAR 11R22.5 G288 MSA (GOODYEAR) 498 rev/mile, load range H, 16 ply	0/88	88
7782548109	(2) TIRE, FRONT 315/80R22.5 G289 WHA (GOODYEAR) 484 rev/mile, load range L, 20 ply	56/0	56
OBD001	FUEL/WATER SEPARATOR FUEL/WATER SEPARATOR,FUEL/WATER SEPARATOR,Move fuel separator inside frame rail Cab schematic 100GS Location 1: 9219, Winter White (Std) Chassis schematic N/A Total Component Weight:	1/1	2
		10155/8867	19022
1	YOUNGS TANK Total Body Allied:	0/0	0
		0/0	0

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.



Youngs Tank, Inc.
P. O. Box 491 Boyd, Texas 76023
800) 345-7952 800) 354-5886
FAX 940) 433-2092

Date: **2/3/2014**

This FAX is directed to: **Jeff Bond**

Company: **Collin County**

Phone No. **972-548-3709**

FAX No.

Jeff,

Here are the specs with an internal DEF tank. I left the DEF pumping system same as before.

Please call me if you have any questions.

Thanks,

Russ Hamilton

Youngs Tank, Inc.
P. O. Box 491 Boyd, Texas 76023
800) 345-7952 800) 354-5886
FAX 940) 433-2092

Customer: **Collin County**

Terms: **C.O.D.**
Deposit: **P.O.**
Date: **3 February, 2014**
Delivery (Approx.): **12 Months ARO**

Attn.: Jeff Bond

Quantity: **(1)** Type: **Straight Elliptical Truck Tank**
Capacity: **4500 Gal** Plus: **75 Gallons for Chevron/Motiva**
DOT MC: **406** Commodity: **Petroleum Products** Avg. Weight: **6.7 #/Gal**
Construction: **Alum - 5454-H32 Shell, .190/.250 thk.; 5454-O Heads, .190 thk.**
No. Compartments: **(5)** Heads: **Double**
Compartment specs: #1 **1000** #2 **1000** #3 **1000** #4 **1000** #5 **500** #6
Ladder: **At Curbside Rear, 2' x 3' Platform at Top**
Bumper: **DOT Spec - Alum w/ Underride Tube**
Fenders: **Alum - Jeep Style** Mud Flaps: **Yes**
Hose Tubes: **(1) 7" each side opening to Hose Tray in front Cabinet**
Piping: **3" Alum to Curbside**
Vents: **3" (Vapor Recovery -Sequential Air Activated)**
Valves: **Openable Adapters With (2) 4" x 3" Unloading Spouts, Emco-Wheaton Dual Air Manifold behind Bottom Load Adapters.**
Emergency Valves: **3" Air Operated**
Walkway: **Expanded Metal at Top**
Domes: **TIONA 16" With 10" PAF**
Flashing: **Full Length Vapor Proof**
Cabinets: **(1) at each side at front with Swing-Up Door, (1) at Rear with Swing-Up Rear Door - Supported by Gas Springs with Side Doors - Locking Doors on all Cabinets**
Strapping: **Texas Regulation (4500, 3800 Gallons), Not Approved by Weights and Measures**
Lights: **Truck-Lite LED Light System, DOT Reflectors, Amber Rotating Beacon at rear of Tank**
Markers: **(2) Each Compartment, Set at Rated Capacity (Not Sealed), Static Cables**
Paint & No. **Steel Parts Painted**
Pump: **Dual Pumping - Delivery at Rear**
SPECIAL EQUIPMENT: **Bolster-Mounted Truck Tank Mounted to Truck, Bottom Loading With Vapor Recovery Outlet at Rear of Tank, Brake Interlocks at Loading Heads and Rear Vapor, Scully Intelli-Check With (2) Sockets, Ground Hog, (2) Pair Brass Static Lugs, (4) KT-3 Placards, DOT Tests and Inspections, 1/4" Theoretical Calibration Chart, DOT Plate, Hascomk W/HC-700-7" with Infrared Backup Camera.**

Truck: Customer Truck (Requires TBD)

Truck Price: \$
Tank Price: **\$ 151,700.00**
Sub-Total: **\$ 151,700.00**
Delivery Chg.: **\$ F.O.B. Boyd, TX**
Federal Ex. Tax: **\$pd by chassis supplier**
TTL (est): **\$pd by chassis supplier**
Total Selling Price: **\$ 151,700.00**

Quote Good 45 Days

3 February, 2014

By: _____
T. Russ Hamilton

Accepted By: _____
Date: _____

Youngs Tank, Inc.
P. O. Box 491 Boyd, Texas 76023
800) 345-7952 800) 354-5886
FAX 940) 433-2092

PUMPING EQUIPMENT

- (1) Heavy Duty Power Clutch PTO with Control in Truck Cab
- (1) Hydraulic Pump mounted direct to PTO
- (1) Pipe and Pipe Fittings for Installation of Pumps
- (2) Hydraulic Motor to Blackmer Pump Adapter
- (1) 2" TXD Blackmer Pump w/ Tee Strainers (Curbside)
- (1) 2 1/2" TXD Blackmer Pump w/ Tee Strainers (Streetside)
- (1) PTO/Brake Interlock system to prevent driving with PTO engaged
- (1) 10 Gallon Hydraulic Reservoir
- (1) Radiator w/ Electric Cooling Fan
- (1) 3" x 16' Drop Hose (for Self-Load)
- (1) 2" x 16' Drop Hose (for Self-Load)

Streetside

- (1) Fire extinguisher decal
- (1) 10# Fire extinguisher with bracket
- (1) LED Work Light w/ Switch in Truck Cab

Curbside

- (5) Lever Control Switches to Open Emergency Valves for Bottom Loading and Gravity Discharge
- (1) Master Air Control Switch
- (1) Dual Manifold with Suction Outlets underneath
- (2) Sight Glass in Suction Line to Pump
- (1) LED Work Light w/ Switch in Truck Cab
- (2) 2" Kamlock Adapter/ Cap (Fitting allows connection of Hoses for Tank Self-Load)
- (2) 2" x 4' Self-Load Hoses
- (2) Drop Caps with 3" x 2" Reduction Fittings
- (1) Slop Tank to Drain Self-Load Hoses with Connection to Pump for drainage
- (2) Control Valves (used to switch Valves at rear and turn on Product Pump for Self-Load)
 (Note: Driver must set Meters at rear before activating Self-Load System)

Rear Cabinet (Meters and Reels face out Rear Door)

- (1) 50' Static Reel
- (1) 200' Hand Crank Static Reel
- (2) LED Work Light w/ Switch in Truck Cab (Rear Facing)
- (1) Master Air Control Switch
- (2) Rotary Dial Air Manifold Compartment Selector
- (2) Panel Valves to open EV, Proper Manifold Valve, Turn on Pump
- (2) Rotary Dial Flow Control for Pump Speed

Gasoline System (Curbside)

Youngs Tank, Inc.
P. O. Box 491 Boyd, Texas 76023
800) 345-7952 800) 354-5886
FAX 940) 433-2092

- (1) 2" LC M7 Meter with LCR-II Electronic Register, Air Eliminator, Preset Solenoid Valves
- (1) 2" Air Operated Ball Valve (Directs flow to Hose Reel or to Curbside Front for Self-Load)
- (1) Aluminum Condensate Can
- (1) Single Element Filter Housing with Valving to bypass Filter
- (1) 10 micron Filter Element (CIM TEK 70068-800-30)
- (1) 1 1/2" Hannay Hose Reel
- (1) Set Roller Guides for Hose Reel
- (1) 1" x 50' Fuel/oil Hose with Swivel
- (1) 3/4" Automatic Nozzle – 11AP

Diesel System (Streetside)

- (1) 2" LC M7 Meter with LCR-II Electronic Register, Air Eliminator, Preset Solenoid Valves
- (1) 2" Air Operated Ball Valve (Directs flow to Hose Reel or to Curbside Front for Self-Load)
- (1) Aluminum Condensate Can
- (1) Dual Element Filter Housing with Valving to bypass Filter
- (2) 30 micron Filter Element (CIM TEK 70019-800-10)
- (1) 1 1/2" Hannay Hose Reel
- (1) Set Roller Guides for Hose Reel
- (1) 1 1/4" x 200' Fuel/oil Hose with Swivel
- (1) 1" Automatic Nozzle – 7H

DEF System (Reel mounted overhead between Gas and Diesel Reels)

- (1) Panel Valve to Activate DEF Pump
- (1) GPI Flow Meter
- (1) 250 Gallon Stainless Steel tank for DEF (mounted in tank body)
- (1) Graco Model 515 3/4" Double-Diaphragm Pump
- (1) 1" Hannay Hose Reel with Stainless Steel Internals
- (1) Set Roller Guides for Hose Reel
- (1) 3/4" x 50' Goodyear Flextra True-Blue DEF Hose
- (1) 3/4" Graco DEF Nozzle with Swivel

Install FuelMaster Model 3535 Control System (Mounted in Truck Cab)

- (1) Ticket Printer (Mounted in Truck Cab)
- (1) Cabinet Light

Note: If customer provides Cab and Chassis and if special adapters for power take off, moving of muffler, gas tanks, battery boxes, air tanks or extension to rear of truck frame are needed, customer will be given an estimate of cost for labor and materials prior to proceeding.

Youngs Tank, Inc.
P. O. Box 491 Boyd, Texas 76023
800) 345-7952 800) 354-5886
FAX 940) 433-2092

WARRANTY

YOUNGS TANK, INC., warrants to the original purchaser that a new transport of its manufacture which leaks during a one year period following the date of sale will be repaired at YOUNGS' expense. Warranty is provided on new truck tanks as follows:

<u>Truck Suspension</u>	<u>Warranty Period</u>
Air Ride	5 yr
Standard Leaf Spring	1 yr
Mack Camel Back	None
Hendrickson Walking Beam	None
Chalmers	None

Contact manufacturer if you are unsure of the type/name brand of suspension on your truck tank.

Repairs will follow after YOUNGS TANK, INC. is notified and is aware that such circumstances are a result of unreliable materials and/or workmanship. Repairs will follow at YOUNGS TANK, INC. or at an approved repair shop. Payment at such shop will be made after defective part, a description of the defect and summary of costs has been received and approved by YOUNGS TANK, INC.

YOUNGS TANK, INC. does not assume responsibility for defects caused by accident, improper use, alteration or maintenance. Equipment, accessories, and truck chassis are exempt from this warranty and are covered only by the original manufacturer. The protective coatings applied to the tank are the sole responsibility of the painter.

CALIBRATION/TESTING/STRAPPING is done by YOUNGS TANK, INC., according to Texas regulations in the state of Texas. YOUNGS TANK, INC. sets the markers according to the compartment size. The markers are not sealed and are not recognized by other state weights and measures. If the customer, or his residing state, requires the transport/truck tank to be recalibrated, strapped or retested, this shall be done at the customer's expense.

Any warranties on the merchandise or equipment sold hereby are made by the manufacturer. YOUNGS TANK, INC. hereby expressly disclaims all warranties, express or implied, including any implied warranty of merchantability of fitness for a particular purpose. YOUNGS TANK, INC. neither assumes nor authorizes any other person to assume for it any liability in connection with this sale. Any manufacturer's warranties are limited to repair or replacement of any defective items. There is no warranty by anyone, including YOUNGS TANK, INC. for any loss of time, inconvenience, loss of use of the equipment, or any other consequential damages.

Youngs Tank, Inc.

P. O. Box 491 Boyd, Texas 76023

800) 345-7952 800) 354-5886

FAX 940) 433-2092

IF ANY PROBLEMS ARISE DUE TO CONSTRUCTION, DESIGN OR
ENGINEERING, CONTACT MR. CARY YOUNG

IF ANY PROBLEMS ARISE WHICH NEED SERVICE, MAINTENANCE OR
REPAIR, CONTACT MR. RUSS HAMILTON`

IF ANY PROBLEMS ARISE CONCERNING REPLACEMENT OR WARRANTY
PARTS, CONTACT THE PURCHASING DEPARTMENT

WARRANTY STATEMENT

ANY WARRANTIES ON THE MERCHANDISE OR EQUIPMENT SOLD HEREBY ARE MADE BY THE MANUFACTURER. YOUNGS TANK, INC. EXPRESSLY DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. YOUNGS TANK, INC. NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT ANY LIABILITY IN CONNECTION WITH THIS SALE. ANY MANUFACTURER'S WARRANTIES ARE LIMITED TO REPAIR OR REPLACEMENT OF ANY DEFECTIVE ITEM. THERE IS NO WARRANTY BY ANYONE, INCLUDING YOUNGS TANK, INC. FOR ANY LOSS OF TIME, INCONVENIENCE, LOSS OF USE OF THE EQUIPMENT, OR ANY OTHER CONSEQUENTIAL DAMAGES.

WARRANTY

YOUNGS TANK, INC., warrants to the original purchaser that a new transport of its manufacture which leaks during a one year period following the date of sale will be repaired at YOUNGS' expense. Warranty is provided on new truck tanks as follows:

<u>Truck Suspension</u>	<u>Warranty Period</u>
Air Ride	3 yr
Standard Leaf Spring	1 yr
Mack Camel Back	None
Hendrickson Walking Beam	None
Chalmers	None

Contact manufacturer if you are unsure of the type/name brand of suspension on your truck tank.

Repairs will follow after YOUNGS TANK, INC. is notified and is aware that such circumstances are a result of unreliable materials and/or workmanship. Repairs will follow at YOUNGS TANK, INC. or at an approved repair shop. Payment at such shop will be made after defective part, a description of the defect and summary of costs has been received and approved by YOUNGS TANK, INC.

YOUNGS TANK, INC. does not assume responsibility for defects caused by accident, improper use, alteration or maintenance. Equipment, accessories, and truck chassis are exempt from this warranty and are covered only by the original manufacturer. The protective coatings applied to the tank are the sole responsibility of the painter.

CALIBRATION/TESTING/STRAPPING is done by YOUNGS TANK, INC., according to Texas regulations in the state of Texas. YOUNGS TANK, INC. sets the markers according to the compartment size. The markers are not sealed and are not recognized by other state weights and measures. If the customer, or his residing state, requires the transport/truck tank to be recalibrated, strapped or retested, this shall be done at the customer's expense.

Any warranties on the merchandise or equipment sold hereby are made by the manufacturer. YOUNGS TANK, INC. hereby expressly disclaims all warranties, express or implied, including any implied warranty of merchantability of fitness for a particular purpose. YOUNGS TANK, INC. neither assumes nor authorizes any other person to assume for it any liability in connection with this sale. Any manufacturer's warranties are limited to repair or replacement of any defective items. There is no warranty by anyone, including YOUNGS TANK, INC. for any loss of time, inconvenience, loss of use of the equipment, or any other consequential damages.

WARNING!!!

DO NOT USE PLASTIC TUBING/PVC PIPE WHEN LOADING OR
UNLOADING PRODUCTS FROM A TRUCK TANK OR SEMI-TRAILER.

DO NOT USE ANY KNOWN ITEM TO TRANSFER PETROLEUM
PRODUCTS THAT CARRIES A HIGH RATE OF STATIC ELECTRICITY.

WHEN USED IN CONJUNCTION WITH PETROLEUM PRODUCTS, PLASTIC
TUBING PRODUCES HIGH CHARGES OR STATIC ELECTRICITY WHICH
WILL RESULT IN A FIRE OR EXPLOSION.

CAUTION!!!

THE USE OF A HIGH PRESSURE WASHER MAY RESULT IN DAMAGE
TO THE PAINT ON YOUR TANK

PLEASE NOTE!!!

DO NOT RUN DIFFERENT FLAMMABLE PRODUCTS WITH DIFFERENT
FLASHPOINTS THROUGH THE SAME PUMP, METER AND HOSE REEL.

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: **Optional Truck Warranty, 60 Months/150,000 Miles**

Attachments

COLLIN COUNTY WTY 3 EXTENDED .pdf



SERVICE CONTRACTS

WorkStar, TranStar,
ProStar, LoneStar Series

7500/7600 - OPTIONAL SERVICE CONTRACTS

Items Covered	Months	Miles/ Km	Parts / Labor	Price \$US	Price CDN\$	Policy	Feature Code
Extended Vehicle Coverage	24	100/160	100%	\$3,380	\$4,225	29801C	40CPX
For use with 4X4, 6X6, and 8X6 vehicles only	24	150/240	100%	\$3,940	\$4,925	29801E	40JPB
	36	100/160	100%	\$6,480	\$8,100	29802C	40JPC
Excludes Engine & Engine Electronics	36	150/240	100%	\$7,300	\$9,125	29802E	40CPP
Excludes Allison Transmission	36	200/320	100%	\$8,100	\$10,125	29802G	40JPD
For rear axle weight ratings of 52,000 pounds or less	48	100/160	100%	\$8,000	\$10,000	29803C	40JPE
	48	150/240	100%	\$9,000	\$11,250	29803E	40JPG
	48	200/320	100%	\$10,000	\$12,500	29803G	40CPR
	60	100/160	100%	\$10,000	\$12,500	29804C	40JNZ
	60	150/240	100%	\$12,000	\$15,000	29804E	40JPA
Register with form CTS-2022	60	200/320	100%	\$13,000	\$16,250	29804G	40CPS
Extended Vehicle Coverage	24	100/160	100%	\$2,400	\$3,000	29701C	40CPK
For use with 4X2 and 6X4 vehicles only	24	150/240	100%	\$2,800	\$3,500	29701E	40JPZ
Excludes Engine & Engine Electronic	36	100/160	100%	\$4,800	\$6,000	29702C	40JRA
Excludes Allison Transmission	36	150/240	100%	\$5,400	\$6,750	29702E	40CPL
For rear axle weight ratings of 52,000 pounds or less	36	200/320	100%	\$6,000	\$7,500	29702G	40JRB
	48	100/160	100%	\$7,400	\$9,250	29703C	40JRC
	48	150/240	100%	\$8,000	\$10,000	29703E	40JRD
	48	200/320	100%	\$8,800	\$11,000	29703G	40CPM
	60	100/160	100%	\$8,400	\$10,500	29704C	40GEM
	60	150/240	100%	\$9,000	\$11,250	29704E	40GEN
Register with form CTS-2016	60	200/320	100%	\$10,000	\$12,500	29704G	40CPN
Pre-Packaged Component Systems	24	100/160	100%	\$220	\$275	B6210A	40JPU
Cooling (Only)	24	150/240	100%	\$260	\$325	B6210B	40JPV
For use with 4X2 and 6X4 vehicles only	36	100/160	100%	\$460	\$575	B6211A	40JPW
Cooling	36	150/240	100%	\$520	\$650	B6211B	40JPX
Radiator	36	200/320	100%	\$560	\$700	B6211C	40JPY
Shutters	48	100/160	100%	\$700	\$875	B6212A	40JPN
Charge Air Cooler	48	150/240	100%	\$760	\$950	B6212B	40JPP
Hydraulically Driven Cooling Fan	48	200/320	100%	\$840	\$1,050	B6212C	40JPR
Engine Fans	60	100/160	100%	\$800	\$1,000	B6213A	40JPS
Coolant Distribution System	60	150/240	100%	\$860	\$1,075	B6213B	40JPT
Register with form CTS-2327	60	200/320	100%	\$940	\$1,175	B6213C	40JPH

Note: All warranties are limited
PLH-284REVISION NO. 28
Subject to Change Without Notice
Prices Effective January 2, 2014

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: **Optional Truck Warranty, 60 Months/250,000 Miles**

Attachments

COLLIN COUNTY WTY 3 EXTENDED .pdf



SERVICE CONTRACTS

WorkStar, TranStar,
ProStar, LoneStar Series

7500/7600 - OPTIONAL SERVICE CONTRACTS

Items Covered	Months	Miles/ Km	Parts / Labor	Price \$US	Price CDN\$	Policy	Feature Code
Extended Vehicle Coverage	24	100/160	100%	\$3,380	\$4,225	29801C	40CPX
For use with 4X4, 6X6, and 8X6 vehicles only	24	150/240	100%	\$3,940	\$4,925	29801E	40JPB
	36	100/160	100%	\$6,480	\$8,100	29802C	40JPC
Excludes Engine & Engine Electronics	36	150/240	100%	\$7,300	\$9,125	29802E	40CPP
Excludes Allison Transmission	36	200/320	100%	\$8,100	\$10,125	29802G	40JPD
For rear axle weight ratings of 52,000 pounds or less	48	100/160	100%	\$8,000	\$10,000	29803C	40JPE
	48	150/240	100%	\$9,000	\$11,250	29803E	40JPG
	48	200/320	100%	\$10,000	\$12,500	29803G	40CPR
	60	100/160	100%	\$10,000	\$12,500	29804C	40JNZ
	60	150/240	100%	\$12,000	\$15,000	29804E	40JPA
Register with form CTS-2022	60	200/320	100%	\$13,000	\$16,250	29804G	40CPS
Extended Vehicle Coverage	24	100/160	100%	\$2,400	\$3,000	29701C	40CPK
For use with 4X2 and 6X4 vehicles only	24	150/240	100%	\$2,800	\$3,500	29701E	40JPZ
Excludes Engine & Engine Electronic	36	100/160	100%	\$4,800	\$6,000	29702C	40JRA
Excludes Allison Transmission	36	150/240	100%	\$5,400	\$6,750	29702E	40CPL
For rear axle weight ratings of 52,000 pounds or less	36	200/320	100%	\$6,000	\$7,500	29702G	40JRB
	48	100/160	100%	\$7,400	\$9,250	29703C	40JRC
	48	150/240	100%	\$8,000	\$10,000	29703E	40JRD
	48	200/320	100%	\$8,800	\$11,000	29703G	40CPM
	60	100/160	100%	\$8,400	\$10,500	29704C	40GEM
	60	150/240	100%	\$9,000	\$11,250	29704E	40GEN
Register with form CTS-2016	60	200/320	100%	\$10,000	\$12,500	29704G	40CPN
Pre-Packaged Component Systems	24	100/160	100%	\$220	\$275	B6210A	40JPU
Cooling (Only)	24	150/240	100%	\$260	\$325	B6210B	40JPV
For use with 4X2 and 6X4 vehicles only	36	100/160	100%	\$460	\$575	B6211A	40JPW
Cooling	36	150/240	100%	\$520	\$650	B6211B	40JPX
Radiator	36	200/320	100%	\$560	\$700	B6211C	40JPY
Shutters	48	100/160	100%	\$700	\$875	B6212A	40JPN
Charge Air Cooler	48	150/240	100%	\$760	\$950	B6212B	40JPP
Hydraulically Driven Cooling Fan	48	200/320	100%	\$840	\$1,050	B6212C	40JPR
Engine Fans	60	100/160	100%	\$800	\$1,000	B6213A	40JPS
Coolant Distribution System	60	150/240	100%	\$860	\$1,075	B6213B	40JPT
Register with form CTS-2327	60	200/320	100%	\$940	\$1,175	B6213C	40JPH

Note: All warranties are limited
PLH-284REVISION NO. 28
Subject to Change Without Notice
Prices Effective January 2, 2014

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: **Optional Truck Warranty, 84 Months/150,000 Miles**

Attachments

COLLIN COUNTY WTY 3 EXTENDED .pdf



SERVICE CONTRACTS

WorkStar, TranStar,
ProStar, LoneStar Series

7500/7600 - OPTIONAL SERVICE CONTRACTS

Items Covered	Months	Miles/ Km	Parts / Labor	Price \$US	Price CDN\$	Policy	Feature Code
Extended Vehicle Coverage	24	100/160	100%	\$3,380	\$4,225	29801C	40CPX
For use with 4X4, 6X6, and 8X6 vehicles only	24	150/240	100%	\$3,940	\$4,925	29801E	40JPB
	36	100/160	100%	\$6,480	\$8,100	29802C	40JPC
Excludes Engine & Engine Electronics	36	150/240	100%	\$7,300	\$9,125	29802E	40CPP
Excludes Allison Transmission	36	200/320	100%	\$8,100	\$10,125	29802G	40JPD
For rear axle weight ratings of 52,000 pounds or less	48	100/160	100%	\$8,000	\$10,000	29803C	40JPE
	48	150/240	100%	\$9,000	\$11,250	29803E	40JPG
	48	200/320	100%	\$10,000	\$12,500	29803G	40CPR
	60	100/160	100%	\$10,000	\$12,500	29804C	40JNZ
	60	150/240	100%	\$12,000	\$15,000	29804E	40JPA
Register with form CTS-2022	60	200/320	100%	\$13,000	\$16,250	29804G	40CPS
Extended Vehicle Coverage	24	100/160	100%	\$2,400	\$3,000	29701C	40CPK
For use with 4X2 and 6X4 vehicles only	24	150/240	100%	\$2,800	\$3,500	29701E	40JPZ
Excludes Engine & Engine Electronic	36	100/160	100%	\$4,800	\$6,000	29702C	40JRA
Excludes Allison Transmission	36	150/240	100%	\$5,400	\$6,750	29702E	40CPL
For rear axle weight ratings of 52,000 pounds or less	36	200/320	100%	\$6,000	\$7,500	29702G	40JRB
	48	100/160	100%	\$7,400	\$9,250	29703C	40JRC
	48	150/240	100%	\$8,000	\$10,000	29703E	40JRD
	48	200/320	100%	\$8,800	\$11,000	29703G	40CPM
	60	100/160	100%	\$8,400	\$10,500	29704C	40GEM
	60	150/240	100%	\$9,000	\$11,250	29704E	40GEN
Register with form CTS-2016	60	200/320	100%	\$10,000	\$12,500	29704G	40CPN
Pre-Packaged Component Systems	24	100/160	100%	\$220	\$275	B6210A	40JPU
Cooling (Only)	24	150/240	100%	\$260	\$325	B6210B	40JPV
For use with 4X2 and 6X4 vehicles only	36	100/160	100%	\$460	\$575	B6211A	40JPW
Cooling	36	150/240	100%	\$520	\$650	B6211B	40JPX
Radiator	36	200/320	100%	\$560	\$700	B6211C	40JPY
Shutters	48	100/160	100%	\$700	\$875	B6212A	40JPN
Charge Air Cooler	48	150/240	100%	\$760	\$950	B6212B	40JPP
Hydraulically Driven Cooling Fan	48	200/320	100%	\$840	\$1,050	B6212C	40JPR
Engine Fans	60	100/160	100%	\$800	\$1,000	B6213A	40JPS
Coolant Distribution System	60	150/240	100%	\$860	\$1,075	B6213B	40JPT
Register with form CTS-2327	60	200/320	100%	\$940	\$1,175	B6213C	40JPH

Note: All warranties are limited
PLH-284REVISION NO. 28
Subject to Change Without Notice
Prices Effective January 2, 2014

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: **Optional Truck Warranty, 84 Months/250,000 Miles**

Attachments

COLLIN COUNTY WTY 3 EXTENDED .pdf



SERVICE CONTRACTS

WorkStar, TranStar,
ProStar, LoneStar Series

7500/7600 - OPTIONAL SERVICE CONTRACTS

Items Covered	Months	Miles/ Km	Parts / Labor	Price \$US	Price CDN\$	Policy	Feature Code
Extended Vehicle Coverage	24	100/160	100%	\$3,380	\$4,225	29801C	40CPX
For use with 4X4, 6X6, and 8X6 vehicles only	24	150/240	100%	\$3,940	\$4,925	29801E	40JPB
	36	100/160	100%	\$6,480	\$8,100	29802C	40JPC
Excludes Engine & Engine Electronics	36	150/240	100%	\$7,300	\$9,125	29802E	40CPP
Excludes Allison Transmission	36	200/320	100%	\$8,100	\$10,125	29802G	40JPD
For rear axle weight ratings of 52,000 pounds or less	48	100/160	100%	\$8,000	\$10,000	29803C	40JPE
	48	150/240	100%	\$9,000	\$11,250	29803E	40JPG
	48	200/320	100%	\$10,000	\$12,500	29803G	40CPR
	60	100/160	100%	\$10,000	\$12,500	29804C	40JNZ
	60	150/240	100%	\$12,000	\$15,000	29804E	40JPA
Register with form CTS-2022	60	200/320	100%	\$13,000	\$16,250	29804G	40CPS
Extended Vehicle Coverage	24	100/160	100%	\$2,400	\$3,000	29701C	40CPK
For use with 4X2 and 6X4 vehicles only	24	150/240	100%	\$2,800	\$3,500	29701E	40JPZ
Excludes Engine & Engine Electronic	36	100/160	100%	\$4,800	\$6,000	29702C	40JRA
Excludes Allison Transmission	36	150/240	100%	\$5,400	\$6,750	29702E	40CPL
For rear axle weight ratings of 52,000 pounds or less	36	200/320	100%	\$6,000	\$7,500	29702G	40JRB
	48	100/160	100%	\$7,400	\$9,250	29703C	40JRC
	48	150/240	100%	\$8,000	\$10,000	29703E	40JRD
	48	200/320	100%	\$8,800	\$11,000	29703G	40CPM
	60	100/160	100%	\$8,400	\$10,500	29704C	40GEM
	60	150/240	100%	\$9,000	\$11,250	29704E	40GEN
Register with form CTS-2016	60	200/320	100%	\$10,000	\$12,500	29704G	40CPN
Pre-Packaged Component Systems	24	100/160	100%	\$220	\$275	B6210A	40JPU
Cooling (Only)	24	150/240	100%	\$260	\$325	B6210B	40JPV
For use with 4X2 and 6X4 vehicles only	36	100/160	100%	\$460	\$575	B6211A	40JPW
Cooling	36	150/240	100%	\$520	\$650	B6211B	40JPX
Radiator	36	200/320	100%	\$560	\$700	B6211C	40JPY
Shutters	48	100/160	100%	\$700	\$875	B6212A	40JPN
Charge Air Cooler	48	150/240	100%	\$760	\$950	B6212B	40JPP
Hydraulically Driven Cooling Fan	48	200/320	100%	\$840	\$1,050	B6212C	40JPR
Engine Fans	60	100/160	100%	\$800	\$1,000	B6213A	40JPS
Coolant Distribution System	60	150/240	100%	\$860	\$1,075	B6213B	40JPT
Register with form CTS-2327	60	200/320	100%	\$940	\$1,175	B6213C	40JPH

Note: All warranties are limited
PLH-284REVISION NO. 28
Subject to Change Without Notice
Prices Effective January 2, 2014

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: **Optional Truck Warranty, 84 Months/250,000 Miles**

Attachments

COLLIN COUNTY WTY 2 TOWING.pdf



SERVICE CONTRACTS

WorkStar, TranStar,
ProStar, LoneStar Series

7500/7600 - OPTIONAL SERVICE CONTRACTS

Items Covered	Months	Miles/ Km	Parts / Labor	Price \$US	Price CDN\$	Policy	Feature Code
Towing	12	UNL	100%	\$220	\$275	T3101A	40KME
\$275 per Incident	24	UNL	100%	\$420	\$525	T3101B	40KMG
TOWING/SERVICE CALL to the Nearest Navistar Dealer	36	UNL	100%	\$630	\$788	T3101C	40KMH
for a Navistar Warrantable Failure as Contract Defined;	48	UNL	100%	\$770	\$963	T3101D	40KMJ
Includes Engine Failure if Supplier Declines Tow Coverage & ESC	60	UNL	100%	\$980	\$1,225	T3101E	40KMK
Supplied thru Navistar; \$275 (USA) Maximum Benefit/Incident							
Register with form CTS-2311							
Towing	12	UNL	100%	\$300	\$375	T4101A	40KLZ
\$550 per Incident	24	UNL	100%	\$600	\$750	T4101B	40KMA
TOWING/SERVICE CALL to the Nearest Navistar Dealer for a	36	UNL	100%	\$900	\$1,125	T4101C	40KMB
Navistar Warrantable Failure as Contract Defined; Includes	48	UNL	100%	\$1,100	\$1,375	T4101D	40KMC
Engine Failure if Supplier Declines Tow Coverage & ESC	60	UNL	100%	\$1,400	\$1,750	T4101E	40KMD
Supplied thru Navistar; \$550 (USA) Maximum Benefit/Incident							
Register with form CTS-2411							

Note: All warranties are limited
PLH-284

REVISION NO. 28
Subject to Change Without Notice
Prices Effective January 2, 2014

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: **Optional Truck Warranty, 84 Months/250,000 Miles**

Attachments

COLLIN COUNTY WTY 6 DPF .pdf



SERVICE CONTRACTS

WorkStar, TranStar,
ProStar, LoneStar Series

7500/7600 - OPTIONAL SERVICE CONTRACTS

Items Covered	Months	Hours	Miles/ Km	Parts / Labor	Price	Policy	Feature Code
Aftertreatment System Coverage	36	6300	175/280	100%	\$400	M1565E	40KBL
N13 and MF 10, 11, 13, 15	36	10800	300/480	100%	\$650	M1565B	40KBM
Aftertreatment Wiring	36	12600	350/560	100%	\$800	M1565K	40KBN
Diesel Oxidation Catalyst (DOC)	36	14400	400/640	100%	\$1,100	M1565C	40KBP
Diesel Particulate Filter (DPF)	36	18000	500/800	100%	\$2,000	M1565D	40KBR
Diesel Particulate Filter (DPF)	48	4500	125/200	100%	\$650	M1567G	40KBS
Emission Sensors	48	5400	150/240	100%	\$700	M1567H	40KBT
DPF Differential pressure	48	7200	200/250	100%	\$800	M1567A	40KBU
Oxygen (EGO)	48	9000	250/400	100%	\$900	M1567F	40KBV
Aftertreatment temperature	48	10800	300/480	100%	\$1,000	M1567B	40KBW
Hose/Pipe/Tube/Housing/Bracket/Clamp/Fitting	48	14400	400/640	100%	\$1,700	M1567C	40KBX
Regeneration Fuel Injectors, Dozer	48	16200	450/720	100%	\$2,000	M1567J	40KBY
<i>Applicable with all Horsepower engines</i>	48	18000	500/800	100%	\$2,500	M1567D	40KBZ
	60	6300	175/280	100%	\$950	M1564E	40KCA
<i>Comprehensive engine coverage of equal or greater months and miles <u>must</u> be registered to purchase this coverage.</i>	60	7200	200/320	100%	\$1,000	M1564A	40JMU
	60	9000	250/400	100%	\$1,100	M1564F	40KCB
	60	10800	300/480	100%	\$1,350	M1564B	40JMV
	60	14400	400/640	100%	\$2,000	M1564C	40JMW
	60	18000	500/800	100%	\$2,900	M1564D	40JMX
	72	3600	100/160	100%	\$900	M1568L	40KCC
	72	5400	150/240	100%	\$1,000	M1568H	40KCD
	72	7200	200/320	100%	\$1,100	M1568A	40KCE
	72	9000	250/400	100%	\$1,200	M1568F	40KCG
	84	3600	100/160	100%	\$1,000	M1569L	40KCH
	84	5400	150/240	100%	\$1,100	M1569H	40KCJ
	84	7200	200/320	100%	\$1,200	M1569A	40KCK
Register with form CTS-3919	84	9000	250/400	100%	\$1,300	M1569F	40KCL

Note: All warranties are limited
PLH-284REVISION NO. 28
Subject to Change Without Notice
Prices Effective January 2, 2014

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: **Optional Truck Warranty, 84 Months/250,000 Miles**

Attachments

COLLIN COUNTY WTY 5 450 AND LESS.pdf



SERVICE CONTRACTS

WorkStar, TranStar,
ProStar, LoneStar Series

7500/7600 - OPTIONAL SERVICE CONTRACTS

Items Covered	Months	Hours	Miles/ Km	Parts / Labor	Price	Policy	Feature Code
Comprehensive Plan	36	10800	300/480	100%	\$2,000	M2100A	40JLM
N13 and MF 11/13	36	12600	350/640	100%	\$2,500	M2100B	40JLP
450 HP and LESS	36	14400	400/640	100%	\$3,200	M2100C	40JLR
EGR Subsystem Components	36	18000	500/800	100%	\$5,300	M2100D	40JLV
EGR Cooler; Valve, Mixer	48	14400	400/640	100%	\$4,400	M2101C	40JLS
Fuel Injectors	48	16200	450/720	100%	\$5,200	M2101E	40JLU
Manufactured Components	48	18000	500/800	100%	\$6,300	M2101D	40JLW
Cam Follower Assembly	60	3600	100/160	100%	\$2,000	M2102H	40KHT
Camshaft and Bushings	60	7200	200/320	100%	\$2,400	M2102F	40JLX
Connecting Rod Assembly	60	9000	250/400	100%	\$3,000	M2102G	40JLY
Cylinder Block Assembly	60	10800	300/480	100%	\$3,600	M2102A	40JLN
Cylinder Head Assembly	60	14400	400/640	100%	\$5,200	M2102C	40JLT
ECM	60	18000	500/800	100%	\$7,300	M2102D	40JMB
Lube Oil Cooler Assembly	72	5400	150/240	100%	\$4,000	M2103E	40KHU
Lube Pump Assembly	72	9000	250/400	100%	\$5,200	M2103G	40JLZ
Oil Pan Assembly	84	5400	150/240	100%	\$5,600	M2104E	40KHV
Pistons, Rings, Liners	84	9000	250/400	100%	\$8,000	M2104G	40JMA
Rocker Lever Assembly							
Modules							
ECM - Electronic Control							
EPR - Exhaust Back Pressure							
IDM - Injection Drive							
IPR - Injection Oil Pressure Control Regulator							
VPM - Vehicle Personality							
Mtg Hardware and Gaskets							
Progressive Damage to Aftertreatment							
Sensors							
ATS - Ambient Temperature							
BAR - Barometric Pressure							
CLS - Coolant Level							
CMP - Camshaft Position							
EBP - Exhaust Back Pressure							
ECT - Engine Coolant Temperature							
EOP - Engine Oil Pressure							
EOT - Engine Oil Temperature							
IAT - Intake Air Temperature							
ICP - Injection Control Pressure							
MAP - Manifold Absolute Pressure							
TPS - Throttle Position							
Turbocharger							
Water Pump							
<i>Not applicable with GREATER than 450HP</i>							
Register with form CTS-3911							

Note: All warranties are limited

PLH-284

REVISION NO. 28

Subject to Change Without Notice
Prices Effective January 2, 2014

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: **Optional Truck Warranty, 84 Months/250,000 Miles**

Attachments

STANDARD CTS-2003X.pdf

LIMITED WARRANTY FOR MODELS

5000 PAYSTAR®, 7500/7600, WORKSTAR®

*Effective with vehicles built January 02, 2014 or later

BASIC VEHICLE

Navistar, Inc., at its option, will repair or replace any part of this vehicle that proves defective in material or workmanship, in normal use and service, with new or ReNEWed® parts, based on the Component Coverages below. Exceptions are listed below:

BASIC VEHICLE COVERAGE	Months	Miles/Km (000)
Basic Vehicle Warranty (Feature Code 40012) (See exceptions listed below)	12	Unlimited
Towing (Vehicles with MaxxFORCE® 10 engine failures only)	24	250/400
Towing (Vehicles with N13 engine failures only)	24	Unlimited
Towing (First 90 days see below) (Vehicle Down Situations Only) (See exceptions listed below)		
Note: Items not listed in warranty exceptions follow base warranty.		
WARRANTY EXCEPTIONS		
CHASSIS COVERAGE	Months	Miles/Km (000)
Frame side rails	60	Unlimited
Frame side rails (7500 only)	84	Unlimited
Cab/cowl structure	60	Unlimited
Cab/cowl perforation corrosion	60	Unlimited
ENGINE COVERAGE	Months	Miles/Km (000)
Non-Rescue Applications		
MaxxFORCE® 10 Engine	24	250/400
N13 Engine	24	Unlimited
N13 Major Components	60	500/800
<i>Major Components are cylinder block, main bearing bolts, cylinder head casting and capscrews, crankshaft, camshaft, cam follower, connecting rods/caps/bolts, intake manifold castings, and gear train gears.</i>		
Rescue Application Only (Fire Truck, Ambulance, Emergency)		
MaxxFORCE® 10 Engine	60	100/160
N13 Engine	60	100/160
DRIVETRAIN COVERAGE	Months	Miles/Km (000)
<u>Rear Axle Weight Ratings Greater than 52,000 lb</u>		
Front Axle Assembly	12	Unlimited
Rear Axle and Differential	12	Unlimited
Transmission	12	Unlimited
<u>Rear Axle Weight Ratings of 52,000 lb and Less</u>		
Front Axle Assembly	36	300/480
Rear Axle and Differential	36	300/480
Transmission	36	300/480
MISCELLANEOUS COVERAGE	Months	Miles/Km (000)
Brightwork, Chassis Paint and Corrosion (other than Cab)	6	Unlimited
Hood/Cab Paint	12	Unlimited

FIRST 90 DAYS FROM DELIVERY TO USER (DTU)
Correction of loose fasteners, squeaks, rattles and unusual noises. Towing (unless specific coverage is stated above). Adjustments and Maintenance (such as aim headlights, adjust brakes/clutch, adjust steering system, check and fill coolant levels).

WHAT IS NOT INCLUDED UNDER BASIC COVERAGE

Components/Items

- Components warranted by their respective manufacturers (such as non-International® brand engines, tires, Allison Transmissions, lubricants, etc.)
- Bodies, equipment, and accessories installed by other than authorized International® Truck employees at International® Truck manufacturing plants
- Front and rear axle alignment

Repairs & Maintenance

- Maintenance-related items/repairs, or those needed as a result of normal wear and tear, including tune-ups, brake/clutch linings, windshield wiper blades, tire balancing, lubrication, and other similar procedures/parts required to keep vehicle in good working condition
- Failures that are the result of poor fuel quality, water in fuel, rust, etc.
- Repairs needed as a result of vehicle misuse, negligent care, improper maintenance, improper operation, or the result of accident or collision
- Fade, runs, mismatch or damage to paint, trim items, upholstery, chrome, polished surfaces, etc., resulting from environmental causes such as improper polishes, cleaners or washing solutions, or chemical and industrial fallout
- Failure to observe published capacity or load specifications for engine, transmission, propeller shaft, axles (powertrain) and suspension

Other

- Vehicles sold and/or operated outside the United States and Canada
- Vehicles/components that have had unauthorized alterations or modifications
- Vehicles on which the odometer reading has been altered
- Loss of time or use of the vehicle, loss of profits, inconvenience, or other consequential or incidental damages or expenses
- Replacement of defective parts with parts other than those provided by Navistar, Inc

OBTAINING SERVICE

Return this vehicle to any International Truck Dealer authorized to service this model vehicle and engine.

This warranty is automatically transferred to subsequent owners at no charge. Visit your local Authorized International Truck Dealer for name and address change information.

Note: The customer has 365 days and up to a maximum of 100,000 miles (160,000 km) from DTU to purchase an extended warranty on the unit. For extended warranty purchases between 181 and 365 days from DTU and <100,000 miles (160,000 km) an additional fee will be assessed. See your local International dealer for details.

DISCLAIMER

NO WARRANTIES ARE GIVEN BEYOND THOSE DESCRIBED HEREIN. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE COMPANY SPECIFICALLY DISCLAIMS WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OTHER REPRESENTATIONS TO THE USER/PURCHASER, AND ALL OTHER OBLIGATIONS OR LIABILITIES. THE COMPANY FURTHER EXCLUDES LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES, ON THE PART OF THE COMPANY OR SELLER. No person is authorized to give any other warranties or to assume any liabilities on the Company's behalf unless made or assumed in writing by the Company, and no other person is authorized to give any warranties or to assume any liabilities on the seller's behalf unless made or assumed in writing by the seller.

Remedies Under State or Provincial Law: Some States and Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to the owner. This warranty gives the owner specific legal rights, and he may also have other legal rights which may vary by state or province.

RECORD OF OWNERSHIP

Upon receipt of new vehicle by original owner, complete the following:

I have read this Warranty Brochure and fully understand the warranty coverage. I acknowledge that I have received a copy of the Owner's Limited Warranty and I accept the terms described herein.

Customer Signature	Date		
Owner's Address	City	State/Prov	Postal Code
Truck Model	Vehicle Identification Number		
Engine Number	Engine Serial Number		
Date Delivered to User (DTU)	Odometer Reading at Delivery		

IMPORTANT: The information contained in this Warranty Policy explains the coverage provided on your new International® vehicle. This policy should be kept in the vehicle for presentation to the Dealer when you request warranty services.

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: **Optional Truck Warranty, 84 Months/250,000 Miles**

Attachments

COLLIN COUNTY TRAN WTY 4500 RRS.pdf

RUGGED DUTY SERIES		Total Coverage* (Included in acquisition price of transmission)	Extended Transmission Coverage Pricing** (Available for purchase)
Model	Vocation	Years of Coverage (Standard Limited Warranty + Partnership Coverage)	
		2 Years	
3500 RDSR	P&D and Beverage	2 + 1	\$550
	Refuse Packer	2 + 1	\$960
	Utility and Other	2 + 1	\$550
	Dump Trucks/Mixers	2 + 1	\$550
	Agriculture***	3 + 0	\$550
4000 RDS	P&D and Beverage	2 + 1	\$794
	Refuse Packer	2 + 1	\$1,046
	Utility and Other	2 + 1	\$794
	Dump Trucks/Mixers	2 + 1	\$794
	Agriculture***	3 + 0	\$794
4000 RDSR	P&D and Beverage	2 + 1	\$1,046
	Refuse Packer	2 + 1	\$1,281
	Utility and Other	2 + 1	\$1,046
	Dump Trucks/Mixers	2 + 1	\$1,046
	Agriculture***	3 + 0	\$1,046
4500 RDS	P&D and Beverage	2 + 1	\$748
	Refuse Packer	2 + 1	\$953
	Utility and Other	2 + 1	\$748
	Dump Trucks/Mixers	2 + 1	\$748
	Agriculture***	3 + 0	\$748
4500 RDSR	P&D and Beverage	2 + 1	\$815
	Refuse Packer	2 + 1	\$1020
	Utility and Other	2 + 1	\$815
	Dump Trucks/Mixers	2 + 1	\$815
	Agriculture***	3 + 0	\$815
4700 RDS	P&D and Beverage	N/A	N/A
	Refuse Packer	2 + 1	\$930
	Utility and Other	2 + 1	\$990
	Dump Trucks/Mixers	2 + 1	\$725
	Agriculture***	3 + 0	\$725
4700 RDSR	P&D and Beverage	N/A	N/A
	Refuse Packer	2 + 1	\$1,435
	Utility and Other	2 + 1	\$1,230
	Dump Trucks/Mixers	2 + 1	\$1,230
	Agriculture***	3 + 0	\$1,230

SPECIALTY SERIES		Standard Limited Warranty	Extended Transmission Coverage*	
Model	Vocation	Years of Coverage	Years of Coverage	Price
1000 SP	Specialty/Military	2	3	\$451
1350 SP	Specialty/Military	2	3	\$451
2100 SP	Specialty/Military	2	3	\$451
2200 SP	Specialty/Military	2	3	\$451
2350 SP	Specialty/Military	2	3	\$451
2500 SP	Specialty/Military	2	3	\$451
2550 SP	Specialty/Military	2	3	\$451
3000 SP	Specialty/Military	2	3	\$364
3000 SPR	Specialty/Military	2	3	\$415
3200 SP	Specialty/Military	2	3	\$297
3200 SPR	Specialty/Military	2	3	\$349
3500 SP	Specialty/Military	2	3	\$241
3500 SPR	Specialty/Military	2	3	\$297
3700 SP	Specialty/Military	N/A	N/A	N/A
3700 SPR	Specialty/Military	N/A	N/A	N/A
4000 SP	Specialty/Military	2	3	\$241
4000 SPR	Specialty/Military	2	3	\$297
4500 SP	Specialty/Military	2	3	\$297
4500 SPR	Specialty/Military	2	3	\$349
4700 SP	Specialty/Military	2	3	\$297
4700 SPR	Specialty/Military	2	3	\$349
4800 SP	Specialty/Military	2	3	\$569
4800 SPR	Specialty/Military	2	3	\$759

OIL FIELD SERIES	Standard Limited Warranty	Extended Transmission Coverage*
Model	Coverage	3 Years
3500 OFS	2 Years/3,000 Hours	\$1,256
3500 OFSR	2 Years/3,000 Hours	\$1,568
4500 OFS	2 Years/3,000 Hours	\$1,886
4500 OFSR	2 Years/3,000 Hours	\$2,301
4700 OFS	2 Years/3,000 Hours	\$1,886
4700 OFSR	2 Years/3,000 Hours	\$2,301
4750 OFS	2 Years/3,000 Hours	\$2,091
4750 OFSR	2 Years/3,000 Hours	\$2,511

Standard Limited Warranty and Extended Transmission Coverage provide coverage up to a total of 5 years/7,500 hours.

* Total Coverage: Sum of Standard Limited Warranty and Partnership Coverage. Included in acquisition price of the transmission.

** Extended Transmission Coverage: Available for purchase through Allison Authorized Distributors and Dealers to increase coverage to a total of five years.

*** Hour limitations apply to Standard Limited Warranty. No hour limitations apply to Extended Transmission Coverage.

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: **Optional Truck Warranty, 84 Months/250,000 Miles**

Attachments

COLLIN COUNTY WTY 5 450 AND LESS.pdf



SERVICE CONTRACTS

WorkStar, TranStar,
ProStar, LoneStar Series

7500/7600 - OPTIONAL SERVICE CONTRACTS

Items Covered	Months	Hours	Miles/ Km	Parts / Labor	Price	Policy	Feature Code
Comprehensive Plan	36	10800	300/480	100%	\$2,000	M2100A	40JLM
N13 and MF 11/13	36	12600	350/640	100%	\$2,500	M2100B	40JLP
450 HP and LESS	36	14400	400/640	100%	\$3,200	M2100C	40JLR
EGR Subsystem Components	36	18000	500/800	100%	\$5,300	M2100D	40JLV
EGR Cooler; Valve, Mixer	48	14400	400/640	100%	\$4,400	M2101C	40JLS
Fuel Injectors	48	16200	450/720	100%	\$5,200	M2101E	40JLU
Manufactured Components	48	18000	500/800	100%	\$6,300	M2101D	40JLW
Cam Follower Assembly	60	3600	100/160	100%	\$2,000	M2102H	40KHT
Camshaft and Bushings	60	7200	200/320	100%	\$2,400	M2102F	40JLX
Connecting Rod Assembly	60	9000	250/400	100%	\$3,000	M2102G	40JLY
Cylinder Block Assembly	60	10800	300/480	100%	\$3,600	M2102A	40JLN
Cylinder Head Assembly	60	14400	400/640	100%	\$5,200	M2102C	40JLT
ECM	60	18000	500/800	100%	\$7,300	M2102D	40JMB
Lube Oil Cooler Assembly	72	5400	150/240	100%	\$4,000	M2103E	40KHU
Lube Pump Assembly	72	9000	250/400	100%	\$5,200	M2103G	40JLZ
Oil Pan Assembly	84	5400	150/240	100%	\$5,600	M2104E	40KHV
Pistons, Rings, Liners	84	9000	250/400	100%	\$8,000	M2104G	40JMA
Rocker Lever Assembly							
Modules							
ECM - Electronic Control							
EPR - Exhaust Back Pressure							
IDM - Injection Drive							
IPR - Injection Oil Pressure Control Regulator							
VPM - Vehicle Personality							
Mtg Hardware and Gaskets							
Progressive Damage to Aftertreatment							
Sensors							
ATS - Ambient Temperature							
BAR - Barometric Pressure							
CLS - Coolant Level							
CMP - Camshaft Position							
EBP - Exhaust Back Pressure							
ECT - Engine Coolant Temperature							
EOP - Engine Oil Pressure							
EOT - Engine Oil Temperature							
IAT - Intake Air Temperature							
ICP - Injection Control Pressure							
MAP - Manifold Absolute Pressure							
TPS - Throttle Position							
Turbocharger							
Water Pump							
<i>Not applicable with GREATER than 450HP</i>							
Register with form CTS-3911							

Note: All warranties are limited

PLH-284

REVISION NO. 28

Subject to Change Without Notice
Prices Effective January 2, 2014

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: **Optional Truck Warranty, 84 Months/250,000 Miles**

Attachments

COLLIN COUNTY WTY 5 450 AND LESS.pdf



SERVICE CONTRACTS

WorkStar, TranStar,
ProStar, LoneStar Series

7500/7600 - OPTIONAL SERVICE CONTRACTS

Items Covered	Months	Hours	Miles/ Km	Parts / Labor	Price	Policy	Feature Code
Comprehensive Plan	36	10800	300/480	100%	\$2,000	M2100A	40JLM
N13 and MF 11/13	36	12600	350/640	100%	\$2,500	M2100B	40JLP
450 HP and LESS	36	14400	400/640	100%	\$3,200	M2100C	40JLR
EGR Subsystem Components	36	18000	500/800	100%	\$5,300	M2100D	40JLV
EGR Cooler; Valve, Mixer	48	14400	400/640	100%	\$4,400	M2101C	40JLS
Fuel Injectors	48	16200	450/720	100%	\$5,200	M2101E	40JLU
Manufactured Components	48	18000	500/800	100%	\$6,300	M2101D	40JLW
Cam Follower Assembly	60	3600	100/160	100%	\$2,000	M2102H	40KHT
Camshaft and Bushings	60	7200	200/320	100%	\$2,400	M2102F	40JLX
Connecting Rod Assembly	60	9000	250/400	100%	\$3,000	M2102G	40JLY
Cylinder Block Assembly	60	10800	300/480	100%	\$3,600	M2102A	40JLN
Cylinder Head Assembly	60	14400	400/640	100%	\$5,200	M2102C	40JLT
ECM	60	18000	500/800	100%	\$7,300	M2102D	40JMB
Lube Oil Cooler Assembly	72	5400	150/240	100%	\$4,000	M2103E	40KHU
Lube Pump Assembly	72	9000	250/400	100%	\$5,200	M2103G	40JLZ
Oil Pan Assembly	84	5400	150/240	100%	\$5,600	M2104E	40KHV
Pistons, Rings, Liners	84	9000	250/400	100%	\$8,000	M2104G	40JMA
Rocker Lever Assembly							
Modules							
ECM - Electronic Control							
EPR - Exhaust Back Pressure							
IDM - Injection Drive							
IPR - Injection Oil Pressure Control Regulator							
VPM - Vehicle Personality							
Mtg Hardware and Gaskets							
Progressive Damage to Aftertreatment							
Sensors							
ATS - Ambient Temperature							
BAR - Barometric Pressure							
CLS - Coolant Level							
CMP - Camshaft Position							
EBP - Exhaust Back Pressure							
ECT - Engine Coolant Temperature							
EOP - Engine Oil Pressure							
EOT - Engine Oil Temperature							
IAT - Intake Air Temperature							
ICP - Injection Control Pressure							
MAP - Manifold Absolute Pressure							
TPS - Throttle Position							
Turbocharger							
Water Pump							
<i>Not applicable with GREATER than 450HP</i>							
Register with form CTS-3911							

Note: All warranties are limited
PLH-284

REVISION NO. 28
Subject to Change Without Notice
Prices Effective January 2, 2014

SOUTHWEST INTERNATIONAL TRUCKS INC.

Item: **Optional Tank Warranty**

Attachments

Youngs Tank Warranty.docm

WARRANTY - 5 Year.docm

Youngs Tank, Inc.

P. O. Box 491 Boyd, Texas 76023

800) 345-7952 800) 354-5886

FAX 940) 433-2092

IF ANY PROBLEMS ARISE DUE TO CONSTRUCTION, DESIGN OR
ENGINEERING, CONTACT MR. CARY YOUNG

IF ANY PROBLEMS ARISE WHICH NEED SERVICE, MAINTENANCE OR
REPAIR, CONTACT MR. RUSS HAMILTON`

IF ANY PROBLEMS ARISE CONCERNING REPLACEMENT OR WARRANTY
PARTS, CONTACT THE PURCHASING DEPARTMENT

WARRANTY STATEMENT

ANY WARRANTIES ON THE MERCHANDISE OR EQUIPMENT SOLD HEREBY ARE MADE BY THE MANUFACTURER. YOUNGS TANK, INC. EXPRESSLY DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. YOUNGS TANK, INC. NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT ANY LIABILITY IN CONNECTION WITH THIS SALE. ANY MANUFACTURER'S WARRANTIES ARE LIMITED TO REPAIR OR REPLACEMENT OF ANY DEFECTIVE ITEM. THERE IS NO WARRANTY BY ANYONE, INCLUDING YOUNGS TANK, INC. FOR ANY LOSS OF TIME, INCONVENIENCE, LOSS OF USE OF THE EQUIPMENT, OR ANY OTHER CONSEQUENTIAL DAMAGES.

WARRANTY

YOUNGS TANK, INC., warrants to the original purchaser that a new transport of its manufacture which leaks during a one year period following the date of sale will be repaired at YOUNGS' expense. Warranty is provided on new truck tanks as follows:

<u>Truck Suspension</u>	<u>Warranty Period</u>
Air Ride	3 yr
Standard Leaf Spring	1 yr
Mack Camel Back	None
Hendrickson Walking Beam	None
Chalmers	None

Contact manufacturer if you are unsure of the type/name brand of suspension on your truck tank.

Repairs will follow after YOUNGS TANK, INC. is notified and is aware that such circumstances are a result of unreliable materials and/or workmanship. Repairs will follow at YOUNGS TANK, INC. or at an approved repair shop. Payment at such shop will be made after defective part, a description of the defect and summary of costs has been received and approved by YOUNGS TANK, INC.

YOUNGS TANK, INC. does not assume responsibility for defects caused by accident, improper use, alteration or maintenance. Equipment, accessories, and truck chassis are exempt from this warranty and are covered only by the original manufacturer. The protective coatings applied to the tank are the sole responsibility of the painter.

CALIBRATION/TESTING/STRAPPING is done by YOUNGS TANK, INC., according to Texas regulations in the state of Texas. YOUNGS TANK, INC. sets the markers according to the compartment size. The markers are not sealed and are not recognized by other state weights and measures. If the customer, or his residing state, requires the transport/truck tank to be recalibrated, strapped or retested, this shall be done at the customer's expense.

Any warranties on the merchandise or equipment sold hereby are made by the manufacturer. YOUNGS TANK, INC. hereby expressly disclaims all warranties, express or implied, including any implied warranty of merchantability of fitness for a particular purpose. YOUNGS TANK, INC. neither assumes nor authorizes any other person to assume for it any liability in connection with this sale. Any manufacturer's warranties are limited to repair or replacement of any defective items. There is no warranty by anyone, including YOUNGS TANK, INC. for any loss of time, inconvenience, loss of use of the equipment, or any other consequential damages.

WARNING!!!

DO NOT USE PLASTIC TUBING/PVC PIPE WHEN LOADING OR UNLOADING PRODUCTS FROM A TRUCK TANK OR SEMI-TRAILER.

DO NOT USE ANY KNOWN ITEM TO TRANSFER PETROLEUM PRODUCTS THAT CARRIES A HIGH RATE OF STATIC ELECTRICITY.

WHEN USED IN CONJUNCTION WITH PETROLEUM PRODUCTS, PLASTIC TUBING PRODUCES HIGH CHARGES OR STATIC ELECTRICITY WHICH WILL RESULT IN A FIRE OR EXPLOSION.

CAUTION!!!

THE USE OF A HIGH PRESSURE WASHER MAY RESULT IN DAMAGE TO THE PAINT ON YOUR TANK

PLEASE NOTE!!!

DO NOT RUN DIFFERENT FLAMMABLE PRODUCTS WITH DIFFERENT FLASHPOINTS THROUGH THE SAME PUMP, METER AND HOSE REEL.

Youngs Tank, Inc.
P. O. Box 491 Boyd, Texas 76023
800) 345-7952 800) 354-5886
FAX 940) 433-2092

WARRANTY

YOUNGS TANK, INC., warrants to the original purchaser that a new transport of its manufacture which leaks during a one year period following the date of sale will be repaired at YOUNGS' expense. Warranty is provided on new truck tanks as follows:

<u>Truck Suspension</u>	<u>Warranty Period</u>
Air Ride	5 yr
Standard Leaf Spring	1 yr
Mack Camel Back	None
Hendrickson Walking Beam	None
Chalmers	None

Contact manufacturer if you are unsure of the type/name brand of suspension on your truck tank.

Repairs will follow after YOUNGS TANK, INC. is notified and is aware that such circumstances are a result of unreliable materials and/or workmanship. Repairs will follow at YOUNGS TANK, INC. or at an approved repair shop. Payment at such shop will be made after defective part, a description of the defect and summary of costs has been received and approved by YOUNGS TANK, INC.

YOUNGS TANK, INC. does not assume responsibility for defects caused by accident, improper use, alteration or maintenance. Equipment, accessories, and truck chassis are exempt from this warranty and are covered only by the original manufacturer. The protective coatings applied to the tank are the sole responsibility of the painter.

CALIBRATION/TESTING/STRAPPING is done by YOUNGS TANK, INC., according to Texas regulations in the state of Texas. YOUNGS TANK, INC. sets the markers according to the compartment size. The markers are not sealed and are not recognized by other state weights and measures. If the customer, or his residing state, requires the transport/truck tank to be recalibrated, strapped or retested, this shall be done at the customer's expense.

Any warranties on the merchandise or equipment sold hereby are made by the manufacturer. YOUNGS TANK, INC. hereby expressly disclaims all warranties, express or implied, including any implied warranty of merchantability of fitness for a particular purpose. YOUNGS TANK, INC. neither assumes nor authorizes any other person to assume for it any liability in connection with this sale. Any manufacturer's warranties are limited to repair or replacement of any defective items. There is no warranty by anyone, including YOUNGS TANK, INC. for any loss of time, inconvenience, loss of use of the equipment, or any other consequential damages.

Supplier: **SOUTHWEST INTERNATIONAL TRUCKS INC.**

**SIGNATURE FORM
COLLIN COUNTY, TEXAS**

DELIVERY WILL BE F.O.B. INSIDE DELIVERY AT COLLIN COUNTY DESIGNATED LOCATIONS AND ALL TRANSPORTATION CHARGES PAID BY THE SUPPLIER TO DESTINATION.

DELIVERY TO BE SPECIFIED IN CALENDAR DAYS FROM DATE OF ORDER. **365**

WE **DO NOT** TAKE EXCEPTION TO THE BID SPECIFICATIONS.

WE **TAKE** EXCEPTION TO THE BID SPECIFICATIONS (EXPLAIN):

NONE

COMPANY INFORMATION/PROFILE/REFERENCES

Preferential Requirement: The County of Collin, as a governmental agency of the State of Texas, may not award a contract to a nonresident bidder unless the nonresident's bid is lower than the lowest bid submitted by a responsible Texas resident bidder by the same amount that a Texas resident bidder would be required to underbid a nonresident bidder to obtain a comparable contract in the state in which the nonresident's principal place of business is located (Government Code, Title 10, V.T.C.A., Chapter 2252, Subchapter A). Bidder shall make answer to the following questions by selecting the appropriate radio button or inserting information in the box provided:

Is your principal place of business in the State of Texas? Yes No

If the answer to question is "yes", no further information is necessary; if "no", please indicate:

in which state is your principal place of business is located: **texas**

if that state favors resident bidders (bidders in your state) by some dollar increment or percentage: Yes No

if "yes", what is that dollar increment or percentage?

Company Profile: IS YOUR FIRM?

Sole Proprietorship	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
General Partnership	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
Limited Partnership	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
Corporation	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No
Other	<input type="checkbox"/>	Yes	<input type="checkbox"/>	No

List Legal Names in Company: **SOUTHWEST INTERNATIONAL TRUCKS INC.,**

List at least three (3) companies or governmental agencies where these same/like products/services, as stated herein, have been provided. Include company name, address, contact name and telephone number.

**CITY OF GARLAND TEXAS
1725 GASOLINE ALLEY
GARLAND, TX 75040
TERRY ANGLIN
972-205-3524**

**CITY OF DENTON TEXAS
804 TEXAS ST.
DENTON, TEXAS 76209
Terry Kader
940-340-8424**

**CITY OF MCKINNEY TEXAS
1550 S. COLLEGE ST
MCKINNEY, TEXAS 75070
JOHNNY BRIGGS
972-547-7345**

AS PERMITTED UNDER TITLE 8, CHAPTER 271, SUBCHAPTER F, SECTION 271.101 AND 271.102 V.T.C.A. AND TITLE 7, CHAPTER 791, SUBCHAPTER C, SECTION 791.025, V.T.C.A., OTHER LOCAL GOVERNMENTAL ENTITIES MAY WISH TO ALSO PARTICIPATE UNDER THE SAME TERMS AND CONDITIONS CONTAINED IN THIS CONTRACT. EACH ENTITY WISHING TO PARTICIPATE MUST ENTER INTO AN INTERLOCAL AGREEMENT WITH COLLIN COUNTY AND HAVE PRIOR AUTHORIZATION FROM VENDOR. IF SUCH PARTICIPATION IS AUTHORIZED, ALL PURCHASE ORDERS WILL BE ISSUED DIRECTLY FROM AND SHIPPED

DIRECTLY TO THE LOCAL GOVERNMENTAL ENTITY REQUIRING SUPPLIES/SERVICES. COLLIN COUNTY SHALL NOT BE HELD RESPONSIBLE FOR ANY ORDERS PLACED, DELIVERIES MADE OR PAYMENT FOR SUPPLIES/SERVICES ORDERED BY THESE ENTITIES. EACH ENTITY RESERVES THE RIGHT TO DETERMINE THEIR PARTICIPATION IN THIS CONTRACT. WOULD BIDDER BE WILLING TO ALLOW OTHER LOCAL GOVERNMENTAL ENTITIES TO PARTICIPATE IN THIS CONTRACT, IF AWARDED, UNDER THE SAME TERMS AND CONDITIONS? Yes No

By signing and submitting this Bid/Proposal, Bidder/Offeror acknowledges, understands the specifications, any and all addenda, and agrees to the bid/proposal terms and conditions and can provide the minimum requirements stated herein. Bidder/Offeror acknowledges they have read the document in its entirety, visited the site, performed investigations and verifications as deemed necessary, is familiar with local conditions under which work is to be performed and will be responsible for any and all errors in Bid/Proposal submittal resulting from Bidder/Offeror's failure to do so. Bidder/Offeror acknowledges the prices submitted in this Bid/Proposal have been carefully reviewed and are submitted as correct and final. If Bid/Proposal is accepted, vendor further certifies and agrees to furnish any and all products/services upon which prices are extended at the price submitted, and upon conditions in the specifications of the Invitation for Bid/Request for Proposal.

THE UNDERSIGNED HEREBY CERTIFIES THE FOREGOING BID/PROPOSAL SUBMITTED BY THE COMPANY LISTED BELOW HEREINAFTER CALLED "BIDDER/OFFEROR" IS THE DULY AUTHORIZED AGENT OF SAID COMPANY AND THE PERSON SIGNING SAID BID/PROPOSAL HAS BEEN DULY AUTHORIZED TO EXECUTE SAME. BIDDER/OFFEROR AFFIRMS THAT THEY ARE DULY AUTHORIZED TO EXECUTE THIS CONTRACT; THIS COMPANY; CORPORATION, FIRM, PARTNERSHIP OR INDIVIDUAL HAS NOT PREPARED THIS BID/PROPOSAL IN COLLUSION WITH ANY OTHER BIDDER/OFFEROR OR OTHER PERSON OR PERSONS ENGAGED IN THE SAME LINE OF BUSINESS; AND THAT THE CONTENTS OF THIS BID/PROPOSAL AS TO PRICES, TERMS AND CONDITIONS OF SAID BID/PROPOSAL HAVE NOT BEEN COMMUNICATED BY THE UNDERSIGNED NOR BY ANY EMPLOYEE OR AGENT TO ANY OTHER PERSON ENGAGED IN THIS TYPE OF BUSINESS PRIOR TO THE OFFICIAL OPENING OF THIS BID/PROPOSAL.

Company Name	SOUTHWEST INTERNATIONAL TRUCKS, INC.,
Street Address of Principal Place of Business	2105 N. CENTRAL EXPRESSWAY
City, State, Zip	MCKINNEY, TEXAS 75070
Phone of Principal Place of Business	972-629-3600
Fax of Principal Place of Business	972-629-3601
E-mail Address of Representative	calvin.lewis@swit-tx.com
Federal Identification Number	75-1830929
Date	5/28/2014
Acknowledgement of Addenda	#1 <input checked="" type="checkbox"/> #2 <input type="checkbox"/> #3 <input type="checkbox"/> #4 <input type="checkbox"/> #5 <input type="checkbox"/> #6 <input type="checkbox"/>
Authorized Representative Name	calvin lewis
Authorized Representative Title	salesman

Signature (Required for paper bid submission)	calvin lewis
---	---------------------

Supplier: **SOUTHWEST INTERNATIONAL TRUCKS INC.**

CONFLICT OF INTEREST QUESTIONNAIRE FORM CIQ	
For vendor or other person doing business with local governmental entity	
<p>This questionnaire is being filed in accordance with chapter 176 of the Local Government Code by a person doing business with the governmental entity.</p> <p>By law this questionnaire must be filed with the records administrator of the local government not later than the 7th business day after the date the person becomes aware of facts that require the statement to be filed. See Section 176.006, Local Government Code.</p> <p>A person commits an offense if the person violates Section 176.006, Local Government Code. An offense under this section is a Class C misdemeanor.</p>	OFFICE USE ONLY
<p>1 Name of person doing business with local governmental entity.</p> <p>Calvin Lewis</p>	Date Received
<p>2 <input checked="" type="checkbox"/> Check this box if you are filing an update to a previously filed questionnaire.</p> <p>(The law requires that you file an updated completed questionnaire with the appropriate filing authority not later than September 1 of the year for which an activity described in Section 176.006 (a), Local Government Code, is pending and not later than the 7th business day after the date the originally filed questionnaire becomes incomplete or inaccurate.)</p>	
<p>3 Name each employee or contractor of the local governmental entity who makes recommendations to a local government officer of the governmental entity with respect to expenditures of money AND describe the affiliation or business relationship.</p> <p>Calvin Lewis/Sales</p>	
<p>4 Name each local government officer who appoints or employs local government officers of the governmental entity for which this questionnaire is filed AND describe the affiliation or business relationship.</p> <p>LIZ GRAY /FLEET Jeff Bond / Fleet</p>	

Adopted 11/02/2005

Supplier: **SOUTHWEST INTERNATIONAL TRUCKS INC.**

AFFIDAVIT OF COMPLIANCE

I, the undersigned, declare and affirm that my company is in compliance with the Immigration and Reform Act of 1986 and all employees are legally eligible to work in the United States of America.

I further understand and acknowledge that any non-compliance with the Immigration and Reform Act of 1986 at any time during the term of this contract will render the contract voidable.

Name of Company **SOUTHWEST INTERNATIONAL TRUCKS**

Title of Officer **President**

Name of Officer **Shane McBee**

Date: **05/28/2014**