



DATE: September 15, 2017  
 QUOTE #:198784-01

**COLLIN COUNTY**  
 LIZ GRAY

**Christopher Simon**  
 972.313.5537

700A WILMETH RD  
 MCKINNEY, TEXAS 75069-8231

**One (1) New Caterpillar Model: 140M3 Motor Graders with all standard equipment in addition to the additional specifications listed below:**

|                          |           |
|--------------------------|-----------|
| SELL PRICE               | \$342,694 |
| Quote thru NJPA Contract |           |

**WARRANTY**

Standard Warranty: 12 Month/Unlimited Hours Total Machine  
 Extended Warranty: 48 months / 6,000 hour PT&H

**BuyBack Options**

36 months / 3,000 hours - \$175,000  
 36 months / 5,000 hours - \$140,000

**MACHINE SPECIFICATIONS**

| DESCRIPTION                                      | REF.#    |
|--|----------|
| 140M3 MOTOR GRADER                               | 384-8605 |
| GLOBAL ARRANGEMENT                               | 385-9294 |
| MOLDBOARD, 14' PLUS                              | 349-3048 |
| RIPPER/SCARIFIER                                 | 324-0889 |
| WEATHER, STANDARD                                | 353-3316 |
| ACCUMULATORS, BLADE LIFT                         | 358-9338 |
| PRECLEANER, NON SY-KLONE                         | 380-6774 |
| BASE + 1 (RIP)                                   | 385-8094 |
| STARTER, ELECTRIC, HEAVY DUTY                    | 394-3945 |
| LIGHTS, FRONT HEADLIGHTS, LOW                    | 309-9879 |
| CAB, PLUS (STANDARD GLASS)                       | 385-9554 |
| CAB, PLUS (INTERIOR)                             | 397-7457 |
| FAN, DEFROSTER, REAR WINDOW                      | 233-3137 |
| SCREEN AS  | 360-0116 |
| CONVERTER GP                                     | 361-3136 |
| SEAT, HEATED                                     | 385-8713 |
| RADIO GP - AM/FM                                 | 477-1255 |
| SEAT BELT  | 394-1492 |
| PRODUCT LINK, SATELLITE PLE631 – 5 YEARS SERVICE | 464-6804 |

| DESCRIPTION                            | REF.#    |
|--|----------|
| INSTALLATION, ACCUGRADE READY          | 462-7928 |
| JOYSTICK CONTROLS, ADVANCED            | 458-8701 |
| TIRES, 17.5R25 BS VKT * D2A MP         | 252-0775 |
| GUARD GP, HITCH                        | 323-6970 |
| ANTIFREEZE WINDSHIELD WASHER           | 0P-1939  |
| LIGHTS, WORKING, PLUS                  | 395-1967 |
| TRANSMISSION, AUTOSHIFT                | 396-3515 |
| LIGHTS, SERVICE, INTERNAL              | 380-3070 |
| CAMERA, REAR VISION                    | 396-3921 |
| DRAIN, HIGH SPEED, ENGINE OIL          | 501-1163 |
| MIRRORS, OUTSIDE MOUNTED               | 233-3295 |
| GUARD, TRANSMISSION                    | 366-2459 |
| PUSH PLATE, COUNTERWEIGHT              | 367-6842 |
| CONTROL,AUTO ARTICULATION              | 483-2354 |
| TANK, FUEL, STANDARD                   | 540-2373 |
| ANTIFREEZE, -45C (-50F)                | 0P-3978  |
| GRADE CONTROL X SLOPE                  | 462-7929 |
| STEERING CYLINDER AND FUEL TANK GUARDS | INCLUDED |
| AUTOLUBE SYSTEM WITH QUICK FILL        | INCLUDED |
| WINDOW TINT                            | INCLUDED |
| BEACON LIGHT WITH BRUSH GUARD          | INCLUDED |

## STANDARD EQUIPMENT

---

### POWERTRAIN

Air cleaner, dual stage dry type radial seal with service indicator and automatic dust ejector  
 Air-to-air after cooler (ATAAC)  
 Belt, serpentine, automatic tensioner  
 Brakes, oil disc, four-wheel, hydraulic  
 Demand fan, hydraulic  
 Differential, lock/unlock, Automatic  
 Drain, engine oil, ecology  
 Electronic over-speed protection  
 Engine, C9 with ACERT technology, diesel

with automatic engine derate and idle control. EPA/ARB Tier 4 Final & EU stage IV certified Engine & Aftertreatment  
 Parking brake, multi-disc, sealed and oil cooled.  
 Sediment drain, fuel tank.  
 Tandem drive  
 Transmission, 8 speed forward and 6 speed reverse, power shift, direct drive  
 VHP Plus (Variable Horse Power Plus)

### ELECTRICAL

Alarm, back-up  
 Alternator, 150 ampere, sealed  
 Batteries, maintenance free, heavy duty, 1125 CCA  
 Breaker panel, ground accessible  
 Electrical hydraulic valves  
 Electrical system, 24 volt

Grade Control Ready (Cab harness, software, electrical hydraulic valves, bosses and brackets)  
 Lights, reversing  
 Lights, roading, roof-mounted, stop and tail, LED  
 Starter, electric

### OPERATOR ENVIRONMENT

Air Conditioning with heater  
Articulation, automatic return to center  
Centershift pin indicator  
Display, digital speed and gear  
Doors, left and right side with wiper  
Gauge, machine level  
Gauges (analog) inside the cab  
(includes fuel, articulation, engine  
coolant temp, engine RPM,  
and hydraulic oil temp, DEF/AdBlue)  
Joystick, adjustable armrests  
Joystick gear selection, hydraulic  
power steering hydraulic controls  
(right/left, blade lift w/ float  
position, blade sideshift and tip,  
circle drive, centershift, front wheel  
lean and articulation and steering)

### **SAFETY AND SECURITY**

Clutch, circle drive slip  
Doors, 2 engine compartment, (two left  
hand, two right hand) locking  
Doors, 2 service, left and right locking  
Ground level engine shutdown  
Hammer (emergency exit)

### **TIRES, RIMS, AND WHEELS**

A partial allowance for tires on  
10" x 24" multi-piece rims is included

### **FLUIDS**

Antifreeze

### **OTHER STANDARD EQUIPMENT**

Accumulators -brake -dual certified  
Drawbar, 6 shoe w/replaceable wear strips  
Fluid check, ground level  
Fuel tank, 105 gallon (398 L)  
Ground level fueling  
DEF/AdBlue Tank, 5.5 gallon (21 L)  
Hydraulic lines for base functions  
Pump, hydraulic, high capacity

Lights, night time cab  
Messenger operator information system  
Meter, hour, digital  
Mirror, inside rearview, wide angle  
Power Port, 12V  
Radio Ready, Entertainment  
ROPS cab, sound suppressed  
- 69dB(A) - ISO 6394  
Seat, cloth-covered, comfort suspension  
Storage area for cooler/lunchbox  
Throttle control, electronic  
Windows: laminated glass  
- Fixed front with intermittent wiper  
- Door with intermittent wipers (3)  
Windows: Tempered  
- Left and right side wipers  
- Rear with intermittent wiper

Horn, electric  
Lockout, hydraulic implement (for  
roading and servicing)  
Seat belt, retractable 3"  
Secondary steering  
Tandem walkway/guards

in the base machine price and weight.

Extended Life Coolant -35C/-30F

(98cc / 15 cu in)  
Radiator, cleanout access  
(both sides with swing doors)  
SOS ports - engine -hydraulic  
-transmission -coolant -fuel  
Tandem walkway/guards  
Tool box  
Debris Guard