

Ratcliff Constructors, LP 4200 Beltway Drive Addison, Texas 75001 Phone: (972) 432-9969 Fax: (972) 432-9943

Project: 21-501 - Collin County Adult Detention Facility, Phase 1 Addition 4300 Community Avenue McKinney, Texas 75071

Prime Contract Potential Change Order #096: RFI #280 Add Lights in **Elevator Pit**

TO:

Collin County

4600 Community Avenue

McKinney Texas, 75071

PCO NUMBER/REVISION: 096 / 1 CONTRACT:

FROM:

Ratcliff Constructors, LP

4200 Beltway Drive Addison Texas, 75001

1 - Collin County Adult Detention Facility,

REQUEST RECEIVED FROM:

STATUS:

Pending - In Review

CREATED BY:

Phase 1 Addition Prime Contract CJ Perry (Ratcliff Constructors, LP)

CREATED DATE:

3/15 /2024

REFERENCE:

PRIME CONTRACT CHANGE ORDER:

FIELD CHANGE:

SCHEDULE IMPACT:

No

LOCATION:

ACCOUNTING

Amount Based

METHOD:

PAID IN FULL:

TOTAL AMOUNT:

\$4,749.32

POTENTIAL CHANGE ORDER TITLE: RFI #280 Add Lights in Elevator Pit

CHANGE REASON: Allowance

POTENTIAL CHANGE ORDER DESCRIPTION: (The Contract Is Changed As Follows)

RFI #280 Add Lights in Elevator Pit

Provide for additional materials, labor, and equipment required to add (2) type F lights in the elevator pit per RFI #280. See backup.

3/22/24 - See attached revised PCO including additional backup and revised pricing for equipment (reduced) and materials required but not captured in original PCO.

ATTACHMENTS:

#	Cost Code	Description	Туре	Amount			
1	26-103 - Fiber Optic Cabling	Add Type F Lights in Elevator Pit	Subcontractor	\$ 4,264.27			
2		Ratcliff Bonds (1.25%)		\$ 53.30			
3		Ratcliff Fee (10.00%)		\$ 431.75			
	Subtotal:						
	Grand Total:						

Michael Woods (Brinkley Sargent Wiginton Architects)

5000 Quorum Drive, Suite 600 Dallas Texas 75254

Collin County

4600 Community Avenue McKinney Texas 75071

Ratcliff Constructors, LP

4200 Beltway Drive Addison Texas 75001

SIGNATURE

DATE

DATE

																						CO-01	9
																				SHEET	1	OF	1
PROJECT NAME	Collin	County	ADF									PR	OJECT NO.	23005	WE D	DATE		WORK PERFO	ORMED			PHASE CODE:	
DESCRIPTION OF WORK	Add li	ghts an	d mainter	nance GFC	l recep	tacle at e	evator pit p	er RF#	1280						•								
FOR	Chris	Perry Jr												EWA NO.		_	AUT	HORIZED BY					
	S. B. 430.	N 86 90 I	L-1.50		AND S	LABOR		1 PO 04			5237		THOUSE	ALC: UNKNOWN	Mate	rial	(Sat)	State of the last		E	QUIPN	IENT	
EMPLOYEE	EMP		STRAIGHT			PREMIUM	TIME		PER-DIEM	STEEDING.		OVERTEN				UNIT	U	EXTENDED AMOUNT	DESCRIPTIO	N TY		RATE	AMOUNT
NAME ite Project Manager	PM	HOURS 3	\$95.10	\$285.30	HOURS	\$0.00	AMOUNT \$0.00	Days	\$0.00	\$0.00	HOURS	\$135.40	AMOUNT \$0.00	QUANTITY 1	DESCRIPTION Material Greensheets	\$1.025		\$1,025,25	Mini Excavator	11	_		\$0.
ourneyman	JM	21	\$51.21	\$1,075.41		\$0.00	\$0.00		\$0.00	\$0.00		\$72.91	\$0.00					\$0.00	Skidsteer	1	0	\$0.00	\$0.
elper	HP	20.98	\$38.04	\$798.08		\$0.00	\$0.00		\$0.00	\$0.00		\$54.16	\$0.00					\$0.00	Jackhammer		0	\$0.00	\$0.
			\$0.00	\$0.00		\$0.00	\$0.00		\$0.00	\$0.00		\$0.00	\$0.00					\$0.00	Packer	1	0		\$0.
			\$0.00	\$0.00		\$0.00	\$0,00		\$0.00	\$0.00		\$0.00	\$0.00					\$0.00	Core Drill	1	-		\$0.
			\$0.00	\$0.00		\$0.00	\$0.00		\$0.00	\$0.00		\$0.00	\$0.00						Scissor Lift	- 1	0.1		\$315.
			\$0.00	\$0.00		\$0.00	\$0.00		\$0.00	\$0.00		\$0.00	\$0,00					_	Company Truck	(_	_	\$225.
			\$0.00	\$0.00		\$0,00	\$0.00		\$0.00	\$0.00		\$0.00	\$0.00				_		cable tugger	-	0	\$1,283.00	\$0.
	-		\$0.00	\$0.00		\$0.00	\$0.00		\$0.00	\$0.00		\$0.00	\$0.00				+		Freight for 3rd Pa			-	\$ 50.0 \$
	_		\$0.00	\$0.00		\$0.00	\$0.00		\$0.00	\$0.00		\$0.00	\$0.00		\$0,00 Fuel, Oil & Lube for 3rd Party					\$ 365.0			
Straight Time Labor - S											44.98	\$		Sheet Sub-Total					.29 "T" 3rd Party Equip Sheet Sub-Total				
remium Time Labor -	Sheet S	ub-Tota	1								N/A	\$						-					\$ -
Overtime Time Labor -	Sheet S	ub-Tota	I								0	\$	-	Markup 10.00% \$ 102.53 Equipment Tax - 3rd Party					0.00%	\$ -			
er-Diem - Sheet Sub-	Total											\$	-	Sales Tax 5 - "C" Company Owned - Sheet Sub-To					-Total	\$ 225.0			
OTAL LABOR (Thi	s Shee	t)									44.98	\$	2,158.79	TOTAL \$ 1,127.82 TOTAL EQUIPMENT (This Sheet)					eet)	\$ 590.0			
																	\top						\$ 3,876.6
																	ОН				0.00%	\$	
																	Ma	rkup		1	0.00%		\$ 387.6
																	CP	AND TOTA	VI.			e	4,264.27
LIEU OF SIGNATURE, PLEASE	ADVISE I	MMEDIATEL	Y IF ANY OF	THE ABOVE DO	ES NOT AC	SHEE WITH TO	JUN NECONOS.										GR	AND TOTA	11.			*	4,204.2
APPROVED)											DATE				REMARK	s:						
						COMPA	NY																
BY	1																						

GREEN SHEETS


Project Name

ELECTRICAL

Last Verfication:

12/03/2013 10:05 AM

			Proposal No.	ESTIMATOR			41.98			\$1,025.29
		DET			LABOR		LABOR	MATERIAL	06.1	MATERIAL
NO.	CODE	QTY	MATERIAL/DESCRIPTION	QUANTITY	UNIT	U/M	EXTENSION	PRICE	U/M	EXTENSION
			2 type F fixtures				V. State State	- 1		
	75EMT	90	3/4" Emt Conduit	90	0.045	FT	4.05	\$1.80	FT	\$162
	75ECON	10	3/4" Emt Connectors	10	0.060	EA	0.60	\$0.70	EA	\$7
	75ECP	10	3/4" Emt Couplings	10	0.030	EA	0.30	\$0.80	EA	58
	7018	4	3/4" hole bell box	4	0.070	EA	4.54	\$4.54	EA	\$18
	7019	2	bell box cover	2	0.070	EA	0.85	\$0.85	EA	52
	12AWG	270	#12 Cu Stranded	270	0.010	FT	2.70	\$0.24	FT	\$65
	T12	12	Termination Lug & Brady Label - #12	12	0.220	EA	2.64	\$1.50	EA	\$18
	1008	2	TYPE F FIXTURE	2	0.500	EA	1.00	\$55.15	EA	\$110
	LSWCII	1	Light Switch	1	0.400	EA	0.40	\$14.00	EA	\$14
\neg	SWCHCPL	1	Light Switch Cover Plate	1	0.150	EA	0.15	\$8.00	EA	58
	75es	12	3/4" Emt Support	12	0.100	EA	1.20	\$0.40	EA	\$5
\dashv			120V dedicated circuit for GFCI inside pit.							
	75EMT	180	3/4" Emt Conduit	180	0.045	FT	8.10	\$1.80	FT	\$324
	75ECON	25	3/4" Emt Connectors	25	0.060	EA	1.50	\$0.70	EA	\$18
	75ECP	8	3/4" Emt Couplings	8	0.030	EA	0.24	\$0.80	EA	\$6
\neg	7018	2	3/4" hole bell box	2	0.700	EA	1.40	\$4.54	EA	\$9
	7019	2	bell box cover	2	0.700	EA	1.40	\$0.85	EA	\$2
	10AWG	480	#10 Cu Stranded	480	0.012	FT	5.76	\$0.34	FT	\$163
	T10	6	Termination Lug & Brady Label - #10	6	0.250	EA	1.50	\$1.00	EA	\$6
	RECGFCI	1	Receptacle - GFCI	I	0.500	EA	0.50	\$14.44	EA	\$14
	RECPL	1	Receptacle Cover Plate	1	0.150	EA	0.15	\$8.00	EA	58
	75ES	25	3/4" Emt Support	25	0.100	EA	2.50	\$0.40	EA	\$10
	1018	1	20 A breaker	1	0.500	EA	0.50	\$48.21	EA	\$48
									8	



Cooper Lighting Solutions - ALL-PRO

DESCRIPTION

The ALL-PRO™LED Vapor tight Floodlight provides an indoor/outdoor solution in applications where lighting fixture protection is required. The fixture provides equivalent light output up to 100-watt incandescent and 23-watt CFL fixtures, with high-quality and long lasting illumination. The fixture is vapor tight to protect against dust and moisture. Ideal for patios, garages, storage, and industrial areas. This fixture's traditional look and warm color temperature gives consumers the comfort of lighting they are used to.

Catalog #	Туре
Project	
Comments	Date
Prepared by	

SPECIFICATION FEATURES

Construction

- Durable die-cast aluminum housing and cage provides protection against vandalism
- Vapor tight IP65 rating protects against dust and moisture
- Versatile mounting options Wall, Ceiling and Post
- Frosted glass lens
- (5) 1/2 NPT Conduit openings

Electrical

- Maintenance-free LEDs with L70 50,000 hours of life
- Universal 120-277V power supply
- Fixture operating temperature range from -20°C to 40°C
- cULus listed for wet locations

Optics

- 3500K color temperature
- Fixture produces up to 1450 Lumens


Warranty

• 5 year limited warranty



LED VAPOR TIGHT FLOODLIGHT

DIMENSIONS





ORDERING INFORMATION

Application Series Color Temperature VT = Vapor Tight 17 = 17Watts 30 = 3500K

CERTIFICATION DATA

cULus Wet Location Listed Lighting Facts® Approved

TECHNICAL DATA


-20°C to 40°C Temperature Rating Wall, Ceiling, and Post Mount



Cooper Lighting Solutions 1121 Highway 74 South Peachtree City, GA 30269 P: 770.486.4800 www.cooperlighting.com

Specifications and dimensions subject to change without notice.

PHOTOMETRICS



.25 Fc Coverage Area											
		8' 10' 15'									
Model Number	Lumens	Х	Υ	Х	Υ	Х	Υ				
VT1730	1496	15	34	15	36	14	37				

Technical Information

Model Number	Description	Voltage (V)	Power (W)	Delivered Lumens	Efficacy (Lum/Watt)	LED Color Temperature (K)	CRI
VT1730	ALL-PRO LED Vapor Tight Floodlight	120-277V	17.7	1450	82	3500K	80





Ratcliff Constructors, LP 4200 Beltway Drive Addison, Texas 75001 P: (972) 432-9969 F: (972) 432-9943

Project: 21-501 Collin County Adult Detention
Facility, Phase 1 Addition
4300 Community Avenue
McKinney, Texas 75071

Printed On: Mar 15, 2024 08:24 AM CDT

RFI #280: Elevator Pit Light Fixture Clarification

Status

Open

To

Michael Woods (Brinkley Sargent Wiginton

Architects)

Jason Mansur (MD Engineering, LLP - MEP

Engineer) (Response Required)

From

Zach Reynolds (Ratcliff Constructors, LP)

4200 Beltway Drive

Addison, Texas 75001

Date Initiated

Mar 5, 2024

Due Date

Mar 12, 2024

Location

Project Stage

Cost Impact

Schedule Impact

Spec Section

Cost Code

Drawing Number

Reference

Linked Drawings

Received From

Julio Torres (BTX Construction Group LLC)

Copies To

Jason Crawford (Ratcliff Constructors, LP), CJ Perry (Ratcliff Constructors, LP), Shane Worley (Ratcliff

Constructors, LP)

Activity

Question

Question from Zach Reynolds Ratcliff Constructors, LP on Tuesday, Mar 5, 2024 at 09:33 AM CST

Jason,

Per our RFI review on 2/27/24, you instructed the electrician to install two jelly jar light fixtures in the elevator pit. Please

confirm if the fixture you reference was the type F jelly jar light.

Official Response

Response from Jason Mansur MD Engineering, LLP - MEP Engineer on Wednesday, Mar 6, 2024 at 12:03 PM CST

Yes, Utilize the F fixture on the schedule.

All Replies

Response from Jason Mansur MD Engineering, LLP - MEP Engineer on Wednesday, Mar 6, 2024 at 12:03 PM CST

Yes, Utilize the F fixture on the schedule.