



COLLIN COUNTY

Health Care Services
825 N. McDonald Street
Suite 130
McKinney, Texas 75069
www.collincountytx.gov
972 548-5532/fax 972 548-5550

TO: Collin County Health Care Board of Trustees
FROM: Candy Blair, Manager, Health Care Services
DATE: August 24, 2015
RE: Renewal Contract—Texas Department of State Health Services (DSHS) FY2016 Grant for Tuberculosis Prevention and Control (State Funds)

Attached for approval is the renewal contract with Department of State Health Services for \$152,828 for state funds to provide basic services and related activities for tuberculosis (TB) prevention and control. The County Match as required in the contract is \$30,566 and will be met by using existing employee personnel salaries. This renewal contract with DSHS for state funds begins 09/01/2015 and ends on 08/31/2016. According to DSHS it is their intent for the TB/State contract to be amended at a later date to extend to two years.

TB is a communicable disease caused by *Mycobacterium tuberculosis*. TB is spread from person to person through the air. When a person with pulmonary or laryngeal TB coughs, sneezes, speaks, or sings, droplet nuclei containing *M. tuberculosis* are expelled into the air. Depending on the environment, these tiny particles (1-5microns in diameter) can remain suspended in the air for several hours. If another person inhales air containing droplet nuclei, transmission may occur.

According to the World Health Organization (WHO), Left untreated, each person with active TB disease will infect on average between 10 and 15 people every year. But people infected with TB bacilli will not necessarily become sick with the disease. The immune system "walls off" the TB bacilli which, protected by a thick waxy coat, can lie dormant for years. When someone's immune system is weakened, the chances of becoming sick are greater.

- Someone in the world is newly infected with TB bacilli every second.
- Overall, one-third of the world's population is currently infected with the TB bacillus.
- 5-10% of people who are infected with TB bacilli (but who are not infected with HIV) become sick or infectious at some time during their life. People with HIV and TB infection are much more likely to develop TB.

The best way to stop transmission is to identify and isolate patients with infectious TB immediately and start effective TB therapy. Infectiousness declines rapidly after adequate therapy is started, as long as the patient adheres to the prescribed regimen. The overall goals for treatment of tuberculosis are (1) to cure the individual patient, and (2) to minimize the transmission of TB to other persons. Thus, successful treatment of tuberculosis has benefits both for the individual patient and the community in which the patient resides.

Texas is ranked second in the top five leading U.S. States by number of TB cases. Collin County has outpaced Texas and the nation in population growth over the last 36 years and the demands for TB services in Collin County are likewise increasing. In order to keep up with those demands and to continue to fulfill our assigned public health role, we will use this money to continue to fund TB staffing, purchase TB supplies, pay for diagnostic studies, and meet other TB clinic needs.