





1. REFER A0.20 THRU A0.22 FOR FINISH SCHEDULES AND LEGEND
2. REFER A0.30 THRU A0.32 FOR DOOR SCHEDULES AND DOOR TYPES
3. REFER A0.32 FOR WINDOW AND LOWER TYPES NOTED WITH 'O'
4. REFER A0.22 FOR FIRE PROTECTION SPECIFICATIONS AND GIN LOCKER SCHEDULES
5. REFER A0.10 THRU A0.11 FOR PARTITION TYPES
6. REFER A0.00 THRU A0.02 FOR EXTERIOR BUILDING ELEVATIONS
7. REFER A0.00 THRU A0.34 ALT. FOR REFLECTED CEILING PLANS



GENERAL NOTES

SC: NONE 3

1. TWO 4"x8" SHEETS OF 3/4" 4/B PLYWOOD MOUNTED 6" ABOVE BASED FLOOR, PAINT TO MATCH ADJACENT WALL
2. GIN LOCKER CABINET, REFER A0.22 FOR TYPE & SIZE
3. RECESSED FIRE HOSE VALVE STATION, REFER FIRE PROTECTION & A0.22 FOR TYPE NOTED FHS-#
4. EMC, REFER PLUMBING
5. FIRE HOSE VALVE, REFER FIRE PROTECTION
6. MIP SINK, REF. PLUMBING, INCLUDE MOP HOOKS (1A-16) & SHELF
7. IMBED COMPUTER FLOORING, REFER STRUCT. FOR DEPTH LIMITS
8. 10'-0" HIGH WIRE MESH EVIDENCE CAGES, REFER SPECS.
9. METAL LOCKERS, REFER SPECS.
10. DOCK BUMPER & LEVELER, REFER STRUCT. AND 12/A.12
11. PAINTED STEEL PIPE BOLLARD, REFER 9/A.01
12. PAINTED STEEL PIPE BOLLARD, REFER 9/A.02
13. THIS PORTION OF SECURE CMU WALL TO BE INSTALLED SO THAT IT CAN BE REMOVED IN THE FUTURE
14. 3'-0" LONG HIGH/LOW CLOTHES RODS & SHELVES, REFER 13/A5.25
15. WHEEL CHAIR LIFT, REFER ELECTRICAL AND ENLARGED PLAN
16. FUTURE WHEEL CHAIR LIFT (WC), REFER ELECTRICAL AND ENLARGED PLAN
17. LINE OF CANOPY ABOVE
18. NOT USED
19. 4" SLAB RECESS FOR FUTURE COURTROOM FILLED WITH CONCRETE TOPPING, REF. STRUCT.
20. EDGE OF FUTURE OPENING IN FLOOR FOR AIRRUM CLEAR STORY FILLED WITH 2-HOUR RATED STRUCT. SUB, REFER STRUCT. WALL TO BE INSTALLED SO THAT IT CAN BE REMOVED IN THE FUTURE
21. FOR FUTURE USE OF THE ELEVATOR AT THIS LEVEL, ELEVATOR DOOR FRAME SHALL CALL STATIONS, ETC. SHALL ALL BE PROVIDED AS PART OF THIS CONTRACT. AFTER DOOR IS MADE OPERATIONAL, IT SHALL BE LOCKED BEFORE INSTALLING THE CMU WALL.
22. HIGH DENSITY FILING FURNISHED & INSTALLED BY OWNER. COORDINATE EXACT LOCATION, SIZE & ELECTRICAL CONNECTION WITH OWNER.
23. 4" SLAB RECESS FOR FUTURE COURTROOM, REFER STRUCT.
24. RECESSED FIRE EXTINGUISHER CABINET, REFER A0.22 FOR TYPE NOTED FEC-#
25. REFER SHEET A1.02 FOR INFORMATION IN THIS AREA
26. REFER ENLARGED PLAN 1/A.07 FOR WORK IN THIS AREA
27. 24"x48" BENCH, REFER 19/A5.28
28. SECURE MESH CHASE ABOVE CEILING, REFER 142/A.13
29. HOLD COLUMN FIR OUT TIGHT TO DRAIN PIPE 4"

PLAN KEYED NOTES

SC: NONE 2



LOWER LEVEL PLAN 'A'

SC: 1/8"=1'-0" 1



