



COLLIN COUNTY

Office of the Purchasing Agent
2300 Bloomdale Road
Suite 3160
McKinney, Texas 75071
www.collincountytexas.gov

ADDENDUM No. Four (4)

**Access Control and Time Collection System
RFP No. 2016-044**

Effective: March 16, 2016

You are hereby directed to make changes to the Request for Proposal in accordance with the attached information:

Add Document:

Attachment C - Channels
Attachment D - Control points
Attachment E – Controllers
Attachment F – Doors
Attachment G - Monitor Points
Attachment H - Sub-controllers

Please note all other terms, conditions, specifications drawings, etc. remain unchanged.

Sincerely,
Michalyn Rains CPPO, CPPB
Purchasing Agent

Report Date/Time: 3/9/2016 1:10:13PM

Operator: Badge

Parameters · Site(s): <ALL SITES>

Site: 1

Channel:	1	Baud Rate:	38400	bits per second
Description:	Courthous Add 1st Level	Time Out:	700	
Controller Type:	Ethernet	Flow Control:	CTS/RTS	
TCP/IP Retry:	■			
Channel:	2	Baud Rate:	38400	bits per second
Description:	Farmersville TCD	Time Out:	700	
Controller Type:	Ethernet	Flow Control:	CTS/RTS	
TCP/IP Retry:	■			
Channel:	3	Baud Rate:	38400	bits per second
Description:		Time Out:	700	
Controller Type:	Ethernet	Flow Control:	CTS/RTS	
TCP/IP Retry:	■			
Channel:	5	Baud Rate:	38400	bits per second
Description:		Time Out:	1000	
Controller Type:	Serial	Flow Control:	CTS/RTS	
Comm Port:	2			
Channel:	6	Baud Rate:	38400	bits per second
Description:		Time Out:	1000	
Controller Type:	Ethernet	Flow Control:	CTS/RTS	
TCP/IP Retry:	■			
Channel:	7	Baud Rate:	38400	bits per second
Description:		Time Out:	1000	
Controller Type:	Ethernet	Flow Control:	CTS/RTS	
TCP/IP Retry:	■			
Channel:	8	Baud Rate:	38400	bits per second
Description:		Time Out:	1000	
Controller Type:	Ethernet	Flow Control:	CTS/RTS	
TCP/IP Retry:	■			
Channel:	9	Baud Rate:	38400	bits per second
Description:		Time Out:	1000	
Controller Type:	Ethernet	Flow Control:	CTS/RTS	
TCP/IP Retry:	■			

Channel: 10	Baud Rate: 38400	bits per second
Description:	Time Out: 1000	
Controller Type: Ethernet	Flow Control: CTS/RTS	
TCP/IP Retry: 		
Channel: 11	Baud Rate: 38400	bits per second
Description:	Time Out: 1000	
Controller Type: Ethernet	Flow Control: CTS/RTS	
TCP/IP Retry: 		
Channel: 12	Baud Rate: 38400	bits per second
Description:	Time Out: 1000	
Controller Type: Ethernet	Flow Control: CTS/RTS	
TCP/IP Retry: 		
Channel: 13	Baud Rate: 38400	bits per second
Description:	Time Out: 1000	
Controller Type: Ethernet	Flow Control: CTS/RTS	
TCP/IP Retry: 		
Channel: 14	Baud Rate: 38400	bits per second
Description:	Time Out: 1000	
Controller Type: Ethernet	Flow Control: CTS/RTS	
TCP/IP Retry: 		
Channel: 15	Baud Rate: 38400	bits per second
Description:	Time Out: 1000	
Controller Type: Ethernet	Flow Control: CTS/RTS	
TCP/IP Retry: 		
Channel: 16	Baud Rate: 38400	bits per second
Description:	Time Out: 1000	
Controller Type: Ethernet	Flow Control: CTS/RTS	
TCP/IP Retry: 		
Channel: 17	Baud Rate: 38400	bits per second
Description:	Time Out: 1000	
Controller Type: Ethernet	Flow Control: CTS/RTS	
TCP/IP Retry: 		
Channel: 18	Baud Rate: 38400	bits per second
Description:	Time Out: 400	
Controller Type: Ethernet	Flow Control: CTS/RTS	
TCP/IP Retry: 		
Channel: 19	Baud Rate: 38400	bits per second
Description:	Time Out: 400	
Controller Type: Ethernet	Flow Control: CTS/RTS	

TCP/IP Retry: ☐			
Channel:	20	Baud Rate:	38400 bits per second
Description:	TCD Juvenile Facility	Time Out:	400
Controller Type:	Ethernet	Flow Control:	CTS/RTS
TCP/IP Retry:	☐		
Channel:	21	Baud Rate:	38400 bits per second
Description:	TCD Juvenile Facility	Time Out:	400
Controller Type:	Ethernet	Flow Control:	CTS/RTS
TCP/IP Retry:	☐		
Channel:	22	Baud Rate:	38400 bits per second
Description:		Time Out:	400
Controller Type:	Ethernet	Flow Control:	CTS/RTS
TCP/IP Retry:	☐		
Channel:	23	Baud Rate:	38400 bits per second
Description:		Time Out:	400
Controller Type:	Ethernet	Flow Control:	CTS/RTS
TCP/IP Retry:	☐		
Channel:	24	Baud Rate:	38400 bits per second
Description:		Time Out:	400
Controller Type:	Ethernet	Flow Control:	CTS/RTS
TCP/IP Retry:	☐		
Channel:	25	Baud Rate:	38400 bits per second
Description:		Time Out:	400
Controller Type:	Ethernet	Flow Control:	CTS/RTS
TCP/IP Retry:	☐		
Channel:	26	Baud Rate:	38400 bits per second
Description:		Time Out:	400
Controller Type:	Ethernet	Flow Control:	CTS/RTS
TCP/IP Retry:	☐		
Channel:	27	Baud Rate:	38400 bits per second
Description:		Time Out:	400
Controller Type:	Ethernet	Flow Control:	CTS/RTS
TCP/IP Retry:	☐		
Channel:	28	Baud Rate:	38400 bits per second
Description:		Time Out:	400
Controller Type:	Ethernet	Flow Control:	CTS/RTS
TCP/IP Retry:	☐		

Channel: 29	Baud Rate: 38400 bits per second
Description:	Time Out: 400
Controller Type: Ethernet	Flow Control: CTS/RTS
TCP/IP Retry: ☐	
Channel: 30	Baud Rate: 38400 bits per second
Description:	Time Out: 700
Controller Type: Ethernet	Flow Control: CTS/RTS
TCP/IP Retry: ☐	
Channel: 31	Baud Rate: 38400 bits per second
Description:	Time Out: 700
Controller Type: Ethernet	Flow Control: CTS/RTS
TCP/IP Retry: ☐	
Channel: 32	Baud Rate: 38400 bits per second
Description: WIC	Time Out: 700
Controller Type: Ethernet	Flow Control: CTS/RTS
TCP/IP Retry: ☐	
Channel: 33	Baud Rate: 38400 bits per second
Description: JJAEP	Time Out: 700
Controller Type: Ethernet	Flow Control: CTS/RTS
TCP/IP Retry: ☐	
Channel: 34	Baud Rate: 38400 bits per second
Description: Courthouse Add Lower Level	Time Out: 700
Controller Type: Ethernet	Flow Control: ON
TCP/IP Retry: ☐	
Channel: 35	Baud Rate: 38400 bits per second
Description: Courthouse New JC#2	Time Out: 700
Controller Type: Ethernet	Flow Control: CTS/RTS
TCP/IP Retry: ☐	
Channel: 36	Baud Rate: 38400 bits per second
Description: Frisco	Time Out: 700
Controller Type: Ethernet	Flow Control: CTS/RTS
TCP/IP Retry: ☐	

Control Points | Settings

Page 1 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Operator: Badge

Parameters

- Site(s): <ALL SITES>
- Controller(s): <ALL CONTROLLERS>
- Control Point(s): <ALL POINTS>

Address	Description	Momentary Time	Normal State
Site: 1			
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 2 of 68

Report Date/Time: 3/9/2016 1:12:14PM

[illegible]

Control Points | Settings

Page 3 of 68

Report Date/Time: 3/9/2016 1:12:14PM

[illegible]

Control Points | Settings

Page 4 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	Auto Door Opener Output 02475A	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 6 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Control Points | Settings

Page 7 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 8 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 9 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 11 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		4 seconds	Non-Energized
		5 seconds	Non-Energized
		10 seconds	Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 12 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	Dialer 900 Upstairs	5 seconds	Non-Energized
	Dialer 900 Downstairs	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 13 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
	DOOR#920-1-NORTHWEST SIDE ENTRANCE	30 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	DOOR 920-33-TAX OFFICE STAFF	15 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	DOOR 920-28 -ELECTIONS STORAGE	30 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Energized
		30 seconds	Non-Energized
	Door #920-73	30 seconds	Non-Energized
	DOOR-920-87 No Reader	30 seconds	Non-Energized
		5 seconds	Energized

Control Points | Settings

Page 16 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		3 seconds	Non-Energized
		30 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		10 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		10 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		0 seconds	Non-Energized
		10 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	Loading Dock Door Close	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 30 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	North Entry "Non Active Door" Door Contact (02002B)	5 seconds	Non-Energized
	East Fire Door "Exit Only" New Addition DPS (1.3.3.I5 to 1.21.26.O2)	5 seconds	Non-Energized
	Door 02002A Door Contact Output	5 seconds	Non-Energized
	Door 02388C Door Contact Output	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00012	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00048	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00078b	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00078a	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00086b	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00086a	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00090	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00104b	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00094	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00098	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00088	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00096	5 seconds	Non-Energized

Control Points | Settings

Page 31 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	Lower Level DPS "MCS" Door 00004	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00178	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00176	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00112	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00166b	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00166a	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00120a	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00146a	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00196	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00152b	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00152a	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00149	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00148b	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00132b	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00146b	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00140a	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00134a	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00134c	5 seconds	Non-Energized

Control Points | Settings

Page 32 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	Lower Level DPS "MCS" Door 00138	5 seconds	Non-Energized
	Lower Level DPS "MCS" Door 00144a	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	Handkey Rdr Unlock Side Doors	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	First Level Door 00078a - Lock	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
	First Level Door 10078a - Lock	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10102	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10192	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10190	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10162a	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10162b	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10122	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10124	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10278	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10276	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10256c	5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	1st Level DPS "MCS" Door 00132d	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 00132c	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10268	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 00067c	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 00067d	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10078a	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10078b	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10072	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10070	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10020	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10353a	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10353b	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10362b	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10360	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10358	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10323	5 seconds	Non-Energized
	1st Level DPS "MCS" Door 10002b	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	EMERGENCY LOCK DOWN FRONT LOBBY (D)	5 seconds	Non-Energized
	Interior Lobby (C & E)"Auto Lock/Unlock"	60 seconds	Non-Energized
	Interior Lobby (E) "Auto Lock/Unlock"	60 seconds	Non-Energized
	12000B Door Status	5 seconds	Non-Energized
	02168C Door Status	5 seconds	Non-Energized
	02546C Door Status	5 seconds	Non-Energized
	02546B Door Status	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	Conference Room 20456 Strobes 20266 & 20310	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 39 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	Conference Room 20456 Panic Alarm Strobe	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20102	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20174	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20172	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20180a	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20180b	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20204	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20206a	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20262	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20263a	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 00132e	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 00132f	5 seconds	Non-Energized

Control Points | Settings

Page 40 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	2nd Floor DPS "MCS" Door 20263b	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 00144e	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20260	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20452	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20454	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20250	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20450	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20224	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20222b	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 00067e	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 00067f	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20078a	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20078b	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20072	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20070	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20020	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20004a	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20466	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20464	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 20428	5 seconds	Non-Energized
	2nd Floor DPS "MCS" Door 00144d	5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	Conference Room 20456 Panic Alarm	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30102	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30174	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30172	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30180a	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30180b	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30206a	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30236	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30240	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door spare	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door spare	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30078b	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 00132g	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30310	5 seconds	Non-Energized

Control Points | Settings

Page 45 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	3rd Floor DPS "MCS" Door 00132h	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30232	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door spare	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30248a	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30248b	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door spare	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30218	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30206b	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30070	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30072	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30020	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 00067g	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 00067h	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30078a	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30230	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30231	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door 30234	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door spare	5 seconds	Non-Energized
	3rd Floor DPS "MCS" Door spare	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 47 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	Penthouse DPS "MCS" Door 40010	5 seconds	Non-Energized
	Penthouse DPS "MCS" Door 40012	5 seconds	Non-Energized
	Penthouse DPS "MCS" Door 40016	5 seconds	Non-Energized
	Penthouse DPS "MCS" Door 40020	5 seconds	Non-Energized
	Penthouse DPS "MCS" Door 40018	5 seconds	Non-Energized
	Penthouse DPS "MCS" Door 00132j	5 seconds	Non-Energized
	Penthouse DPS "MCS" Door 00067j	5 seconds	Non-Energized
	Penthouse DPS "MCS" Door 40006	5 seconds	Non-Energized
	Penthouse DPS "MCS" Door 40002c	5 seconds	Non-Energized
	Penthouse DPS "MCS" Door 40026	5 seconds	Non-Energized
	Penthouse DPS "MCS" Door 40008b	5 seconds	Non-Energized
		5 seconds	Non-Energized
	30404A "MCS Access Granted"	5 seconds	Non-Energized
	30404A "MCS Door Status"	5 seconds	Non-Energized
	30404B "MCS Access Granted"	5 seconds	Non-Energized
	30404B "MCS Door Status"	5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 48 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	Elevator 8 over ride	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
	10332 J&F Panic Button	5 seconds	Non-Energized
	10332 E&B Panic Button	5 seconds	Non-Energized
	10222 F&G Panic Button	5 seconds	Non-Energized
	10222 E&C Panic Button	5 seconds	Non-Energized
	20238 B&D Panic Button	5 seconds	Non-Energized
	20238 F&E Panic Button	5 seconds	Non-Energized
	20342 C&A Panic Button	5 seconds	Non-Energized
	20342 D&F Panic Button	5 seconds	Non-Energized
	30335 E&G Panic Button	5 seconds	Non-Energized
	30335 D&B Panic Button	5 seconds	Non-Energized
	22004A "MCS Door Status"	5 seconds	Non-Energized
	22004A "MCS Access Granted"	5 seconds	Non-Energized
	22004B "MCS Door Status"	5 seconds	Non-Energized
	22004B "MCS Access Granted"	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	10310A "MCS Access Granted"	5 seconds	Non-Energized
	10310A "MCS Door Status"	5 seconds	Non-Energized
	10310B "MCS Access Granted"	5 seconds	Non-Energized
	10310B "MCS Door Status"	5 seconds	Non-Energized
	10414A "MCS Access Granted"	5 seconds	Non-Energized
	10414A "MCS Door Status"	5 seconds	Non-Energized

Control Points | Settings

Page 52 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	10414B "MCS Access Granted"	5 seconds	Non-Energized
	10414B "MCS Door Status"	5 seconds	Non-Energized
	20330A "MCS Access Granted"	5 seconds	Non-Energized
	20330A "MCS Door Status"	5 seconds	Non-Energized
	20330B "MCS Access Granted"	5 seconds	Non-Energized
	20330B "MCS Door Status"	5 seconds	Non-Energized
	20416A "MCS Access Granted"	5 seconds	Non-Energized
	20416A "MCS Door Status"	5 seconds	Non-Energized
	20416B "MCS Access Granted"	5 seconds	Non-Energized
	20416B "MCS Door Status"	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	Door 10006C	5 seconds	Non-Energized
	Door 10006D	5 seconds	Non-Energized
	Door 10006E	5 seconds	Non-Energized
		5 seconds	Non-Energized
	Loading Dock Door Open	5 seconds	Non-Energized
	Loading Dock Door Close	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	Handkey Rdr Unlock Doors	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	2nd Floor DA PANIC	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 60 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	Constable Office Strobe 01139	20 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	1100 A AUTO LOCK	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
	DOOR 2100A NORTH ENTRY DOOR "AUTO DOOR"	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 64 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
	Constable Office Strobe 01139	5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Control Points | Settings

Page 68 of 68

Report Date/Time: 3/9/2016 1:12:14PM

Address	Description	Momentary Time	Normal State
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized
		5 seconds	Non-Energized

Report Date/Time: 3/9/2016 11:57:47AM

Operator: Badge

Parameters
 · Site(s): <ALL SITES>
 · Controller(s): <ALL CONTROLLERS>

Site: 1

Address: [REDACTED]	Channel: 32
Description: WIC BLDG FRISCO	Physical Address: 0
Controller Type: SSP/D2	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 3000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 33
Description: JJAEP	Physical Address: 0
Controller Type: SSP/D2	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 3000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 34
Description: Courthouse Add Lower Level	Physical Address: 0
Controller Type: SSP/D2	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 3000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 1
Description: Courthouse Add Level 1	Physical Address: 0
Controller Type: SSP/D2	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 5000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 5
Description: CENTRAL PLANT(MCKINNEY	Physical Address: 4
Controller Type: SSP	Baud Rate: 38400
Connection Type: Serial	Max Cards: 5000
IP Address: [REDACTED]	Connected SSP: Yes
Address: 1.6	Channel: 6
Description: 900 PARK {PLANO}	Physical Address: 5
Controller Type: SSP	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 5000
IP Address: [REDACTED]	Connected SSP: Yes

Address: [REDACTED]	Channel: 7
Description: 920 PARK {PLANO}	Physical Address: 6
Controller Type: SSP	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 5000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 8
Description: TCD Medical Exam	Physical Address: 7
Controller Type: SSP	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 3000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 9
Description: JP-4 Frisco	Physical Address: 8
Controller Type: SSP	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 3000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 3
Description: Frisco Tax office	Physical Address: 0
Controller Type: SSP/D2	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 3000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 13
Description: PUBLIC WORKS (McKinney)	Physical Address: 12
Controller Type: SSP	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 3000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 14
Description: Health Care Annex (McKinney)	Physical Address: 13
Controller Type: SSP	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 5500
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 15
Description: C.C. Elections Office	Physical Address: 0
Controller Type: SSP/E	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 5000
IP Address: [REDACTED]	Connected SSP: Yes

Address: [REDACTED]	Channel: 2
Description: Farmersville Public Works	Physical Address: 0
Controller Type: DController	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 3000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 17
Description: Animal Shelter	Physical Address: 0
Controller Type: SSP/E	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 3500
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 18
Description: TCD Sherriff's Office	Physical Address: 0
Controller Type: SSP/C	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 5000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 19
Description: TCD Minimum Security	Physical Address: 0
Controller Type: SSP/D2	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 3000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 20
Description: JUVENILE DETENTION	Physical Address: 0
Controller Type: SSP/C	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 3000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 22
Description: Basement SSP New JC	Physical Address: 1
Controller Type: SSP/E	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 5000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 23
Description: 1st Floor SSP New JC #1	Physical Address: 1
Controller Type: SSP/E	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 8000
IP Address: [REDACTED]	Connected SSP: Yes

Address: [REDACTED]	Channel: 24
Description: 2nd Floor SSP New JC #1	Physical Address: 1
Controller Type: SSP/E	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 7000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 25
Description: 3rd Floor SSP New JC #1	Physical Address: 1
Controller Type: SSP/E	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 9200
IP Address: [REDACTED]	Connected SSP: Yes
Address: 1.25	Channel: 26
Description: Penthouse/Courtrooms 3rd Floor	Physical Address: 1
Controller Type: SSP/E	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 3000
IP Address: 192.168.0.65	Connected SSP: Yes
Address: [REDACTED]	Channel: 27
Description: Gates SSP New JC"Located in Basement Closet"	Physical Address: 1
Controller Type: SSP/E	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 12000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 28
Description: 1st Floor SSP New JC #2	Physical Address: 1
Controller Type: SSP/E	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 10000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 29
Description: 2nd Floor SSP New JC #2	Physical Address: 1
Controller Type: SSP/E	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 8000
IP Address: [REDACTED]	Connected SSP: Yes
Address: [REDACTED]	Channel: 30
Description: Admin BLDG SSP #29	Physical Address: 0
Controller Type: SSP/E	Baud Rate: 38400
Connection Type: Ethernet	Max Cards: 8000
IP Address: [REDACTED]	Connected SSP: Yes

Address: [REDACTED]
Description: Admin BLDG SSP #30
Controller Type: SSP/E
Connection Type: Ethernet
IP Address: [REDACTED]

Channel: 31
Physical Address: 0
Baud Rate: 38400
Max Cards: 4000
Connected SSP: Yes

Address: [REDACTED]
Description: 3rd Floor SSP New JC #2
Controller Type: SSP/D2
Connection Type: Ethernet
IP Address: [REDACTED]

Channel: 35
Physical Address: 0
Baud Rate: 38400
Max Cards: 8000
Connected SSP: Yes

Report Date/Time:	3/9/2016	1:14:24PM
Operator:	Badge	
Parameters	- Site(s): <ALL SITES> - Door(s): <ALL DOORS>	

Site: 1

Door:	1.1.D1	WIC Front Door	Security Level:	NORMAL	
Reader:	1.1.1.R1	WIC Front Door - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.1.1.I1	WIC Front Door - DSM	Default reader mode:	Card Only	
REX 1:	1.1.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.1.1.O1	WIC Front Door - Lock	Strike Time:	30 Sec.	A.D.A. 21 Sec.
Door:	1.1.D3	TCD Frisco WIC	Security Level:	NORMAL	
Reader:	1.1.2.R1	TCD Frisco WIC - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.1.2.O1	TCD Frisco WIC - Lock	Strike Time:	5 Sec.	A.D.A. 22 Sec.
Door:	1.2.D1	IDF Closet (C114)	Security Level:	NORMAL	
Reader:	1.2.1.R1	IDF Closet (C114) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.1.I1	IDF Closet (C114) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.1.O1	IDF Closet (C114) - Lock	Strike Time:	30 Sec.	A.D.A. 21 Sec.
Door:	1.2.D2	Taks (C115)	Security Level:	NORMAL	
Reader:	1.2.1.R2	Taks (C115) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.1.I3	Taks (C115) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.1.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.1.O3	Taks (C115) - Lock	Strike Time:	30 Sec.	A.D.A. 22 Sec.
Door:	1.2.D3	STUDENT South Entrance/Main Lobby C	Security Level:	NORMAL	
Reader:	1.2.2.R1	STUDENT South Entrance/Main Lobby C	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.2.I1	STUDENT South Entrance/Main Lobby C	Default reader mode:	Card Only	
REX 1:	1.2.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.2.O1	STUDENT South Entrance/Main Lobby C	Strike Time:	30 Sec.	A.D.A. 23 Sec.

Door:	1.2.D4	Student Exterior Entrance Door A100	Security Level:	NORMAL	
Reader:	1.2.2.R2	Student Exterior Entrance Door A100 - R	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.2.I3	Student Exterior Entrance Door A100 - D5	Default reader mode:	Card Only	
REX 1:	1.2.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.2.O3	Student Exterior Entrance Door A100 - Lock	Strike Time:	30 Sec.	A.D.A. 24 Sec.
Door:	1.2.D5	South Entry c100a/Engineering	Security Level:	NORMAL	
Reader:	1.2.3.R1	South Entry c100a/Engineering - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.3.I1	South Entry c100a/Engineering - DSM	Default reader mode:	Card Only	
REX 1:	1.2.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.3.O1	South Entry c100a/Engineering - Lock	Strike Time:	30 Sec.	A.D.A. 25 Sec.
Door:	1.2.D6	Security Room (C104)	Security Level:	NORMAL	
Reader:	1.2.3.R2	Security Room (C104) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.3.I3	Security Room (C104) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.3.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.3.O3	Security Room (C104) - Lock	Strike Time:	30 Sec.	A.D.A. 26 Sec.
Door:	1.2.D7	Electrical Room (C122)	Security Level:	NORMAL	
Reader:	1.2.4.R1	Electrical Room (C122) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.4.I1	Electrical Room (C122) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.4.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.4.O1	Electrical Room (C122) - Lock	Strike Time:	30 Sec.	A.D.A. 27 Sec.
Door:	1.2.D8	Work Room (C123B)	Security Level:	NORMAL	
Reader:	1.2.4.R2	Work Room (C123B) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.4.I3	Work Room (C123B) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.4.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.4.O3	Work Room (C123B) - Lock	Strike Time:	30 Sec.	A.D.A. 28 Sec.

Door:	1.2.D9	Electrical Room (A114)	Security Level:	NORMAL	
Reader:	1.2.5.R1	Electrical Room (A114) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.5.I1	Electrical Room (A114) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.5.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.5.O1	Electrical Room (A114) - Lock	Strike Time:	30 Sec.	A.D.A. 29 Sec.
Door:	1.2.D10	South West Exit (A104B)	Security Level:	NORMAL	
Reader:	1.2.5.R2	South West Exit (A104B) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.5.I3	South West Exit (A104B) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.5.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.5.O3	South West Exit (A104B) - Lock	Strike Time:	30 Sec.	A.D.A. 30 Sec.
Door:	1.2.D11	Lounge (C124)	Security Level:	NORMAL	
Reader:	1.2.6.R1	Lounge (C124) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.6.I1	Lounge (C124) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.6.O1	Lounge (C124) - Lock	Strike Time:	30 Sec.	A.D.A. 31 Sec.
Door:	1.2.D12	Conference Room (C126)	Security Level:	NORMAL	
Reader:	1.2.6.R2	Conference Room (C126) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.6.I3	Conference Room (C126) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.6.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.6.O3	Conference Room (C126) - Lock	Strike Time:	30 Sec.	A.D.A. 32 Sec.
Door:	1.2.D13	West Lobby Entry (C128A)	Security Level:	NORMAL	
Reader:	1.2.7.R1	West Lobby Entry (C128A) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.7.I1	West Lobby Entry (C128A) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.7.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.7.O1	West Lobby Entry (C128A) - Lock	Strike Time:	30 Sec.	A.D.A. 33 Sec.
Door:	1.2.D14	South West Lobby Entry (C128B)	Security Level:	NORMAL	
Reader:	1.2.8.R1	South West Lobby Entry (C128B) - Reac	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.8.I1	South West Lobby Entry (C128B) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.8.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.8.O1	South West Lobby Entry (C128B) - Lock	Strike Time:	30 Sec.	A.D.A. 34 Sec.

Door:	1.2.D15	South East Lobby Entry (C128C)	Security Level:	NORMAL	
Reader:	1.2.9.R1	South East Lobby Entry (C128C) - Read	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.9.I1	South East Lobby Entry (C128C) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.9.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.9.O1	South East Lobby Entry (C128C) - Lock	Strike Time:	30 Sec.	A.D.A. 35 Sec.
Door:	1.2.D16	Juvenile Probation lobby (C127A)	Security Level:	NORMAL	
Reader:	1.2.10.R1	Juvenile Probation lobby (C127A) - Reac	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.10.I1	Juvenile Probation lobby (C127A) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.10.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.10.O1	Juvenile Probation lobby (C127A) - Lock	Strike Time:	30 Sec.	A.D.A. 36 Sec.
Door:	1.2.D17	North East Entry (C128D)	Security Level:	NORMAL	
Reader:	1.2.11.R1	North East Entry (C128D) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.11.I1	North East Entry (C128D) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.11.O1	North East Entry (C128D) - Lock	Strike Time:	30 Sec.	A.D.A. 37 Sec.
Door:	1.2.D18	North West Entry (C128E)	Security Level:	NORMAL	
Reader:	1.2.12.R1	North West Entry (C128E) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.12.I1	North West Entry (C128E) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.12.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.12.O1	North West Entry (C128E) - Lock	Strike Time:	30 Sec.	A.D.A. 38 Sec.
Door:	1.2.D19	Corridor Entry (C168)	Security Level:	NORMAL	
Reader:	1.2.12.R2	Corridor Entry (C168) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.12.I3	Corridor Entry (C168) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.12.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.12.O3	Corridor Entry (C168) - Lock	Strike Time:	30 Sec.	A.D.A. 39 Sec.

Door:	1.2.D20	CLINIC ENTRY (C185)	Security Level:	NORMAL	
Reader:	1.2.13.R1	CLINIC ENTRY (C185) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.13.I1	CLINIC ENTRY (C185) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.13.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.13.O1	CLINIC ENTRY (C185) - Lock	Strike Time:	30 Sec.	A.D.A. 40 Sec.
Door:	1.2.D21	ELECTRICAL ROOM (C182)	Security Level:	NORMAL	
Reader:	1.2.13.R2	ELECTRICAL ROOM (C182) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.13.I3	ELECTRICAL ROOM (C182) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.13.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.13.O3	ELECTRICAL ROOM (C182) - Lock	Strike Time:	30 Sec.	A.D.A. 41 Sec.
Door:	1.2.D22	MDF Closet (C179)	Security Level:	NORMAL	
Reader:	1.2.14.R1	MDF Closet (C179) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.14.I1	MDF Closet (C179) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.14.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.14.O1	MDF Closet (C179) - Lock	Strike Time:	30 Sec.	A.D.A. 42 Sec.
Door:	1.2.D23	Rear Kitchen Entry (C180A)	Security Level:	NORMAL	
Reader:	1.2.14.R2	Rear Kitchen Entry (C180A) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.14.I3	Rear Kitchen Entry (C180A) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.14.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.14.O3	Rear Kitchen Entry (C180A) - Lock	Strike Time:	30 Sec.	A.D.A. 43 Sec.
Door:	1.2.D24	Front Kitchen Entry (C180B)	Security Level:	NORMAL	
Reader:	1.2.15.R1	Front Kitchen Entry (C180B) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.15.I1	Front Kitchen Entry (C180B) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.15.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.15.O1	Front Kitchen Entry (C180B) - Lock	Strike Time:	30 Sec.	A.D.A. 44 Sec.
Door:	1.2.D25	Text Book Storage (C171)	Security Level:	NORMAL	
Reader:	1.2.15.R2	Text Book Storage (C171) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.15.I3	Text Book Storage (C171) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.15.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.15.O3	Text Book Storage (C171) - Lock	Strike Time:	30 Sec.	A.D.A. 45 Sec.

Door:	1.2.D26	Fire Control Room (C158)	Security Level:	NORMAL	
Reader:	1.2.16.R1	Fire Control Room (C158) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.16.I1	Fire Control Room (C158) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.16.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.16.O1	Fire Control Room (C158) - Lock	Strike Time:	30 Sec.	A.D.A. 46 Sec.
Door:	1.2.D27	Mult-Purpose Room South Entry (C186B)	Security Level:	NORMAL	
Reader:	1.2.17.R1	Mult-Purpose Room South Entry (C186B) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.17.I1	Mult-Purpose Room South Entry (C186B) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.17.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.17.O1	Mult-Purpose Room South Entry (C186B) - Lock	Strike Time:	30 Sec.	A.D.A. 47 Sec.
Door:	1.2.D28	North Entry (C186A)	Security Level:	NORMAL	
Reader:	1.2.18.R1	North Entry (C186A) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.18.I1	North Entry (C186A) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.18.O1	North Entry (C186A) - Lock	Strike Time:	30 Sec.	A.D.A. 48 Sec.
Door:	1.2.D29	Multi Purpose North Entry (A103)	Security Level:	NORMAL	
Reader:	1.2.18.R2	Multi Purpose North Entry (A103) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.18.I3	Multi Purpose North Entry (A103) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.18.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.18.O3	Multi Purpose North Entry (A103) - Lock	Strike Time:	30 Sec.	A.D.A. 49 Sec.
Door:	1.2.D30	Basement West Entry (D100A)	Security Level:	NORMAL	
Reader:	1.2.19.R1	Basement West Entry (D100A) - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 18 Sec.
Door Contact:	1.2.19.I1	Basement West Entry (D100A) - DSM	Default reader mode:	Card Only	
REX 1:	1.2.19.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.19.O1	Basement West Entry (D100A) - Lock	Strike Time:	30 Sec.	A.D.A. 50 Sec.

Door:	1.2.D31	Basement South Entry (D100B)	Security Level:	NORMAL
Reader:	1.2.19.R2	Basement South Entry (D100B) - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 18 Sec.
Door Contact:	1.2.19.I3	Basement South Entry (D100B) - DSM	Default reader mode:	Card Only
REX 1:	1.2.19.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.2.19.O3	Basement South Entry (D100B) - Lock	Strike Time:	30 Sec. A.D.A. 51 Sec.
Door:	1.2.D32	Electrical Room (B110)	Security Level:	NORMAL
Reader:	1.2.20.R1	Electrical Room (B110) - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 18 Sec.
Door Contact:	1.2.20.I1	Electrical Room (B110) - DSM	Default reader mode:	Card Only
REX 1:	1.2.20.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.2.20.O1	Electrical Room (B110) - Lock	Strike Time:	30 Sec. A.D.A. 52 Sec.
Door:	1.2.D33	North West Exit (B100B)	Security Level:	NORMAL
Reader:	1.2.20.R2	North West Exit (B100B) - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 18 Sec.
Door Contact:	1.2.20.I3	North West Exit (B100B) - DSM	Default reader mode:	Card Only
REX 1:	1.2.20.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.2.20.O3	North West Exit (B100B) - Lock	Strike Time:	30 Sec. A.D.A. 53 Sec.
Door:	1.2.D34	Basement Mechanical North Entry (M101)	Security Level:	NORMAL
Reader:	1.2.21.R1	Basement Mechanical North Entry (M101)	Close Delay (shunt time):	25 Sec. A.D.A. 18 Sec.
Door Contact:	1.2.21.I1	Basement Mechanical North Entry (M101)	Default reader mode:	Card Only
REX 1:	1.2.21.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.2.21.O1	Basement Mechanical North Entry (M101)	Strike Time:	30 Sec. A.D.A. 54 Sec.
Door:	1.2.D35	Crawl Space Entry (M102)	Security Level:	NORMAL
Reader:	1.2.21.R2	Crawl Space Entry (M102) - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 18 Sec.
Door Contact:	1.2.21.I3	Crawl Space Entry (M102) - DSM	Default reader mode:	Card Only
REX 1:	1.2.21.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.2.21.O3	Crawl Space Entry (M102) - Lock	Strike Time:	30 Sec. A.D.A. 55 Sec.
Door:	1.2.D36	Basement Mechanical West Entry (M101)	Security Level:	NORMAL
Reader:	1.2.22.R1	Basement Mechanical West Entry (M101)	Close Delay (shunt time):	25 Sec. A.D.A. 18 Sec.
Door Contact:	1.2.22.I1	Basement Mechanical West Entry (M101)	Default reader mode:	Card Only
REX 1:	1.2.22.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.2.22.O1	Basement Mechanical West Entry (M101)	Strike Time:	30 Sec. A.D.A. 56 Sec.

Door:	1.2.D37	JJAEP TCD1	Security Level:	NORMAL	
Reader:	1.2.23.R1	JJAEP TCD1 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	5 Sec.	A.D.A. 21 Sec.

Door:	1.2.D38	JJAEP TCD2	Security Level:	NORMAL	
Reader:	1.2.24.R1	JJAEP TCD2 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	5 Sec.	A.D.A. 22 Sec.

Door:	1.2.D39	Fire Evidence Room AEC 113	Security Level:	NORMAL	
Reader:	1.2.25.R1	Fire Evidence Room AEC 113 - Reader	Close Delay (shunt time):	0 Sec.	A.D.A. 15 Sec.
Door Contact:	1.2.25.I1	Fire Evidence Room AEC 113 - DSM	Default reader mode:	Card Only	
REX 1:	1.2.25.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.25.O1	Fire Evidence Room AEC 113 - Lock	Strike Time:	60 Sec.	A.D.A. 42 Sec.

Door:	1.2.D40	JJAEP Storage Area Dr AEB 123	Security Level:	NORMAL	
Reader:	1.2.26.R1	JJAEP Storage Area Dr AEB 123 - Read	Close Delay (shunt time):	0 Sec.	A.D.A. 15 Sec.
Door Contact:	1.2.26.I1	JJAEP Storage Area Dr AEB 123 - DSM	Default reader mode:	Card Only	
REX 1:	1.2.26.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.26.O1	JJAEP Storage Area Dr AEB 123 - Lock	Strike Time:	30 Sec.	A.D.A. 45 Sec.

Door:	1.2.D41	JJAEP Storage Area Dr AEB 121A	Security Level:	NORMAL	
Reader:	1.2.26.R2	JJAEP Storage Area Dr AEB 121A - Rea	Close Delay (shunt time):	0 Sec.	A.D.A. 15 Sec.
Door Contact:	1.2.26.I3	JJAEP Storage Area Dr AEB 121A - DSM	Default reader mode:	Card Only	
REX 1:	1.2.26.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.26.O3	JJAEP Storage Area Dr AEB 121A - Lock	Strike Time:	30 Sec.	A.D.A. 45 Sec.

Door:	1.2.D42	B South Classrooms AEB 100A	Security Level:	NORMAL	
Reader:	1.2.27.R1	B South Classrooms AEB 100A - Reader	Close Delay (shunt time):	15 Sec.	A.D.A. 15 Sec.
Door Contact:	1.2.27.I1	B South Classrooms AEB 100A - DSM	Default reader mode:	Card Only	
REX 1:	1.2.27.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.27.O1	B South Classrooms AEB 100A - Lock	Strike Time:	30 Sec.	A.D.A. 45 Sec.
Door:	1.2.D43	B North Classrooms AEB 102	Security Level:	NORMAL	
Reader:	1.2.27.R2	B North Classrooms AEB 102 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.2.27.I3	B North Classrooms AEB 102 - DSM	Default reader mode:	Card Only	
REX 1:	1.2.27.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.27.O3	B North Classrooms AEB 102 - Lock	Strike Time:	30 Sec.	A.D.A. 23 Sec.
Door:	1.2.D44	North Classrooms AEA104A	Security Level:	NORMAL	
Reader:	1.2.28.R1	North Classrooms AEA104A - Reader	Close Delay (shunt time):	15 Sec.	A.D.A. 15 Sec.
Door Contact:	1.2.28.I1	North Classrooms AEA104A - DSM	Default reader mode:	Card Only	
REX 1:	1.2.28.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.28.O1	North Classrooms AEA104A - Lock	Strike Time:	30 Sec.	A.D.A. 45 Sec.
Door:	1.2.D45	South Classrooms AEA106	Security Level:	NORMAL	
Reader:	1.2.28.R2	South Classrooms AEA106 - Reader	Close Delay (shunt time):	15 Sec.	A.D.A. 15 Sec.
Door Contact:	1.2.28.I3	South Classrooms AEA106 - DSM	Default reader mode:	Card Only	
REX 1:	1.2.28.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.2.28.O3	South Classrooms AEA106 - Lock	Strike Time:	30 Sec.	A.D.A. 45 Sec.
Door:	1.2.D46	JJAEP TCD3 SW Hall	Security Level:	NORMAL	
Reader:	1.2.29.R1	JJAEP TCD3 SW Hall - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 50 Sec.
Door:	1.3.D1	Security Room 02532A	Security Level:	NORMAL	
Reader:	1.3.1.R1	Security Room 02532A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.1.I1	Security Room 02532A - DSM	Default reader mode:	Card Only	
REX 1:	1.3.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.1.O1	Security Room 02532A - Lock	Strike Time:	30 Sec.	A.D.A. 23 Sec.

Door:	1.3.D2	Secure Storage 02524A	Security Level:	NORMAL
Reader:	1.3.1.R2	Secure Storage 02524A - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.3.1.I3	Secure Storage 02524A - DSM	Default reader mode:	Card Only
REX 1:	1.3.1.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.3.1.O3	Secure Storage 02524A - Lock	Strike Time:	30 Sec. A.D.A. 24 Sec.

Door:	1.3.D3	Lower Level Corridor 02004J	Security Level:	NORMAL
Reader:	1.3.2.R1	Lower Level Corridor 02004J - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.3.2.I1	Lower Level Corridor 02004J - DSM	Default reader mode:	Card Only
REX 1:	1.3.2.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.3.2.O1	Lower Level Corridor 02004J - Lock	Strike Time:	30 Sec. A.D.A. 25 Sec.

Door:	1.3.D4	Lower Level Library 02004k	Security Level:	NORMAL
Reader:	1.3.2.R2	Lower Level Library 02004k - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.3.2.I3	Lower Level Library 02004k - DSM	Default reader mode:	Card Only
REX 1:	1.3.2.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.3.2.O3	Lower Level Library 02004k - Lock	Strike Time:	30 Sec. A.D.A. 26 Sec.

Door:	1.3.D5	Lower Level Kitchen Door 02546C	Security Level:	NORMAL
Reader:	1.3.3.R1	Lower Level Kitchen Door 02546C - Rea	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.3.3.I1	Lower Level Kitchen Door 02546C - DSM	Default reader mode:	Card Only
REX 1:	1.3.3.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.3.3.O1	Lower Level Kitchen Door 02546C - Lock	Strike Time:	30 Sec. A.D.A. 26 Sec.

Door:	1.3.D6	Lower Level Kitchen Door 02546B	Security Level:	NORMAL
Reader:	1.3.3.R2	Lower Level Kitchen Door 02546B - Rea	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.3.3.I3	Lower Level Kitchen Door 02546B - DSM	Default reader mode:	Card Only
REX 1:	1.3.3.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.3.3.O3	Lower Level Kitchen Door 02546B - Lock	Strike Time:	30 Sec. A.D.A. 27 Sec.

Door:	1.3.D7	Lower Level Electrical Room Door 02054,	Security Level:	NORMAL	
Reader:	1.3.4.R1	Lower Level Electrical Room Door 02054,	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.4.I1	Lower Level Electrical Room Door 02054,	Default reader mode:	Card Only	
REX 1:	1.3.4.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.4.O1	Lower Level Electrical Room Door 02054,	Strike Time:	30 Sec.	A.D.A. 28 Sec.
Door:	1.3.D8	Lower Level Data Closet Door 02052B	Security Level:	NORMAL	
Reader:	1.3.4.R2	Lower Level Data Closet Door 02052B -	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.4.I3	Lower Level Data Closet Door 02052B - L	Default reader mode:	Card Only	
REX 1:	1.3.4.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.4.O3	Lower Level Data Closet Door 02052B - L	Strike Time:	30 Sec.	A.D.A. 29 Sec.
Door:	1.3.D9	Lower Level Corridor Door 02475A	Security Level:	NORMAL	
Reader:	1.3.5.R1	Lower Level Corridor Door 02475A - Res	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.5.I1	Lower Level Corridor Door 02475A - DSM	Default reader mode:	Card Only	
REX 1:	1.3.5.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.5.O1	Lower Level Corridor Door 02475A - Lock	Strike Time:	30 Sec.	A.D.A. 30 Sec.
Door:	1.3.D10	Lower Level Corridor Door 02052A	Security Level:	NORMAL	
Reader:	1.3.5.R2	Lower Level Corridor Door 02052A - Res	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.5.I3	Lower Level Corridor Door 02052A - DSM	Default reader mode:	Card Only	
REX 1:	1.3.5.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.5.O3	Lower Level Corridor Door 02052A - Lock	Strike Time:	30 Sec.	A.D.A. 31 Sec.
Door:	1.3.D11	Lower Level Corridor Door 02038A	Security Level:	NORMAL	
Reader:	1.3.6.R1	Lower Level Corridor Door 02038A - Res	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.6.I1	Lower Level Corridor Door 02038A - DSM	Default reader mode:	Card Only	
REX 1:	1.3.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.6.O1	Lower Level Corridor Door 02038A - Lock	Strike Time:	30 Sec.	A.D.A. 32 Sec.
Door:	1.3.D12	Lower Level Conference Room Door 024	Security Level:	NORMAL	
Reader:	1.3.6.R2	Lower Level Conference Room Door 024	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.6.I3	Lower Level Conference Room Door 024	Default reader mode:	Card Only	
REX 1:	1.3.6.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.6.O3	Lower Level Conference Room Door 024	Strike Time:	30 Sec.	A.D.A. 33 Sec.

Door:	1.3.D13	Lower Level Data Closet Room 02038B	Security Level:	NORMAL	
Reader:	1.3.7.R1	Lower Level Data Closet Room 02038B	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.7.I1	Lower Level Data Closet Room 02038B -	Default reader mode:	Card Only	
REX 1:	1.3.7.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.7.O1	Lower Level Data Closet Room 02038B -	Strike Time:	30 Sec.	A.D.A. 34 Sec.
Door:	1.3.D14	Lower Level Electrical Room Door 02040,	Security Level:	NORMAL	
Reader:	1.3.7.R2	Lower Level Electrical Room Door 02040,	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.7.I3	Lower Level Electrical Room Door 02040,	Default reader mode:	Card Only	
REX 1:	1.3.7.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.7.O3	Lower Level Electrical Room Door 02040,	Strike Time:	30 Sec.	A.D.A. 35 Sec.
Door:	1.3.D15	Lower Level Electircal Room Door 02004I	Security Level:	NORMAL	
Reader:	1.3.8.R1	Lower Level Electircal Room Door 02004	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.8.I1	Lower Level Electircal Room Door 02004I	Default reader mode:	Card Only	
REX 1:	1.3.8.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.8.O1	Lower Level Electircal Room Door 02004I	Strike Time:	30 Sec.	A.D.A. 36 Sec.
Door:	1.3.D16	Lower Level Secured Vestibule Door 0234	Security Level:	NORMAL	
Reader:	1.3.9.R1	Lower Level Secured Vestibule Door 023	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.9.I1	Lower Level Secured Vestibule Door 0234	Default reader mode:	Card Only	
REX 1:	1.3.9.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.9.O1	Lower Level Secured Vestibule Door 0234	Strike Time:	30 Sec.	A.D.A. 37 Sec.
Door:	1.3.D17	Lower Level Secured Storage Door 0239I	Security Level:	NORMAL	
Reader:	1.3.9.R2	Lower Level Secured Storage Door 023I	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.9.I3	Lower Level Secured Storage Door 0239I	Default reader mode:	Card Only	
REX 1:	1.3.9.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.9.O3	Lower Level Secured Storage Door 0239I	Strike Time:	30 Sec.	A.D.A. 38 Sec.

Door:	1.3.D18	Lower Level NE Stairwell Door 02388A	Security Level:	NORMAL	
Reader:	1.3.10.R1	Lower Level NE Stairwell Door 02388A -	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.10.I1	Lower Level NE Stairwell Door 02388A - I	Default reader mode:	Card Only	
REX 1:	1.3.10.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.10.O1	Lower Level NE Stairwell Door 02388A - I	Strike Time:	30 Sec.	A.D.A. 39 Sec.
Door:	1.3.D19	Lower Level East Exit Door 02388C	Security Level:	NORMAL	
Reader:	1.3.10.R2	Lower Level East Exit Door 02388C - Re	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.10.I3	Lower Level East Exit Door 02388C - DSI	Default reader mode:	Card Only	
REX 1:	1.3.10.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.10.O3	Lower Level East Exit Door 02388C - Loc	Strike Time:	30 Sec.	A.D.A. 40 Sec.
Door:	1.3.D20	Lower Level NE Stairwell Door 02388B	Security Level:	NORMAL	
Reader:	1.3.11.R1	Lower Level NE Stairwell Door 02388B -	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.11.I1	Lower Level NE Stairwell Door 02388B - I	Default reader mode:	Card Only	
REX 1:	1.3.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.11.O1	Lower Level NE Stairwell Door 02388B - I	Strike Time:	30 Sec.	A.D.A. 41 Sec.
Door:	1.3.D21	Lower Level Waiting Room Door 02082A	Security Level:	NORMAL	
Reader:	1.3.12.R1	Lower Level Waiting Room Door 02082A	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.12.I1	Lower Level Waiting Room Door 02082A	Default reader mode:	Card Only	
REX 1:	1.3.12.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.12.O1	Lower Level Waiting Room Door 02082A	Strike Time:	30 Sec.	A.D.A. 42 Sec.
Door:	1.3.D22	Lower Level Grand Jury Room Door 0208	Security Level:	NORMAL	
Reader:	1.3.12.R2	Lower Level Grand Jury Room Door 020	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.12.I3	Lower Level Grand Jury Room Door 0208	Default reader mode:	Card Only	
REX 1:	1.3.12.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.12.O3	Lower Level Grand Jury Room Door 0208	Strike Time:	30 Sec.	A.D.A. 43 Sec.
Door:	1.3.D23	Lower Level Corridor Door 02004H	Security Level:	NORMAL	
Reader:	1.3.13.R1	Lower Level Corridor Door 02004H - Re	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.13.I1	Lower Level Corridor Door 02004H - DSM	Default reader mode:	Card Only	
REX 1:	1.3.13.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.13.O1	Lower Level Corridor Door 02004H - Lock	Strike Time:	30 Sec.	A.D.A. 44 Sec.

Door:	1.3.D24	Lower Level West Stairwell Exit 02168A	Security Level:	NORMAL
Reader:	1.3.14.R1	Lower Level West Stairwell Exit 02168A	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.3.14.I1	Lower Level West Stairwell Exit 02168A -	Default reader mode:	Card Only
REX 1:	1.3.14.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.3.14.O1	Lower Level West Stairwell Exit 02168A -	Strike Time:	30 Sec. A.D.A. 44 Sec.

Door:	1.3.D25	Lower Level West Stairwell Exit Door 021	Security Level:	NORMAL
Reader:	1.3.14.R2	Lower Level West Stairwell Exit Door 02	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.3.14.I3	Lower Level West Stairwell Exit Door 021	Default reader mode:	Card Only
REX 1:	1.3.14.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.3.14.O3	Lower Level West Stairwell Exit Door 021	Strike Time:	30 Sec. A.D.A. 45 Sec.

Door:	1.3.D26	Lower Level Playroom Door 02154A	Security Level:	NORMAL
Reader:	1.3.15.R1	Lower Level Playroom Door 02154A - R	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.3.15.I1	Lower Level Playroom Door 02154A - DS	Default reader mode:	Card Only
REX 1:	1.3.15.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	0-no impact
Strike:	1.3.15.O1	Lower Level Playroom Door 02154A - Loc	Strike Time:	5 Sec. A.D.A. 46 Sec.

Door:	1.3.D27	Lower Level Data Closet Door 02044B	Security Level:	NORMAL
Reader:	1.3.16.R1	Lower Level Data Closet Door 02044B -	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.3.16.I1	Lower Level Data Closet Door 02044B - L	Default reader mode:	Card Only
REX 1:	1.3.16.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.3.16.O1	Lower Level Data Closet Door 02044B - L	Strike Time:	30 Sec. A.D.A. 47 Sec.

Door:	1.3.D28	Lower Level Electrical Room Door 02046,	Security Level:	NORMAL
Reader:	1.3.16.R2	Lower Level Electrical Room Door 02046,	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.3.16.I3	Lower Level Electrical Room Door 02046,	Default reader mode:	Card Only
REX 1:	1.3.16.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.3.16.O3	Lower Level Electrical Room Door 02046,	Strike Time:	30 Sec. A.D.A. 48 Sec.

Door:	1.3.D29	Lower Level Conference Room Door 0218	Security Level:	NORMAL	
Reader:	1.3.17.R1	Lower Level Conference Room Door 0218	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.17.I1	Lower Level Conference Room Door 0218	Default reader mode:	Card Only	
REX 1:	1.3.17.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.17.O1	Lower Level Conference Room Door 0218	Strike Time:	30 Sec.	A.D.A. 49 Sec.
Door:	1.3.D30	Lower Level Corridor Door 02180A	Security Level:	NORMAL	
Reader:	1.3.17.R2	Lower Level Corridor Door 02180A - Re	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	1.3.17.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.17.O3	Lower Level Corridor Door 02180A - Lock	Strike Time:	6 Sec.	A.D.A. 50 Sec.
Door:	1.3.D31	Lower Level Corridor Door 02032A	Security Level:	NORMAL	
Reader:	1.3.18.R1	Lower Level Corridor Door 02032A - Re	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.18.I1	Lower Level Corridor Door 02032A - DSM	Default reader mode:	Card Only	
REX 1:	1.3.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.18.O1	Lower Level Corridor Door 02032A - Lock	Strike Time:	30 Sec.	A.D.A. 51 Sec.
Door:	1.3.D32	Lower Level Storage Room Door 02274A	Security Level:	NORMAL	
Reader:	1.3.18.R2	Lower Level Storage Room Door 02274/	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.18.I3	Lower Level Storage Room Door 02274A	Default reader mode:	Card Only	
REX 1:	1.3.18.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.18.O3	Lower Level Storage Room Door 02274A	Strike Time:	30 Sec.	A.D.A. 52 Sec.
Door:	1.3.D33	Lower Level Data Room Door 02032B	Security Level:	NORMAL	
Reader:	1.3.19.R1	Lower Level Data Room Door 02032B - I	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.19.I1	Lower Level Data Room Door 02032B - D	Default reader mode:	Card Only	
REX 1:	1.3.19.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.19.O1	Lower Level Data Room Door 02032B - L	Strike Time:	30 Sec.	A.D.A. 53 Sec.
Door:	1.3.D34	Lower Level Electrical Room Door 02034/	Security Level:	NORMAL	
Reader:	1.3.19.R2	Lower Level Electrical Room Door 02034/	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.19.I3	Lower Level Electrical Room Door 02034/	Default reader mode:	Card Only	
REX 1:	1.3.19.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.19.O3	Lower Level Electrical Room Door 02034/	Strike Time:	30 Sec.	A.D.A. 54 Sec.

Door:	1.3.D35	Lower Level Secured Vestibule Door 023:	Security Level:	NORMAL	
Reader:	1.3.20.R1	Lower Level Secured Vestibule Door 023:	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.20.I1	Lower Level Secured Vestibule Door 023:	Default reader mode:	Card Only	
REX 1:	1.3.20.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.20.O1	Lower Level Secured Vestibule Door 023:	Strike Time:	30 Sec.	A.D.A. 55 Sec.
Door:	1.3.D36	Lower Level North Front Lobby Doors 023:	Security Level:	NORMAL	
Reader:	1.3.20.R2	Lower Level North Front Lobby Doors 023:	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.3.20.I3	Lower Level North Front Lobby Doors 023:	Default reader mode:	Card Only	
REX 1:	1.3.20.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.20.O3	Lower Level North Front Lobby Doors 023:	Strike Time:	30 Sec.	A.D.A. 56 Sec.
Door:	1.3.D37	DA-Misdemeanor TCD	Security Level:	NORMAL	
Reader:	1.3.21.R1	DA-Misdemeanor TCD - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.21.O1	DA-Misdemeanor TCD - Lock	Strike Time:	30 Sec.	A.D.A. 57 Sec.
Door:	1.3.D38	DA-Felony TCD	Security Level:	NORMAL	
Reader:	1.3.22.R1	DA-Felony TCD - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.22.O1	DA-Felony TCD - Lock	Strike Time:	30 Sec.	A.D.A. 58 Sec.
Door:	1.3.D39	DA-Hotchecks TCD	Security Level:	NORMAL	
Reader:	1.3.23.R1	DA-Hotchecks TCD - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.23.O1	DA-Hotchecks TCD - Lock	Strike Time:	30 Sec.	A.D.A. 59 Sec.

Door:	1.3.D40	Kitchen TCD	Security Level:	NORMAL	
Reader:	1.3.24.R1	Kitchen TCD - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.24.O1	Kitchen TCD - Lock	Strike Time:	30 Sec.	A.D.A. 60 Sec.
Door:	1.3.D41	DA's To East Storage	Security Level:	NORMAL	
Reader:	1.3.25.R1	DA's To East Storage - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.3.25.I2	DA's To East Storage - DSM	Default reader mode:	Card Only	
REX 1:	1.3.25.I1		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.25.O1	DA's To East Storage - Lock	Strike Time:	5 Sec.	A.D.A. 35 Sec.
Door:	1.3.D42	DA's To West Storage	Security Level:	NORMAL	
Reader:	1.3.25.R2	DA's To West Storage - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.3.25.I4	DA's To West Storage - DSM	Default reader mode:	Card Only	
REX 1:	1.3.25.I3		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.25.O2	DA's To West Storage - Lock	Strike Time:	5 Sec.	A.D.A. 36 Sec.
Door:	1.3.D43	DA Breakroom Childrens Walk Thru In	Security Level:	NORMAL	
Reader:	1.3.26.R1	DA Breakroom Childrens Walk Thru In - I	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.3.26.I1	DA Breakroom Childrens Walk Thru In - D	Default reader mode:	Card Only	
REX 1:	1.3.26.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.26.O1	DA Breakroom Childrens Walk Thru In - L	Strike Time:	30 Sec.	A.D.A. 84 Sec.
Door:	1.3.D44	DA Breakroom Childrens Walk Thru In- O	Security Level:	NORMAL	
Reader:	1.3.26.R2	ACM 43- OUT - Rdr	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.3.-1.I-1		Default reader mode:	Card Only	
REX 1:	1.3.-1.I-1		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.3.-1.O-1		Strike Time:	30 Sec.	A.D.A. 84 Sec.
Door:	1.4.D1	CH Add Level 1 Security Door 12324B	Security Level:	NORMAL	
Reader:	1.4.1.R1	CH Add Level 1 Security Door 12324B -	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.1.I1	CH Add Level 1 Security Door 12324B - E	Default reader mode:	Card Only	
REX 1:	1.4.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.1.O1	CH Add Level 1 Security Door 12324B - L	Strike Time:	30 Sec.	A.D.A. 57 Sec.

Door:	1.4.D2	CH Add Level 1 Corridor Door 12352A	Security Level:	NORMAL	
Reader:	1.4.1.R2	CH Add Level 1 Corridor Door 12352A -	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.1.I3	CH Add Level 1 Corridor Door 12352A - C	Default reader mode:	Card Only	
REX 1:	1.4.1.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.1.O3	CH Add Level 1 Corridor Door 12352A - L	Strike Time:	30 Sec.	A.D.A. 58 Sec.
Door:	1.4.D3	CH Add Level 1 Service Corridor 12036B	Security Level:	NORMAL	
Reader:	1.4.2.R1	CH Add Level 1 Service Corridor 12036E	Close Delay (shunt time):	6 Sec.	A.D.A. 10 Sec.
Door Contact:	1.4.2.I1	CH Add Level 1 Service Corridor 12036B	Default reader mode:	Card Only	
REX 1:	1.4.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.2.O1	CH Add Level 1 Service Corridor 12036B	Strike Time:	30 Sec.	A.D.A. 10 Sec.
Door:	1.4.D4	CH Add Level 1 Corridor Door 12010A	Security Level:	NORMAL	
Reader:	1.4.2.R2	CH Add Level 1 Corridor Door 12010A -	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.2.I3	CH Add Level 1 Corridor Door 12010A - C	Default reader mode:	Card Only	
REX 1:	1.4.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.2.O3	CH Add Level 1 Corridor Door 12010A - L	Strike Time:	30 Sec.	A.D.A. 60 Sec.
Door:	1.4.D5	CH Add Level 1 Safe Room 12172A	Security Level:	NORMAL	
Reader:	1.4.3.R1	CH Add Level 1 Safe Room 12172A - R	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.3.I1	CH Add Level 1 Safe Room 12172A - DSI	Default reader mode:	Card Only	
REX 1:	1.4.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.3.O1	CH Add Level 1 Safe Room 12172A - Loc	Strike Time:	30 Sec.	A.D.A. 61 Sec.
Door:	1.4.D6	CH Add Level 1 Secure Storage 12141A	Security Level:	NORMAL	
Reader:	1.4.3.R2	CH Add Level 1 Secure Storage 12141A	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.3.I3	CH Add Level 1 Secure Storage 12141A -	Default reader mode:	Card Only	
REX 1:	1.4.3.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.3.O3	CH Add Level 1 Secure Storage 12141A -	Strike Time:	30 Sec.	A.D.A. 62 Sec.

Door:	1.4.D7	CH Add Level 1 Data Closet 12036A	Security Level:	NORMAL	
Reader:	1.4.4.R1	CH Add Level 1 Data Closet 12036A - R	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.4.I1	CH Add Level 1 Data Closet 12036A - DS	Default reader mode:	Card Only	
REX 1:	1.4.4.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.4.O1	CH Add Level 1 Data Closet 12036A - Loc	Strike Time:	30 Sec.	A.D.A. 63 Sec.
Door:	1.4.D8	CH Add Level 1 Electrical Closet 12038A	Security Level:	NORMAL	
Reader:	1.4.4.R2	CH Add Level 1 Electrical Closet 12038A	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.4.I3	CH Add Level 1 Electrical Closet 12038A	Default reader mode:	Card Only	
REX 1:	1.4.4.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.4.O3	CH Add Level 1 Electrical Closet 12038A	Strike Time:	30 Sec.	A.D.A. 64 Sec.
Door:	1.4.D9	Deleted	Security Level:	NORMAL	
Reader:	1.4.5.R1	Deleted - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.5.I1	Deleted - DSM	Default reader mode:	Card Only	
REX 1:	1.4.5.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.5.O1	Deleted - Lock	Strike Time:	30 Sec.	A.D.A. 65 Sec.
Door:	1.4.D10	CH Add Level 1 Data Closet 12048A	Security Level:	NORMAL	
Reader:	1.4.6.R1	CH Add Level 1 Data Closet 12048A - R	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.6.I1	CH Add Level 1 Data Closet 12048A - DS	Default reader mode:	Card Only	
REX 1:	1.4.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.6.O1	CH Add Level 1 Data Closet 12048A - Loc	Strike Time:	30 Sec.	A.D.A. 66 Sec.
Door:	1.4.D11	CH Add Level 1 Electrical Room 12050A	Security Level:	NORMAL	
Reader:	1.4.6.R2	CH Add Level 1 Electrical Room 12050A	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.6.I3	CH Add Level 1 Electrical Room 12050A -	Default reader mode:	Card Only	
REX 1:	1.4.6.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.6.O3	CH Add Level 1 Electrical Room 12050A -	Strike Time:	30 Sec.	A.D.A. 67 Sec.
Door:	1.4.D12	CH Add Level 1 12120B	Security Level:	NORMAL	
Reader:	1.4.7.R1	CH Add Level 1 12120B - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.7.I1	CH Add Level 1 12120B - DSM	Default reader mode:	Card Only	
REX 1:	1.4.7.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.7.O1	CH Add Level 1 12120B - Lock	Strike Time:	30 Sec.	A.D.A. 68 Sec.

Door:	1.4.D13	District Clerk Vault 12142A	Security Level:	NORMAL	
Reader:	1.4.8.R1	District Clerk Vault 12142A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.8.I1	District Clerk Vault 12142A - DSM	Default reader mode:	Card Only	
REX 1:	1.4.8.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.8.O1	District Clerk Vault 12142A - Lock	Strike Time:	30 Sec.	A.D.A. 69 Sec.
Door:	1.4.D14	Courthouse Add/DClerk Stairwell 12120A	Security Level:	NORMAL	
Reader:	1.4.8.R2	Courthouse Add/DClerk Stairwell 12120/	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.8.I3	Courthouse Add/DClerk Stairwell 12120A	Default reader mode:	Card Only	
REX 1:	1.4.8.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.8.O3	Courthouse Add/DClerk Stairwell 12120A	Strike Time:	30 Sec.	A.D.A. 70 Sec.
Door:	1.4.D15	Central Jury Clerk Office/Door #12092a	Security Level:	NORMAL	
Reader:	1.4.9.R1	Central Jury Clerk Office/Door #12092a -	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.9.I1	Central Jury Clerk Office/Door #12092a -	Default reader mode:	Card Only	
REX 1:	1.4.9.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.9.O1	Central Jury Clerk Office/Door #12092a -	Strike Time:	30 Sec.	A.D.A. 71 Sec.
Door:	1.4.D16	Central Jury Room/Level 1 12090A	Security Level:	NORMAL	
Reader:	1.4.9.R2	Central Jury Room/Level 1 12090A - Re:	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.9.I3	Central Jury Room/Level 1 12090A - DSM	Default reader mode:	Card Only	
REX 1:	1.4.9.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.9.O3	Central Jury Room/Level 1 12090A - Lock	Strike Time:	30 Sec.	A.D.A. 72 Sec.
Door:	1.4.D17	CH Add Level 1 12136A	Security Level:	NORMAL	
Reader:	1.4.10.R1	CH Add Level 1 12136A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.10.I1	CH Add Level 1 12136A - DSM	Default reader mode:	Card Only	
REX 1:	1.4.10.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.10.O1	CH Add Level 1 12136A - Lock	Strike Time:	30 Sec.	A.D.A. 73 Sec.

Door:	1.4.D18	CH Add Level 1 10144A	Security Level:	NORMAL	
Reader:	1.4.10.R2	CH Add Level 1 10144A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.10.I3	CH Add Level 1 10144A - DSM	Default reader mode:	Card Only	
REX 1:	1.4.10.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.10.O3	CH Add Level 1 10144A - Lock	Strike Time:	30 Sec.	A.D.A. 74 Sec.
Door:	1.4.D19	CH Add Level 1 Stairwell 12276A	Security Level:	NORMAL	
Reader:	1.4.11.R1	CH Add Level 1 Stairwell 12276A - Read	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.11.I1	CH Add Level 1 Stairwell 12276A - DSM	Default reader mode:	Card Only	
REX 1:	1.4.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.11.O1	CH Add Level 1 Stairwell 12276A - Lock	Strike Time:	30 Sec.	A.D.A. 75 Sec.
Door:	1.4.D20	CH Add Level 1 Stairwell 12276B	Security Level:	NORMAL	
Reader:	1.4.11.R2	CH Add Level 1 Stairwell 12276B - Read	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.11.I3	CH Add Level 1 Stairwell 12276B - DSM	Default reader mode:	Card Only	
REX 1:	1.4.11.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.11.O3	CH Add Level 1 Stairwell 12276B - Lock	Strike Time:	30 Sec.	A.D.A. 76 Sec.
Door:	1.4.D21	CH Add Level 1 12010C	Security Level:	NORMAL	
Reader:	1.4.12.R1	CH Add Level 1 12010C - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.12.I1	CH Add Level 1 12010C - DSM	Default reader mode:	Card Only	
REX 1:	1.4.12.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.12.O1	CH Add Level 1 12010C - Lock	Strike Time:	30 Sec.	A.D.A. 77 Sec.
Door:	1.4.D22	CH Add Level 1 Urine Annlysis 12228A	Security Level:	NORMAL	
Reader:	1.4.12.R2	CH Add Level 1 Urine Annlysis 12228A -	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.12.I3	CH Add Level 1 Urine Annlysis 12228A - I	Default reader mode:	Card Only	
REX 1:	1.4.12.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.12.O3	CH Add Level 1 Urine Annlysis 12228A - I	Strike Time:	30 Sec.	A.D.A. 78 Sec.
Door:	1.4.D23	CH Add Level 1 Data Closet 12042A	Security Level:	NORMAL	
Reader:	1.4.13.R1	CH Add Level 1 Data Closet 12042A - Ri	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.13.I1	CH Add Level 1 Data Closet 12042A - DS	Default reader mode:	Card Only	
REX 1:	1.4.13.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.13.O1	CH Add Level 1 Data Closet 12042A - Lor	Strike Time:	30 Sec.	A.D.A. 79 Sec.

Door:	1.4.D24	CH Add Level 1 Electrical Closet 12044A	Security Level:	NORMAL	
Reader:	1.4.13.R2	CH Add Level 1 Electrical Closet 12044A	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.13.I3	CH Add Level 1 Electrical Closet 12044A	Default reader mode:	Card Only	
REX 1:	1.4.13.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.13.O3	CH Add Level 1 Electrical Closet 12044A	Strike Time:	30 Sec.	A.D.A. 80 Sec.
Door:	1.4.D25	CH Add Level 1 Queing Area 12030A	Security Level:	NORMAL	
Reader:	1.4.14.R1	CH Add Level 1 Queing Area 12030A - R	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.14.I1	CH Add Level 1 Queing Area 12030A - D	Default reader mode:	Card Only	
REX 1:	1.4.14.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.4.14.I2		Strike Mode:	1-cut short on open	
Strike:	1.4.14.O1	CH Add Level 1 Queing Area 12030A - L	Strike Time:	30 Sec.	A.D.A. 81 Sec.
Door:	1.4.D26	CH Add Level 1 12054B	Security Level:	NORMAL	
Reader:	1.4.15.R1	CH Add Level 1 12054B - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.15.I1	CH Add Level 1 12054B - DSM	Default reader mode:	Card Only	
REX 1:	1.4.15.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.15.O1	CH Add Level 1 12054B - Lock	Strike Time:	30 Sec.	A.D.A. 82 Sec.
Door:	1.4.D27	CH Add Level 1 12054A	Security Level:	NORMAL	
Reader:	1.4.15.R2	CH Add Level 1 12054A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.15.I3	CH Add Level 1 12054A - DSM	Default reader mode:	Card Only	
REX 1:	1.4.15.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.15.O3	CH Add Level 1 12054A - Lock	Strike Time:	30 Sec.	A.D.A. 83 Sec.
Door:	1.4.D28	CH Add Level 1 Data Closet 12054C	Security Level:	NORMAL	
Reader:	1.4.16.R1	CH Add Level 1 Data Closet 12054C - R	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.16.I1	CH Add Level 1 Data Closet 12054C - D	Default reader mode:	Card Only	
REX 1:	1.4.16.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.16.O1	CH Add Level 1 Data Closet 12054C - L	Strike Time:	30 Sec.	A.D.A. 58 Sec.

Door:	1.4.D29	CH Add Level 1 Electrical Room 12056A	Security Level:	NORMAL	
Reader:	1.4.16.R2	CH Add Level 1 Electrical Room 12056A	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.16.I3	CH Add Level 1 Electrical Room 12056A -	Default reader mode:	Card Only	
REX 1:	1.4.16.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:		
Strike:	1.4.16.O3	CH Add Level 1 Electrical Room 12056A -	Strike Time:	30 Sec.	A.D.A. 59 Sec.
Door:	1.4.D30	CH Add Level 1 12353A	Security Level:	NORMAL	
Reader:	1.4.17.R1	CH Add Level 1 12353A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.17.I1	CH Add Level 1 12353A - DSM	Default reader mode:	Card Only	
REX 1:	1.4.17.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.17.O1	CH Add Level 1 12353A - Lock	Strike Time:	30 Sec.	A.D.A. 60 Sec.
Door:	1.4.D31	CH Add Level 1 12353B	Security Level:	NORMAL	
Reader:	1.4.17.R2	CH Add Level 1 12353B - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.17.I3	CH Add Level 1 12353B - DSM	Default reader mode:	Card Only	
REX 1:	1.4.17.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.17.O3	CH Add Level 1 12353B - Lock	Strike Time:	30 Sec.	A.D.A. 61 Sec.
Door:	1.4.D32	CH Add Level 1 12360B	Security Level:	NORMAL	
Reader:	1.4.18.R1	CH Add Level 1 12360B - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.18.I1	CH Add Level 1 12360B - DSM	Default reader mode:	Card Only	
REX 1:	1.4.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.18.O1	CH Add Level 1 12360B - Lock	Strike Time:	30 Sec.	A.D.A. 62 Sec.
Door:	1.4.D33	CH Add Level 1 12360A	Security Level:	NORMAL	
Reader:	1.4.18.R2	CH Add Level 1 12360A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.18.I3	CH Add Level 1 12360A - DSM	Default reader mode:	Card Only	
REX 1:	1.4.18.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.18.O3	CH Add Level 1 12360A - Lock	Strike Time:	30 Sec.	A.D.A. 63 Sec.
Door:	1.4.D34	CH Add Level 1 Jury Deliberation 12370A	Security Level:	NORMAL	
Reader:	1.4.19.R1	CH Add Level 1 Jury Deliberation 12370.	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.19.I1	CH Add Level 1 Jury Deliberation 12370A	Default reader mode:	Card Only	
REX 1:	1.4.19.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.19.O1	CH Add Level 1 Jury Deliberation 12370A	Strike Time:	30 Sec.	A.D.A. 64 Sec.

Door:	1.4.D35	CH Add Level 1 12372A	Security Level:	NORMAL
Reader:	1.4.19.R2	CH Add Level 1 12372A - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.4.19.I3	CH Add Level 1 12372A - DSM	Default reader mode:	Card Only
REX 1:	1.4.19.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.4.19.O3	CH Add Level 1 12372A - Lock	Strike Time:	30 Sec. A.D.A. 65 Sec.

Door:	1.4.D36	CH Add Level 1 12388A	Security Level:	NORMAL
Reader:	1.4.20.R1	CH Add Level 1 12388A - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.4.20.I1	CH Add Level 1 12388A - DSM	Default reader mode:	Card Only
REX 1:	1.4.20.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.4.20.O1	CH Add Level 1 12388A - Lock	Strike Time:	30 Sec. A.D.A. 66 Sec.

Door:	1.4.D37	Deleted	Security Level:	NORMAL
Reader:	1.4.21.R1	Deleted - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.4.21.I1	Deleted - DSM	Default reader mode:	Card Only
REX 1:	1.4.21.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.4.21.O1	Deleted - Lock	Strike Time:	30 Sec. A.D.A. 67 Sec.

Door:	1.4.D38	TCD-1 District Clerk	Security Level:	NORMAL
Reader:	1.4.22.R1	TCD-1 District Clerk - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.4.22.O1	TCD-1 District Clerk - Lock	Strike Time:	30 Sec. A.D.A. 68 Sec.

Door:	1.4.D39	TCD-2 District Clerk	Security Level:	NORMAL
Reader:	1.4.23.R1	TCD-2 District Clerk - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.4.23.O1	TCD-2 District Clerk - Lock	Strike Time:	30 Sec. A.D.A. 69 Sec.

Door:	1.4.D40	TCD-1 County Clerk at Law	Security Level:	NORMAL
Reader:	1.4.24.R1	TCD-1 County Clerk at Law - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.4.24.O1	TCD-1 County Clerk at Law - Lock	Strike Time:	30 Sec. A.D.A. 70 Sec.
Door:	1.4.D41	TCD-2 County Clerk at Law	Security Level:	NORMAL
Reader:	1.4.25.R1	TCD-2 County Clerk at Law - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.4.25.O1	TCD-2 County Clerk at Law - Lock	Strike Time:	30 Sec. A.D.A. 71 Sec.
Door:	1.4.D42	CH Add Level 1 Penthouse East Roof Acc	Security Level:	NORMAL
Reader:	1.4.26.R1	CH Add Level 1 Penthouse East Roof Ac	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.4.26.I1	CH Add Level 1 Penthouse East Roof Acc	Default reader mode:	Card Only
REX 1:	1.4.26.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.4.26.O1	CH Add Level 1 Penthouse East Roof Acc	Strike Time:	30 Sec. A.D.A. 61 Sec.
Door:	1.4.D43	CH Add Level 1 Penthouse East Stair	Security Level:	NORMAL
Reader:	1.4.26.R2	CH Add Level 1 Penthouse East Stair - F	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.4.26.I3	CH Add Level 1 Penthouse East Stair - D	Default reader mode:	Card Only
REX 1:	1.4.26.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.4.26.O3	CH Add Level 1 Penthouse East Stair - Lc	Strike Time:	30 Sec. A.D.A. 62 Sec.
Door:	1.4.D44	CH Add Level 1 Penthouse West Roof Ac	Security Level:	NORMAL
Reader:	1.4.27.R1	CH Add Level 1 Penthouse West Roof A	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.4.27.I1	CH Add Level 1 Penthouse West Roof Ac	Default reader mode:	Card Only
REX 1:	1.4.27.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.4.27.O1	CH Add Level 1 Penthouse West Roof Ac	Strike Time:	30 Sec. A.D.A. 62 Sec.
Door:	1.4.D45	CH Add Level 1 Penthouse West Stair	Security Level:	NORMAL
Reader:	1.4.27.R2	CH Add Level 1 Penthouse West Stair - I	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.4.27.I3	CH Add Level 1 Penthouse West Stair - D	Default reader mode:	Card Only
REX 1:	1.4.27.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.4.27.O3	CH Add Level 1 Penthouse West Stair - L	Strike Time:	30 Sec. A.D.A. 63 Sec.

Door:	1.4.D46	Probate Court Hall Dr 12368A	Security Level:	NORMAL	
Reader:	1.4.29.R1	Probate Court Hall Dr 12368A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.29.I1	Probate Court Hall Dr 12368A - DSM	Default reader mode:	Card Only	
REX 1:	1.4.29.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.29.O1	Probate Court Hall Dr 12368A - Lock	Strike Time:	30 Sec.	A.D.A. 40 Sec.
Door:	1.4.D47	CH Add Level 1 Door 12210A	Security Level:	NORMAL	
Reader:	1.4.28.R1	CH Add Level 1 Door 12210A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.28.I1	CH Add Level 1 Door 12210A - DSM	Default reader mode:	Card Only	
REX 1:	1.4.28.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.28.O1	CH Add Level 1 Door 12210A - Lock	Strike Time:	30 Sec.	A.D.A. 4 Sec.
Door:	1.4.D48	Probate Court Hall Dr 10222A	Security Level:	NORMAL	
Reader:	1.4.29.R2	Probate Court Hall Dr 10222A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.29.I3	Probate Court Hall Dr 10222A - DSM	Default reader mode:	Card Only	
REX 1:	1.4.29.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.29.O3	Probate Court Hall Dr 10222A - Lock	Strike Time:	5 Sec.	A.D.A. 40 Sec.
Door:	1.4.D49	County Clerks South Entry 10352	Security Level:	NORMAL	
Reader:	1.4.30.R1	County Clerks South Entry 10352 - Reac	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.30.I1	County Clerks South Entry 10352 - DSM	Default reader mode:	Card Only	
REX 1:	1.4.30.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.30.O1	County Clerks South Entry 10352 - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.4.D50	CH Level 1 Door 12048B	Security Level:	NORMAL	
Reader:	1.4.30.R2	CH Level 1 Door 12048B - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.4.30.I3	CH Level 1 Door 12048B - DSM	Default reader mode:	Card Only	
REX 1:	1.4.30.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.30.O3	CH Level 1 Door 12048B - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.

Door:	1.4.D51	CH Add Level 1 12004A Caged Storage/	Security Level:	NORMAL	
Reader:	1.4.31.R1	CH Add Level 1 12004A Caged Storage/	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.4.31.I1	CH Add Level 1 12004A Caged Storage/	Default reader mode:	Card Only	
REX 1:	1.4.31.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.4.31.O1	CH Add Level 1 12004A Caged Storage/	Strike Time:	5 Sec.	A.D.A. 27 Sec.
Door:	1.5.D1	CP-J1101 - Electric Room Interior East	Security Level:	NORMAL	
Reader:	1.5.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.1.I1		Default reader mode:	Card Only	
REX 1:	1.5.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.1.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.5.D2	CP-J1111 - Tool Room	Security Level:		
Reader:	1.5.2.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.2.I1		Default reader mode:	Card Only	
REX 1:	1.5.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.2.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.5.D3	CP-1S10A Tool Room Back Door	Security Level:	NORMAL	
Reader:	1.5.2.R2	CP-1S10A Tool Room Back Door - Read	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.2.I3	CP-1S10A Tool Room Back Door - DSM	Default reader mode:	Card Only	
REX 1:	1.5.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.2.O3	CP-1S10A Tool Room Back Door - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.5.D4	CP-J1102 Lorraine	Security Level:	NORMAL	
Reader:	1.5.11.R1	CP-J1102 Lorraine - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.11.I1	CP-J1102 Lorraine - DSM	Default reader mode:	Card Only	
REX 1:	1.5.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.11.O1	CP-J1102 Lorraine - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.5.D5	CP-J1116-Chiller Rm (Encl) West Exterior	Security Level:	NORMAL	
Reader:	1.5.12.R1	CP-J1116-Chiller Rm (Encl) West Exteric	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.12.I1	CP-J1116-Chiller Rm (Encl) West Exterior	Default reader mode:	Card Only	
REX 1:	1.5.12.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.12.O1	CP-J1116-Chiller Rm (Encl) West Exterior	Strike Time:	7 Sec.	A.D.A. 20 Sec.

Door:	1.5.D6	CP-J1114 West Stairwell Dr.	Security Level:	NORMAL
Reader:	1.5.13.R1	CP-J1114 West Stairwell Dr. - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.5.13.I1	CP-J1114 West Stairwell Dr. - DSM	Default reader mode:	Card Only
REX 1:	1.5.13.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.5.13.O1	CP-J1114 West Stairwell Dr. - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.5.D7	CP J1119B-Front East Entrance Reader	Security Level:	
Reader:	1.5.3.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.5.3.I1		Default reader mode:	Card Only
REX 1:	1.5.3.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.5.3.O1		Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.5.D8	CP-J1101A Chiller Room Interior East Dr.	Security Level:	NORMAL
Reader:	1.5.17.R1	CP-J1101A Chiller Room Interior East Dr.	Close Delay (shunt time):	15 Sec. A.D.A. 15 Sec.
Door Contact:	1.5.17.I1	CP-J1101A Chiller Room Interior East Dr.	Default reader mode:	Card Only
REX 1:	1.5.17.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.5.17.O1	CP-J1101A Chiller Room Interior East Dr.	Strike Time:	5 Sec. A.D.A. 10 Sec.

Door:	1.5.D9	CP-J1S10B - East Side Stairwell	Security Level:	NORMAL
Reader:	1.5.4.R1	CP-J1S10B - East Side Stairwell - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.5.4.I1	CP-J1S10B - East Side Stairwell - DSM	Default reader mode:	Card Only
REX 1:	1.5.4.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.5.4.O1	CP-J1S10B - East Side Stairwell - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.5.D10	CP-J1105 -Telephone Room	Security Level:	NORMAL
Reader:	1.5.5.R1	CP-J1105 -Telephone Room - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.5.5.I1	CP-J1105 -Telephone Room - DSM	Default reader mode:	Card Only
REX 1:	1.5.5.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.5.5.O1	CP-J1105 -Telephone Room - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.5.D11	CP-J1104 -North Entrance	Security Level:	NORMAL	
Reader:	1.5.5.R2	CP-J1104 -North Entrance - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.5.I3	CP-J1104 -North Entrance - DSM	Default reader mode:	Card Only	
REX 1:	1.5.5.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.5.O3	CP-J1104 -North Entrance - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.5.D12	CP-J1115 Chiller Rm West Exterior Door	Security Level:	NORMAL	
Reader:	1.5.6.R1	CP-J1115 Chiller Rm West Exterior Door	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.6.I1	CP-J1115 Chiller Rm West Exterior Door	Default reader mode:	Card Only	
REX 1:	1.5.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	2-cut short on close	
Strike:	1.5.6.O1	CP-J1115 Chiller Rm West Exterior Door	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.5.D13	CP-J1113 - Key Shop	Security Level:	NORMAL	
Reader:	1.5.7.R1	CP-J1113 - Key Shop - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.7.I1	CP-J1113 - Key Shop - DSM	Default reader mode:	Card Only	
REX 1:	1.5.7.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.7.O1	CP-J1113 - Key Shop - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.5.D14	CP-J1105B Grounds Northside	Security Level:	NORMAL	
Reader:	1.5.10.R1	CP-J1105B Grounds Northside - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 25 Sec.
Door Contact:	1.5.10.I1	CP-J1105B Grounds Northside - DSM	Default reader mode:	Card Only	
REX 1:	1.5.10.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.10.O1	CP-J1105B Grounds Northside - Lock	Strike Time:	5 Sec.	A.D.A. 23 Sec.
Door:	1.5.D15	TCD Central Plant	Security Level:	NORMAL	
Reader:	1.5.14.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Locked	
REX 1:	(none)		Offline reader mode:	Locked	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	1 Sec.	A.D.A. 0 Sec.
Door:	1.5.D16	CP-J1108 Electrical Rm- Exterior North	Security Level:	NORMAL	
Reader:	1.5.15.R1	CP-J1108 Electrical Rm- Exterior North -	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.15.I1	CP-J1108 Electrical Rm- Exterior North - I	Default reader mode:	Card Only	
REX 1:	1.5.15.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.15.O1	CP-J1108 Electrical Rm- Exterior North - I	Strike Time:	5 Sec.	A.D.A. 24 Sec.

Door:	1.5.D17	CP-J1117 Generator Rm- Exterior North	Security Level:	NORMAL	
Reader:	1.5.15.R2	CP-J1117 Generator Rm- Exterior North	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.15.I3	CP-J1117 Generator Rm- Exterior North -	Default reader mode:	Card Only	
REX 1:	1.5.15.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.15.O3	CP-J1117 Generator Rm- Exterior North -	Strike Time:	5 Sec.	A.D.A. 25 Sec.
Door:	1.5.D18	CP-1121D - Housekeeping Supplies	Security Level:	NORMAL	
Reader:	1.5.16.R1	CP-1121D - Housekeeping Supplies - R	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.16.I1	CP-1121D - Housekeeping Supplies - DS	Default reader mode:	Card Only	
REX 1:	1.5.16.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.16.O1	CP-1121D - Housekeeping Supplies - Loc	Strike Time:	5 Sec.	A.D.A. 26 Sec.
Door:	1.5.D19	CP-J1105E Grounds East	Security Level:	NORMAL	
Reader:	1.5.10.R2	CP-J1105E Grounds East - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.10.I3	CP-J1105E Grounds East - DSM	Default reader mode:	Card Only	
REX 1:	1.5.10.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.10.O3	CP-J1105E Grounds East - Lock	Strike Time:	5 Sec.	A.D.A. 27 Sec.
Door:	1.5.D20	TCD Central Plant 02	Security Level:	NORMAL	
Reader:	1.5.8.R1	TCD Central Plant 02 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Locked	
REX 1:	(none)		Offline reader mode:	Locked	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	1 Sec.	A.D.A. 0 Sec.
Door:	1.5.D21	CP-#J2123B Control Room	Security Level:	NORMAL	
Reader:	1.5.18.R1	CP-#J2123B Control Room - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.18.I1	CP-#J2123B Control Room - DSM	Default reader mode:	Card Only	
REX 1:	1.5.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.5.18.O1	CP-#J2123B Control Room - Lock	Strike Time:	5 Sec.	A.D.A. 27 Sec.

Door:	1.5.D22	CP- J1119A Front West Entry	Security Level:	NORMAL	
Reader:	1.5.3.R2	CP- J1119A Front West Entry - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.5.3.I3	CP- J1119A Front West Entry - DSM	Default reader mode:	Card Only	
REX 1:	1.5.3.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	2-cut short on close	
Strike:	1.5.3.O3	CP- J1119A Front West Entry - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D1	DOOR # 900-1095 -TELEPHONE ROOM	Security Level:		
Reader:	1.6.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.1.I1		Default reader mode:	Card Only	
REX 1:	1.6.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.1.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D2	DOOR # 900-1102-HALL ENT.TO VETER	Security Level:		
Reader:	1.6.1.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.1.I3		Default reader mode:	Card Only	
REX 1:	1.6.1.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.1.O3		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D3	DOOR # 900-1097	Security Level:	NORMAL	
Reader:	1.6.2.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.2.I1		Default reader mode:	Card Only	
REX 1:	1.6.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.2.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D4	DOOR # 900-1101	Security Level:		
Reader:	1.6.2.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.2.I3		Default reader mode:	Card Only	
REX 1:	1.6.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.2.O3		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D5	DOOR # 900-2246-CSCD HALLWAY	Security Level:		
Reader:	1.6.11.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.11.I1		Default reader mode:	Card Only	
REX 1:	1.6.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.11.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.

Door:	1.6.D6	DOOR # 900-2243- CSCD/DRUG TESTII	Security Level:	NORMAL	
Reader:	1.6.11.R2	DOOR # 900-2243- CSCD/DRUG TEST	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.11.I3	DOOR # 900-2243- CSCD/DRUG TESTII	Default reader mode:	Card Only	
REX 1:	1.6.11.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.11.O3	DOOR # 900-2243- CSCD/DRUG TESTII	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D7	DOOR # 900-2270 EXIT DOOR FOR CS	Security Level:		
Reader:	1.6.12.R1	DOOR # 900-2270 EXIT DOOR FOR CS	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.12.I1	DOOR # 900-2270 EXIT DOOR FOR CS	Default reader mode:	Card Only	
REX 1:	1.6.12.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.12.O1	DOOR # 900-2270 EXIT DOOR FOR CS	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D8	DOOR # 900-2265-EAST EXIT DOOR FC	Security Level:		
Reader:	1.6.17.R1	DOOR # 900-2265-EAST EXIT DOOR F	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.17.I1	DOOR # 900-2265-EAST EXIT DOOR FC	Default reader mode:	Card Only	
REX 1:	1.6.17.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.17.O1	DOOR # 900-2265-EAST EXIT DOOR FC	Strike Time:	8 Sec.	A.D.A. 20 Sec.
Door:	1.6.D9		Security Level:		
Reader:	1.6.17.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.17.I3		Default reader mode:	Card Only	
REX 1:	1.6.17.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.6.17.O3		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D10	DOOR # 900-2268- EAST ENTRANCE JI	Security Level:		
Reader:	1.6.18.R1	DOOR # 900-2268- EAST ENTRANCE J	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.18.I1	DOOR # 900-2268- EAST ENTRANCE JI	Default reader mode:	Card Only	
REX 1:	1.6.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.18.O1	DOOR # 900-2268- EAST ENTRANCE JI	Strike Time:	5 Sec.	A.D.A. 20 Sec.

Door:	1.6.D11	DOOR # 900-2282-JUVENILE HALLWAY	Security Level:	
Reader:	1.6.18.R2	DOOR # 900-2282-JUVENILE HALLWAY	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.6.18.I3	DOOR # 900-2282-JUVENILE HALLWAY	Default reader mode:	Card Only
REX 1:	1.6.18.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.6.18.O3	DOOR # 900-2282-JUVENILE HALLWAY	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.6.D12	DOOR # 1067 READER	Security Level:	
Reader:	1.6.19.R1	DOOR # 1067 READER - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.6.19.I1	DOOR # 1067 READER - DSM	Default reader mode:	Card Only
REX 1:	1.6.19.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.6.19.O1	DOOR # 1067 READER - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.6.D13	DOOR # 1069 READER	Security Level:	
Reader:	1.6.19.R2	DOOR # 1069 READER - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.6.19.I3	DOOR # 1069 READER - DSM	Default reader mode:	Card Only
REX 1:	1.6.19.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.6.19.O3	DOOR # 1069 READER - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.6.D14	DOOR # 1053 READER	Security Level:	
Reader:	1.6.20.R1	DOOR # 1053 READER - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.6.20.I1	DOOR # 1053 READER - DSM	Default reader mode:	Card Only
REX 1:	1.6.20.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.6.20.O1	DOOR # 1053 READER - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.6.D15	DOOR # 1045 READER	Security Level:	NORMAL
Reader:	1.6.20.R2	DOOR # 1045 READER - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.6.20.I3	DOOR # 1045 READER - DSM	Default reader mode:	Card Only
REX 1:	1.6.20.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.6.20.O3	DOOR # 1045 READER - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.6.D16	DOOR # 900-1078 PASSPORT OFFICE	Security Level:	NORMAL
Reader:	1.6.3.R1	DOOR # 900-1078 PASSPORT OFFICE	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.6.3.I1	DOOR # 900-1078 PASSPORT OFFICE	Default reader mode:	Card Only
REX 1:	1.6.3.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.6.3.O1	DOOR # 900-1078 PASSPORT OFFICE	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door: 1.6.D17	DOOR # 900-1070	Security Level:	
Reader: 1.6.3.R2		Close Delay (shunt time): 25 Sec.	A.D.A. 20 Sec.
Door Contact: 1.6.3.I3		Default reader mode: Card Only	
REX 1: 1.6.3.I4		Offline reader mode: Facility Code Mode	
REX 2: (none)		Strike Mode: 1-cut short on open	
Strike: 1.6.3.O3		Strike Time: 5 Sec.	A.D.A. 20 Sec.
Door: 1.6.D18	DOOR # 900-1076 EAST ENTRANCE	Security Level:	
Reader: 1.6.4.R1		Close Delay (shunt time): 25 Sec.	A.D.A. 20 Sec.
Door Contact: 1.6.4.I1		Default reader mode: Card Only	
REX 1: 1.6.4.I2		Offline reader mode: Facility Code Mode	
REX 2: (none)		Strike Mode: 1-cut short on open	
Strike: 1.6.4.O1		Strike Time: 5 Sec.	A.D.A. 20 Sec.
Door: 1.6.D19	DOOR # 900-1080-PASSPORTS EAST E	Security Level: NORMAL	
Reader: 1.6.4.R2		Close Delay (shunt time): 25 Sec.	A.D.A. 20 Sec.
Door Contact: 1.6.4.I3		Default reader mode: Card Only	
REX 1: 1.6.4.I4		Offline reader mode: Facility Code Mode	
REX 2: (none)		Strike Mode: 1-cut short on open	
Strike: 1.6.4.O3		Strike Time: 5 Sec.	A.D.A. 20 Sec.
Door: 1.6.D20	DOOR # 900-1061-EMP. OFFICE	Security Level:	
Reader: 1.6.5.R1		Close Delay (shunt time): 25 Sec.	A.D.A. 20 Sec.
Door Contact: 1.6.5.I1		Default reader mode: Card Only	
REX 1: 1.6.5.I2		Offline reader mode: Facility Code Mode	
REX 2: (none)		Strike Mode: 1-cut short on open	
Strike: 1.6.5.O1		Strike Time: 5 Sec.	A.D.A. 20 Sec.
Door: 1.6.D21	DOOR # 900-1058 VETERANS ENTRY	Security Level: NORMAL	
Reader: 1.6.5.R2	DOOR # 900-1058 VETERANS ENTRY	Close Delay (shunt time): 25 Sec.	A.D.A. 20 Sec.
Door Contact: 1.6.5.I3	DOOR # 900-1058 VETERANS ENTRY -	Default reader mode: Card Only	
REX 1: 1.6.5.I4		Offline reader mode: Facility Code Mode	
REX 2: (none)		Strike Mode: 1-cut short on open	
Strike: 1.6.5.O3	DOOR # 900-1058 VETERANS ENTRY -	Strike Time: 5 Sec.	A.D.A. 20 Sec.

Door:	1.6.D22	DOOR # 900-1064-WIC	Security Level:	NORMAL	
Reader:	1.6.6.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.6.I1		Default reader mode:	Card Only	
REX 1:	1.6.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.6.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D23	DOOR # 900-1084(DEAD BOLT ON THIS	Security Level:		
Reader:	1.6.7.R1	DOOR # 900-1084(DEAD BOLT ON THI	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.7.I1	DOOR # 900-1084(DEAD BOLT ON THIS	Default reader mode:	Card Only	
REX 1:	1.6.7.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.7.O1	DOOR # 900-1084(DEAD BOLT ON THIS	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D24	DOOR # 900-1090	Security Level:		
Reader:	1.6.7.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.7.I3		Default reader mode:	Card Only	
REX 1:	1.6.7.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.7.O3		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D25	DOOR # 900-1120 -MECHANICAL RM/SI	Security Level:		
Reader:	1.6.8.R1	DOOR # 900-1120 -MECHANICAL RM/5	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.8.I1	DOOR # 900-1120 -MECHANICAL RM/SI	Default reader mode:	Card Only	
REX 1:	1.6.8.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	2-cut short on close	
Strike:	1.6.8.O1	DOOR # 900-1120 -MECHANICAL RM/SI	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D26	DOOR # 900-2257 ADULT PROB. HALL	Security Level:		
Reader:	1.6.9.R1	DOOR # 900-2257 ADULT PROB. HALL	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.9.I1	DOOR # 900-2257 ADULT PROB. HALL -	Default reader mode:	Card Only	
REX 1:	1.6.9.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.6.9.O1	DOOR # 900-2257 ADULT PROB. HALL -	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.6.D27	DOOR # 900-2261-EAST ENT. TO CSCD	Security Level:		
Reader:	1.6.9.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.6.9.I3		Default reader mode:	Card Only	
REX 1:	1.6.9.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.6.9.O3		Strike Time:	5 Sec.	A.D.A. 20 Sec.

Door:	1.6.D28	DOOR # 900-2251-CSCD HALLWAY	Security Level:	
Reader:	1.6.10.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.6.10.I1		Default reader mode:	Card Only
REX 1:	1.6.10.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.6.10.O1		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.6.D29	DOOR # 900-2247-NORTH ENTRANCE	Security Level:	
Reader:	1.6.10.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.6.10.I3		Default reader mode:	Card Only
REX 1:	1.6.10.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.6.10.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.6.D30	TCD 900 BLDG 1st Floor PassPorts	Security Level:	NORMAL
Reader:	1.6.13.R1		Close Delay (shunt time):	5 Sec. A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	0-no impact
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 0 Sec.
Door:	1.6.D31	TCD 900 BLDG 1st Floor WIC/Healthcare	Security Level:	NORMAL
Reader:	1.6.14.R1		Close Delay (shunt time):	5 Sec. A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	0-no impact
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 0 Sec.
Door:	1.6.D32	TCD 900 BLDG 2nd Floor Probation	Security Level:	NORMAL
Reader:	1.6.15.R1		Close Delay (shunt time):	5 Sec. A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	0-no impact
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 0 Sec.

Door:	1.6.D33	TCD 900 BLDG Juv. Probate	Security Level:	NORMAL	
Reader:	1.6.16.R1		Close Delay (shunt time):	5 Sec.	A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	1 Sec.	A.D.A. 21 Sec.
Door:	1.7.D1	920 Door 2 NORTH PUBLIC ENTRY	Security Level:	NORMAL	
Reader:	1.7.1.R1	920 Door 2 NORTH PUBLIC ENTRY - R	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.7.1.I1	920 Door 2 NORTH PUBLIC ENTRY - DS	Default reader mode:	Card Only	
REX 1:	1.7.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.1.O1	920 Door 2 NORTH PUBLIC ENTRY - Lo	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.7.D2	920 Door 21 URBAN LEAGUE	Security Level:	NORMAL	
Reader:	1.7.1.R2	920 Door 21 URBAN LEAGUE - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.7.1.I3	920 Door 21 URBAN LEAGUE - DSM	Default reader mode:	Card Only	
REX 1:	1.7.1.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.1.O3	920 Door 21 URBAN LEAGUE - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.7.D3	920 Door 14 MECHANICAL/ELECTRICAL	Security Level:	NORMAL	
Reader:	1.7.2.R1	920 Door 14 MECHANICAL/ELECTRICAL	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.7.2.I1	920 Door 14 MECHANICAL/ELECTRICAL	Default reader mode:	Card Only	
REX 1:	1.7.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.2.O1	920 Door 14 MECHANICAL/ELECTRICAL	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.7.D4	920 Door 22 RECORDS STORAGE ROOM	Security Level:	NORMAL	
Reader:	1.7.2.R2	920 Door 22 RECORDS STORAGE ROOM	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.7.2.I3	920 Door 22 RECORDS STORAGE ROOM	Default reader mode:	Card Only	
REX 1:	1.7.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.2.O3	920 Door 22 RECORDS STORAGE ROOM	Strike Time:	10 Sec.	A.D.A. 20 Sec.
Door:	1.7.D5	920 Door 53 JP3 COURTROOM ENTRANCE	Security Level:		
Reader:	1.7.11.R1	920 Door 53 JP3 COURTROOM ENTRANCE	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.7.11.I1	920 Door 53 JP3 COURTROOM ENTRANCE	Default reader mode:	Card Only	
REX 1:	1.7.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.11.O1	920 Door 53 JP3 COURTROOM ENTRANCE	Strike Time:	5 Sec.	A.D.A. 20 Sec.

Door:	1.7.D6	920 Door 41 CONFERENCE ROOM	Security Level:	NORMAL
Reader:	1.7.11.R2	920 Door 41 CONFERENCE ROOM - R	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.11.I3	920 Door 41 CONFERENCE ROOM - DS	Default reader mode:	Card Only
REX 1:	1.7.11.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.11.O3	920 Door 41 CONFERENCE ROOM - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.7.D7	920 Door 56	Security Level:	
Reader:	1.7.14.R1	920 Door 56 - Reader	Close Delay (shunt time):	60 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.14.I1	920 Door 56 - DSM	Default reader mode:	Card Only
REX 1:	1.7.14.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.14.O1	920 Door 56 - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.7.D8	920 Door 46 Paytons side door	Security Level:	NORMAL
Reader:	1.7.14.R2	920 Door 46 Paytons side door - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.14.I3	920 Door 46 Paytons side door - DSM	Default reader mode:	Card Only
REX 1:	1.7.14.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.14.O3	920 Door 46 Paytons side door - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.7.D10	920 Door 98 JP3-1 READER	Security Level:	NORMAL
Reader:	1.7.15.R2	920 Door 98 JP3-1 READER - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.15.I3	920 Door 98 JP3-1 READER - DSM	Default reader mode:	Card Only
REX 1:	1.7.15.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.15.O3	920 Door 98 JP3-1 READER - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.7.D11	920 Door 38b TAX OFFICE Break Room(	Security Level:	
Reader:	1.7.3.R1	920 Door 38b TAX OFFICE Break Room	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.3.I1	920 Door 38b TAX OFFICE Break Room(	Default reader mode:	Card Only
REX 1:	1.7.3.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.3.O1	920 Door 38b TAX OFFICE Break Room(	Strike Time:	3 Sec. A.D.A. 20 Sec.

Door:	1.7.D12	920 Door 3 Southwest Entr. TAX OFFICE	Security Level:	
Reader:	1.7.3.R2	920 Door 3 Southwest Entr. TAX OFFICE	Close Delay (shunt time):	25 Sec. A.D.A. 5 Sec.
Door Contact:	1.7.3.I3	920 Door 3 Southwest Entr. TAX OFFICE	Default reader mode:	Card Only
REX 1:	1.7.3.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	2-cut short on close
Strike:	1.7.3.O3	920 Door 3 Southwest Entr. TAX OFFICE	Strike Time:	5 Sec. A.D.A. 5 Sec.
Door:	1.7.D13	920 Door 34 TAX OFFICE STAFF (BEHIN	Security Level:	NORMAL
Reader:	1.7.4.R1	920 Door 34 TAX OFFICE STAFF (BEHI	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.4.I1	920 Door 34 TAX OFFICE STAFF (BEHIN	Default reader mode:	Card Only
REX 1:	1.7.4.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.4.O1	920 Door 34 TAX OFFICE STAFF (BEHIN	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.7.D14	920 Door 5 EAST ENTRANCE Dealer En	Security Level:	NORMAL
Reader:	1.7.4.R2	920 Door 5 EAST ENTRANCE Dealer Ei	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.4.I3	920 Door 5 EAST ENTRANCE Dealer En	Default reader mode:	Card Only
REX 1:	1.7.4.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	2-cut short on close
Strike:	1.7.4.O3	920 Door 5 EAST ENTRANCE Dealer En	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.7.D15	Bldg 920 IT Vault Door 26	Security Level:	
Reader:	1.7.5.R1	Bldg 920 IT Vault Door 26 - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	1.7.5.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.5.O1	Bldg 920 IT Vault Door 26 - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.7.D16	920 Door 28 ELECTIONS STORAGE	Security Level:	
Reader:	1.7.5.R2	920 Door 28 ELECTIONS STORAGE - F	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.5.I3	920 Door 28 ELECTIONS STORAGE - D:	Default reader mode:	Card Only
REX 1:	1.7.5.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.5.O3	920 Door 28 ELECTIONS STORAGE - Lc	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.7.D17	920 Door 9 SOUTH ENTRANCE	Security Level:	
Reader:	1.7.6.R1	920 Door 9 SOUTH ENTRANCE - Read	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.6.I1	920 Door 9 SOUTH ENTRANCE - DSM	Default reader mode:	Card Only
REX 1:	1.7.6.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.6.O1	920 Door 9 SOUTH ENTRANCE - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.7.D18	920 Door 10 WEST ENTRANCE	Security Level:	
Reader:	1.7.6.R2	920 Door 10 WEST ENTRANCE - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.6.I3	920 Door 10 WEST ENTRANCE - DSM	Default reader mode:	Card Only
REX 1:	1.7.6.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.6.O3	920 Door 10 WEST ENTRANCE - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.7.D19	920 Door 88 JP-3 2nd Flr. Waiting Rm	Security Level:	
Reader:	1.7.8.R1	920 Door 88 JP-3 2nd Flr. Waiting Rm - I	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.8.I1	920 Door 88 JP-3 2nd Flr. Waiting Rm - D	Default reader mode:	Card Only
REX 1:	1.7.8.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.8.O1	920 Door 88 JP-3 2nd Flr. Waiting Rm - L	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.7.D20	920 Door 82 JP3-2 BREAKROOM	Security Level:	
Reader:	1.7.8.R2	920 Door 82 JP3-2 BREAKROOM - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.8.I3	920 Door 82 JP3-2 BREAKROOM - DSM	Default reader mode:	Card Only
REX 1:	1.7.8.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.8.O3	920 Door 82 JP3-2 BREAKROOM - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.7.D21	920 Door 50 CONSTABLE PCT.#3	Security Level:	
Reader:	1.7.9.R1	920 Door 50 CONSTABLE PCT.#3 - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.9.I1	920 Door 50 CONSTABLE PCT.#3 - DSM	Default reader mode:	Card Only
REX 1:	1.7.9.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.9.O1	920 Door 50 CONSTABLE PCT.#3 - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.7.D23	920 Door 57-JP 3-1	Security Level:	
Reader:	1.7.10.R1	920 Door 57-JP 3-1 - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.10.I1	920 Door 57-JP 3-1 - DSM	Default reader mode:	Card Only
REX 1:	1.7.10.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.10.O1	920 Door 57-JP 3-1 - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.7.D24	920 Door 47-JP 3-2	Security Level:	
Reader:	1.7.10.R2	920 Door 47-JP 3-2 - Reader	Close Delay (shunt time):	45 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.10.I3	920 Door 47-JP 3-2 - DSM	Default reader mode:	Card Only
REX 1:	1.7.10.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.10.O3	920 Door 47-JP 3-2 - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.7.D25	TCD 920 BLDG. Tax Office	Security Level:	NORMAL
Reader:	1.7.12.R1		Close Delay (shunt time):	5 Sec. A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	0-no impact
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 0 Sec.
Door:	1.7.D26	TCD 920 BLDG. Constable	Security Level:	NORMAL
Reader:	1.7.13.R1		Close Delay (shunt time):	5 Sec. A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	0-no impact
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 0 Sec.
Door:	1.7.D27	920 Door 8 RECORDS STOREROOM	Security Level:	NORMAL
Reader:	1.7.16.R1	920 Door 8 RECORDS STOREROOM -	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.7.16.I1	920 Door 8 RECORDS STOREROOM - L	Default reader mode:	Card Only
REX 1:	1.7.16.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	2-cut short on close
Strike:	1.7.16.O1	920 Door 8 RECORDS STOREROOM - L	Strike Time:	7 Sec. A.D.A. 20 Sec.
Door:	1.7.D28	920 Door PP6 Facilities Maint Shop + Rol	Security Level:	NORMAL
Reader:	1.7.17.R1	920 Door PP6 Facilities Maint Shop + Rc	Close Delay (shunt time):	25 Sec. A.D.A. 10 Sec.
Door Contact:	1.7.17.I1	920 Door PP6 Facilities Maint Shop + Rol	Default reader mode:	Card Only
REX 1:	1.7.17.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.7.17.O1	920 Door PP6 Facilities Maint Shop + Rol	Strike Time:	5 Sec. A.D.A. 10 Sec.
Door:	1.7.D29	920 Door PP7 Homeland Security Storage	Security Level:	NORMAL
Reader:	1.7.17.R2	920 Door PP7 Homeland Security Storage	Close Delay (shunt time):	25 Sec. A.D.A. 10 Sec.
Door Contact:	1.7.17.I3	920 Door PP7 Homeland Security Storage	Default reader mode:	Card Only
REX 1:	1.7.17.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	2-cut short on close
Strike:	1.7.17.O3	920 Door PP7 Homeland Security Storage	Strike Time:	1 Sec. A.D.A. 10 Sec.

Door:	1.7.D31	920 Door 81 Constable's Back Dr	Security Level:	NORMAL	
Reader:	1.7.9.R2	920 Door 81 Constable's Back Dr - Reac	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.7.9.I7	920 Door 81 Constable's Back Dr - DSM	Default reader mode:	Card Only	
REX 1:	1.7.9.I8		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	2-cut short on close	
Strike:	1.7.9.O5	920 Door 81 Constable's Back Dr - Lock	Strike Time:	5 Sec.	A.D.A. 21 Sec.
Door:	1.7.D32	920 Door 39 Tax & Tag	Security Level:	NORMAL	
Reader:	1.7.18.R1	920 Door 39 Tax & Tag - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.7.18.I1	920 Door 39 Tax & Tag - DSM	Default reader mode:	Card Only	
REX 1:	1.7.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.18.O1	920 Door 39 Tax & Tag - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.7.D33	920 Door PP80 Evidence Storage Consta	Security Level:	NORMAL	
Reader:	1.7.19.R1	920 Door PP80 Evidence Storage Const	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.7.19.I1	920 Door PP80 Evidence Storage Consta	Default reader mode:	Card Only	
REX 1:	1.7.19.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.19.O1	920 Door PP80 Evidence Storage Consta	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.7.D34	920 Door 51 Judges Entry JP-3-2	Security Level:	NORMAL	
Reader:	1.7.20.R1	920 Door 51 Judges Entry JP-3-2 - Reac	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.7.20.I1	920 Door 51 Judges Entry JP-3-2 - DSM	Default reader mode:	None	
REX 1:	1.7.20.I2		Offline reader mode:	None	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.20.O1	920 Door 51 Judges Entry JP-3-2 - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.7.D35	920 Door 52 Public Entry JP-3-2	Security Level:	NORMAL	
Reader:	1.7.20.R2	920 Door 52 Public Entry JP-3-2 - Read	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.7.11.I5	920 Door 52 Public Entry JP-3-2 - DSM	Default reader mode:	None	
REX 1:	1.7.11.I6		Offline reader mode:	None	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.11.O4	920 Door 52 Public Entry JP-3-2 - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.

Door:	1.7.D36	920 Door 60 Judges Entry JP-3-1	Security Level:	NORMAL	
Reader:	1.7.21.R1	920 Door 60 Judges Entry JP-3-1 - Reac	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.7.21.I1	920 Door 60 Judges Entry JP-3-1 - DSM	Default reader mode:	None	
REX 1:	1.7.21.I2		Offline reader mode:	None	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.21.O1	920 Door 60 Judges Entry JP-3-1 - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.7.D37	920 Door 61 Public Entry JP-3-1	Security Level:	NORMAL	
Reader:	1.7.21.R2	920 Door 61 Public Entry JP-3-1 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.7.11.I7	920 Door 61 Public Entry JP-3-1 - DSM	Default reader mode:	None	
REX 1:	1.7.11.I8		Offline reader mode:	None	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.11.O5	920 Door 61 Public Entry JP-3-1 - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.7.D38	920 Door 74 Constables Public Entry	Security Level:	NORMAL	
Reader:	1.7.19.R2	920 Door 74 Constables Public Entry - R	Close Delay (shunt time):	10 Sec.	A.D.A. 10 Sec.
Door Contact:	1.7.19.I3	920 Door 74 Constables Public Entry - DSM	Default reader mode:	Card Only	
REX 1:	1.7.19.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.7.2.I8		Strike Mode:	1-cut short on open	
Strike:	1.7.19.O3	920 Door 74 Constables Public Entry - Lock	Strike Time:	20 Sec.	A.D.A. 20 Sec.
Door:	1.7.D40	920 Door 79 Constables Back	Security Level:	NORMAL	
Reader:	1.7.22.R1	920 Door 79 Constables Back - Reader	Close Delay (shunt time):	10 Sec.	A.D.A. 10 Sec.
Door Contact:	1.7.22.I1	920 Door 79 Constables Back - DSM	Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.22.O1	920 Door 79 Constables Back - Lock	Strike Time:	20 Sec.	A.D.A. 20 Sec.
Door:	1.7.D41	920 Door 55 Court Offices	Security Level:	NORMAL	
Reader:	1.7.22.R2	920 Door 55 Court Offices - Reader	Close Delay (shunt time):	10 Sec.	A.D.A. 10 Sec.
Door Contact:	1.7.22.I3	920 Door 55 Court Offices - DSM	Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.7.22.O3	920 Door 55 Court Offices - Lock	Strike Time:	20 Sec.	A.D.A. 20 Sec.
Door:	1.8.D1	TCD Medical Exam	Security Level:	NORMAL	
Reader:	1.8.1.R1	TCD Medical Exam - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 45 Sec.

Door:	1.8.D2	Property Storage	Security Level:	NORMAL	
Reader:	1.8.2.R1	Property Storage - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.8.2.I1	Property Storage - DSM	Default reader mode:	Card Only	
REX 1:	1.8.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.8.2.O1	Property Storage - Lock	Strike Time:	10 Sec.	A.D.A. 20 Sec.
Door:	1.9.D1	TCD JP-4 Frisco	Security Level:	NORMAL	
Reader:	1.9.1.R1	TCD JP-4 Frisco - Reader	Close Delay (shunt time):	0 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 45 Sec.
Door:	1.9.D2	Frisco East Back Door F115A	Security Level:	NORMAL	
Reader:	1.9.2.R1	Frisco East Back Door F115A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.9.2.I1	Frisco East Back Door F115A - DSM	Default reader mode:	Card Only	
REX 1:	1.9.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.9.2.O1	Frisco East Back Door F115A - Lock	Strike Time:	5 Sec.	A.D.A. 22 Sec.
Door:	1.9.D3	Frisco East Hall Door F119	Security Level:	NORMAL	
Reader:	1.9.2.R2	Frisco East Hall Door F119 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.9.2.I3	Frisco East Hall Door F119 - DSM	Default reader mode:	Card Only	
REX 1:	1.9.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.9.2.O3	Frisco East Hall Door F119 - Lock	Strike Time:	5 Sec.	A.D.A. 22 Sec.
Door:	1.9.D4	Frisco West Back Door F115B	Security Level:	NORMAL	
Reader:	1.9.3.R1	Frisco West Back Door F115B - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.9.3.I1	Frisco West Back Door F115B - DSM	Default reader mode:	Card Only	
REX 1:	1.9.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.9.3.O1	Frisco West Back Door F115B - Lock	Strike Time:	5 Sec.	A.D.A. 22 Sec.

Door:	1.9.D5	Frisco JP-4 Evidence Storage	Security Level:	NORMAL	
Reader:	1.9.4.R1	Frisco JP-4 Evidence Storage - Reader	Close Delay (shunt time):	30 Sec.	A.D.A. 15 Sec.
Door Contact:	1.9.4.I1	Frisco JP-4 Evidence Storage - DSM	Default reader mode:	Card Only	
REX 1:	1.9.4.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.9.4.O1	Frisco JP-4 Evidence Storage - Lock	Strike Time:	5 Sec.	A.D.A. 37 Sec.
Door:	1.10.D1	TCD Frisco Tax Office	Security Level:	NORMAL	
Reader:	1.10.2.R1	TCD Frisco Tax Office - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.13.D1	SOUTHWEST GATE ENTRY	Security Level:		
Reader:	1.13.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.13.1.I1		Default reader mode:	Card Only	
REX 1:	1.13.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.13.1.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.13.D2	#3 P.W. -Public Entry Lobby- DLR	Security Level:		
Reader:	1.13.2.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.13.2.I1		Default reader mode:	Card Only	
REX 1:	1.13.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.13.2.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.13.D3	#1 P.W.-FRONT ENTRY	Security Level:	NORMAL	
Reader:	1.13.2.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.13.2.I3		Default reader mode:	Card Only	
REX 1:	1.13.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.13.2.O3		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.13.D4	PW Southwest #17	Security Level:		
Reader:	1.13.3.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.13.3.I1		Default reader mode:	Card Only	
REX 1:	1.13.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.13.3.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.

Door:	1.13.D5	PW West Walk Thru	Security Level:	
Reader:	1.13.3.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.13.3.I3		Default reader mode:	Card Only
REX 1:	1.13.3.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.13.3.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.13.D6	#69 P.W. FUEL TECH ENTRY	Security Level:	NORMAL
Reader:	1.13.4.R1		Close Delay (shunt time):	30 Sec. A.D.A. 20 Sec.
Door Contact:	1.13.4.I1		Default reader mode:	Card Only
REX 1:	1.13.4.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.13.4.O1		Strike Time:	15 Sec. A.D.A. 20 Sec.
Door:	1.13.D7	#20 P.W. West Entry	Security Level:	
Reader:	1.13.4.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.13.4.I3		Default reader mode:	Card Only
REX 1:	1.13.4.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.13.4.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.13.D8	#67 P.W Parts Room	Security Level:	
Reader:	1.13.5.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.13.5.I1		Default reader mode:	Card Only
REX 1:	1.13.5.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.13.5.O1		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.13.D9	#36 P.W Parts Delivery-East No Reader	Security Level:	
Reader:	1.13.5.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.13.5.I3		Default reader mode:	Card Only
REX 1:	1.13.5.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.13.5.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.13.D10	#55 P.W Shop Entrance East	Security Level:	
Reader:	1.13.6.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.13.6.I1		Default reader mode:	Card Only
REX 1:	1.13.6.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.13.6.O1		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.13.D11	#56 P.W Shop Entrance West	Security Level:	
Reader:	1.13.6.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.13.6.I3		Default reader mode:	Card Only
REX 1:	1.13.6.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.13.6.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.13.D12	PW-East Slider Gate	Security Level:	
Reader:	1.13.10.R1	PW-East Slider Gate - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	1.13.10.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	0-no impact
Strike:	1.13.10.O1	PW-East Slider Gate - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.13.D13	TCD Public Works Admin	Security Level:	NORMAL
Reader:	1.13.8.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Locked
REX 1:	(none)		Offline reader mode:	Locked
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 24 Sec.
Door:	1.13.D14	TCD Public Works Red Barn	Security Level:	NORMAL
Reader:	1.13.9.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Locked
REX 1:	(none)		Offline reader mode:	Locked
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 25 Sec.
Door:	1.13.D15	PW East Ped Gate	Security Level:	NORMAL
Reader:	1.13.10.R2	PW East Ped Gate - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.13.10.I3	PW East Ped Gate - DSM	Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	0-no impact
Strike:	1.13.10.O3	PW East Ped Gate - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.14.D1	Door #117-HCA North Front	Security Level:	
Reader:	1.14.1.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.1.I1		Default reader mode:	Card Only
REX 1:	1.14.1.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.1.O1		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D2	HCA # 116 Immunization Lobby Entry	Security Level:	NORMAL
Reader:	1.14.1.R2	HCA # 116 Immunization Lobby Entry - F	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.1.I3	HCA # 116 Immunization Lobby Entry - D	Default reader mode:	Card Only
REX 1:	1.14.1.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	0-no impact
Strike:	1.14.1.O3	HCA # 116 Immunization Lobby Entry - Lc	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D3	HCA # 98 Immunization Exam Room Entr	Security Level:	
Reader:	1.14.2.R1	HCA # 98 Immunization Exam Room Eni	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.2.I1	HCA # 98 Immunization Exam Room Entr	Default reader mode:	Card Only
REX 1:	1.14.2.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.2.O1	HCA # 98 Immunization Exam Room Entr	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D4	HCA #114 Employee Health Exam Entry	Security Level:	NORMAL
Reader:	1.14.2.R2	HCA #114 Employee Health Exam Entry	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.2.I3	HCA #114 Employee Health Exam Entry -	Default reader mode:	Card Only
REX 1:	1.14.2.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.2.O3	HCA #114 Employee Health Exam Entry -	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D5	HCA #16 Rear Entrance	Security Level:	
Reader:	1.14.11.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.11.I1	HCA #16 Rear Entrance	Default reader mode:	Card Only
REX 1:	1.14.11.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.11.O1		Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.14.D6	HCA #17 SO Evidence Int.	Security Level:	
Reader:	1.14.11.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.11.I3		Default reader mode:	Card Only
REX 1:	1.14.11.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.11.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D7	HCA #12 By South Over Head Door	Security Level:	
Reader:	1.14.12.R1	HCA #12 By South Over Head Door - Re	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.12.I1	HCA #12 By South Over Head Door - DSI	Default reader mode:	Card Only
REX 1:	1.14.12.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.12.O1	HCA #12 By South Over Head Door - Loc	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D8	HCA -#38 WIC Pat.Entrance	Security Level:	
Reader:	1.14.13.R1		Close Delay (shunt time):	45 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.13.I1		Default reader mode:	Card Only
REX 1:	1.14.13.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.13.O1		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D9	HCA #93 WIC Admin	Security Level:	NORMAL
Reader:	1.14.13.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.13.I3		Default reader mode:	Card Only
REX 1:	1.14.13.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.13.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D10	HCA Not Used	Security Level:	
Reader:	1.14.14.R1	HCA Not Used - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.14.I1	HCA Not Used - DSM	Default reader mode:	Card Only
REX 1:	1.14.14.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.14.O1	HCA Not Used - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D11	North Hall Hc 118	Security Level:	
Reader:	1.14.15.R1	North Hall Hc 118 - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.15.I1	North Hall Hc 118 - DSM	Default reader mode:	Card Only
REX 1:	1.14.15.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.15.O1	North Hall Hc 118 - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.14.D12	AG Extension HC 122	Security Level:	
Reader:	1.14.15.R2	AG Extension HC 122 - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.15.I3	AG Extension HC 122 - DSM	Default reader mode:	Card Only
REX 1:	1.14.15.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.15.O3	AG Extension HC 122 - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D13	TABC Hallway HC 119	Security Level:	
Reader:	1.14.16.R1	TABC Hallway HC 119 - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.16.I1	TABC Hallway HC 119 - DSM	Default reader mode:	Card Only
REX 1:	1.14.16.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.16.O1	TABC Hallway HC 119 - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D14	TABC Hallway HC 119- OUT	Security Level:	
Reader:	1.14.16.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.-1.I-1		Default reader mode:	Facility Code Mode
REX 1:	1.14.-1.I-1		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.-1.O-1		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D15	HCA #55 TB Storage	Security Level:	
Reader:	1.14.17.R1	HCA #55 TB Storage - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.17.I1	HCA #55 TB Storage - DSM	Default reader mode:	Card Only
REX 1:	1.14.17.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.17.O1	HCA #55 TB Storage - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D16	HCA# 149 Refrig. Room	Security Level:	NORMAL
Reader:	1.14.17.R2	HCA# 149 Refrig. Room - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.17.I3	HCA# 149 Refrig. Room - DSM	Default reader mode:	Card Only
REX 1:	1.14.17.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.17.O3	HCA# 149 Refrig. Room - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.14.D17	HCA-HCA #222	Security Level:		
Reader:	1.14.18.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.18.I1		Default reader mode:	Card Only	
REX 1:	1.14.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.18.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.14.D18	HCA #27 Hall	Security Level:		
Reader:	1.14.18.R2	HCA #27 Hall - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.18.I3	HCA #27 Hall - DSM	Default reader mode:	Card Only	
REX 1:	1.14.18.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.18.O3	HCA #27 Hall - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.14.D19	HCA #66- Equipment Rm	Security Level:		
Reader:	1.14.19.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.19.I1		Default reader mode:	Card Only	
REX 1:	1.14.19.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.19.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.14.D20	HCA #147	Security Level:		
Reader:	1.14.20.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.20.I1		Default reader mode:	Card Only	
REX 1:	1.14.20.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.20.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.14.D21	HCA-#150	Security Level:		
Reader:	1.14.20.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.20.I3		Default reader mode:	Card Only	
REX 1:	1.14.20.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.20.O3		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.14.D22	Door #109-HCA Hall By Breakroom	Security Level:		
Reader:	1.14.3.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.3.I1		Default reader mode:	Card Only	
REX 1:	1.14.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.3.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.

Door:	1.14.D23	Door #25 HCA North Hallway to HCA	Security Level:	
Reader:	1.14.3.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.3.I3		Default reader mode:	Card Only
REX 1:	1.14.3.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.3.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D24	READER-HCA- #14	Security Level:	
Reader:	1.14.21.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.21.I1		Default reader mode:	Card Only
REX 1:	1.14.21.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.21.O1		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D25	READER-HCA- #10	Security Level:	
Reader:	1.14.21.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.21.I3		Default reader mode:	Card Only
REX 1:	1.14.21.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.21.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D26	Door #85-HCA Hall Back of Eng & Dev.	Security Level:	
Reader:	1.14.4.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.4.I1		Default reader mode:	Card Only
REX 1:	1.14.4.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.4.O1		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D27	Door- #19 HCA Hallway Door Nurses Offi	Security Level:	
Reader:	1.14.5.R1		Close Delay (shunt time):	45 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.5.I1		Default reader mode:	Card Only
REX 1:	1.14.5.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.5.O1		Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.14.D28	Door #62 HCA Lab Entrance	Security Level:	
Reader:	1.14.5.R2	Door #62 HCA Lab Entrance - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.5.I3	Door #62 HCA Lab Entrance - DSM	Default reader mode:	Card Only
REX 1:	1.14.5.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.5.O3	Door #62 HCA Lab Entrance - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D29	HCA # 44 Hallway Pat. Entrance	Security Level:	
Reader:	1.14.6.R1	HCA # 44 Hallway Pat. Entrance - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.6.I1	HCA # 44 Hallway Pat. Entrance - DSM	Default reader mode:	Card Only
REX 1:	1.14.6.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.6.O1	HCA # 44 Hallway Pat. Entrance - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D30	HCA # 220 Staff Only Entrance	Security Level:	
Reader:	1.14.6.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.6.I3		Default reader mode:	Card Only
REX 1:	1.14.6.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.6.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D31	HCA# 47 TB Corridor 185	Security Level:	
Reader:	1.14.7.R1	HCA# 47 TB Corridor 185 - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.7.I1	HCA# 47 TB Corridor 185 - DSM	Default reader mode:	Card Only
REX 1:	1.14.7.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.7.O1	HCA# 47 TB Corridor 185 - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D32	HCA #53-HCA Old Employee Entry	Security Level:	
Reader:	1.14.7.R2	HCA #53-HCA Old Employee Entry - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.7.I3	HCA #53-HCA Old Employee Entry - DSM	Default reader mode:	Card Only
REX 1:	1.14.7.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.7.O3	HCA #53-HCA Old Employee Entry - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D33	#49 -HCA Health Care Entrance	Security Level:	
Reader:	1.14.8.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.8.I1		Default reader mode:	Card Only
REX 1:	1.14.8.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.8.O1		Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.14.D34	#201 HCA-WIC Front Entrance	Security Level:	
Reader:	1.14.8.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.8.I3		Default reader mode:	Card Only
REX 1:	1.14.8.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.8.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D35	HCA #75 HEALTHCARE	Security Level:	NORMAL
Reader:	1.14.9.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.9.I1		Default reader mode:	Card Only
REX 1:	1.14.9.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.9.O1		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D36	HCA #1 Records Entrance	Security Level:	
Reader:	1.14.9.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.9.I3		Default reader mode:	Card Only
REX 1:	1.14.9.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	0-no impact
Strike:	1.14.9.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D37	HCA #70 SO Evidence Exit	Security Level:	NORMAL
Reader:	1.14.10.R1	HCA #70 SO Evidence Exit - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.10.I1	HCA #70 SO Evidence Exit - DSM	Default reader mode:	Card Only
REX 1:	1.14.10.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.10.O1	HCA #70 SO Evidence Exit - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.14.D38	HCA #73 Purchasing Warehouse	Security Level:	NORMAL
Reader:	1.14.10.R2		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.14.10.I3	HCA #73 Purchasing Warehouse - DSM	Default reader mode:	Card Only
REX 1:	1.14.10.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.14.10.O3		Strike Time:	5 Sec. A.D.A. 20 Sec.

Door:	1.14.D39	TCD Health Care Records	Security Level:	NORMAL	
Reader:	1.14.22.R1		Close Delay (shunt time):	5 Sec.	A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	1 Sec.	A.D.A. 10 Sec.
Door:	1.14.D40	TCD Healthcare WIC	Security Level:	NORMAL	
Reader:	1.14.23.R1		Close Delay (shunt time):	5 Sec.	A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	1 Sec.	A.D.A. 11 Sec.
Door:	1.14.D41	TCD Healthcare "Healthcare"	Security Level:	NORMAL	
Reader:	1.14.24.R1		Close Delay (shunt time):	5 Sec.	A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	1 Sec.	A.D.A. 12 Sec.
Door:	1.14.D42	TCD Healthcare "Engineering"	Security Level:	NORMAL	
Reader:	1.14.25.R1		Close Delay (shunt time):	5 Sec.	A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	1 Sec.	A.D.A. 13 Sec.
Door:	1.14.D43	HCA #45 Checkin Office	Security Level:	NORMAL	
Reader:	1.14.26.R1	HCA #45 Checkin Office - Reader	Close Delay (shunt time):	0 Sec.	A.D.A. 15 Sec.
Door Contact:	1.14.26.I1	HCA #45 Checkin Office - DSM	Default reader mode:	Card Only	
REX 1:	1.14.26.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.26.O1	HCA #45 Checkin Office - Lock	Strike Time:	5 Sec.	A.D.A. 37 Sec.
Door:	1.14.D44	TCD	Security Level:	NORMAL	
Reader:	1.14.27.R1	TCD - Reader	Close Delay (shunt time):	5 Sec.	A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	1 Sec.	A.D.A. 11 Sec.

Door:	1.14.D45	HCA # 115 Immunization Clerks	Security Level:	NORMAL	
Reader:	1.14.28.R2	HCA # 115 Immunization Clerks - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.28.I3	HCA # 115 Immunization Clerks - DSM	Default reader mode:	Card Only	
REX 1:	1.14.28.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.28.O3	HCA # 115 Immunization Clerks - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.14.D46	HCA Dental/STD Waiting Door N29	Security Level:	NORMAL	
Reader:	1.14.28.R1	HCA Dental/STD Waiting Door N29 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.28.I1	HCA Dental/STD Waiting Door N29 - DSM	Default reader mode:	Card Only	
REX 1:	1.14.28.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.28.O1	HCA Dental/STD Waiting Door N29 - Lock	Strike Time:	10 Sec.	A.D.A. 20 Sec.
Door:	1.14.D47	HCA # 91 Immunization Hall	Security Level:	NORMAL	
Reader:	1.14.29.R1	HCA # 91 Immunization Hall - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.29.I1	HCA # 91 Immunization Hall - DSM	Default reader mode:	Card Only	
REX 1:	1.14.29.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.29.O1	HCA # 91 Immunization Hall - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.14.D48	HCA # 106 Employee Health Hall	Security Level:	NORMAL	
Reader:	1.14.29.R2	HCA # 106 Employee Health Hall - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.29.I3	HCA # 106 Employee Health Hall - DSM	Default reader mode:	Card Only	
REX 1:	1.14.29.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.29.O3	HCA # 106 Employee Health Hall - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.14.D50	HCA # 89 Vaccine Storage	Security Level:	NORMAL	
Reader:	1.14.30.R1	HCA # 89 Vaccine Storage - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.30.I1	HCA # 89 Vaccine Storage - DSM	Default reader mode:	Card Only	
REX 1:	1.14.30.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.30.O1	HCA # 89 Vaccine Storage - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.

Door:	1.14.D52	HCA Conference 111	Security Level:	NORMAL	
Reader:	1.14.31.R1	HCA Conference 111 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.31.I1	HCA Conference 111 - DSM	Default reader mode:	Card Only	
REX 1:	1.14.31.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.31.O1	HCA Conference 111 - Lock	Strike Time:	30 Sec.	A.D.A. 79 Sec.
Door:	1.14.D53	HCA Conference 112	Security Level:	NORMAL	
Reader:	1.14.31.R2	HCA Conference 112 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.14.31.I3	HCA Conference 112 - DSM	Default reader mode:	Card Only	
REX 1:	1.14.31.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.14.31.O3	HCA Conference 112 - Lock	Strike Time:	30 Sec.	A.D.A. 79 Sec.
Door:	1.15.D1	CC Elections #103	Security Level:		
Reader:	1.15.2.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.15.2.I1		Default reader mode:	Card Only	
REX 1:	1.15.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.15.2.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.15.D2	CC Elections #100A Main Entry	Security Level:	NORMAL	
Reader:	1.15.2.R2	CC Elections #100A Main Entry - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.15.2.I3	CC Elections #100A Main Entry - DSM	Default reader mode:	Card Only	
REX 1:	1.15.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.15.2.O3	CC Elections #100A Main Entry - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.15.D3	CC Elections Tabulation Room #109	Security Level:	NORMAL	
Reader:	1.15.3.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.15.3.I1		Default reader mode:	Card Only	
REX 1:	1.15.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.15.3.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.15.D4	CC Elections Data Room #112	Security Level:	NORMAL	
Reader:	1.15.3.R2	CC Elections Data Room #112 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.15.3.I3	CC Elections Data Room #112 - DSM	Default reader mode:	Card Only	
REX 1:	1.15.3.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.15.3.O3	CC Elections Data Room #112 - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.

Door:	1.15.D5	CC Elections Office #104	Security Level:	NORMAL	
Reader:	1.15.4.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.15.4.I1		Default reader mode:	Card Only	
REX 1:	1.15.4.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.15.4.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.15.D6	CC Elections Office Tabulation Room #11	Security Level:		
Reader:	1.15.4.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.15.4.I3		Default reader mode:	Card Only	
REX 1:	1.15.4.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.15.4.O3		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.15.D7	CC Elections #100B	Security Level:	NORMAL	
Reader:	1.15.5.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.15.5.I1		Default reader mode:	Card Only	
REX 1:	1.15.5.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.15.5.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.15.D8	TCD Elections	Security Level:	NORMAL	
Reader:	1.15.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Locked	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	1 Sec.	A.D.A. 26 Sec.
Door:	1.15.D9	CC Elections Addition Door 11 Tabulation	Security Level:	NORMAL	
Reader:	1.15.8.R1	CC Elections Addition Door 11 Tabulation	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.15.8.I1	CC Elections Addition Door 11 Tabulation	Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.15.8.O1	CC Elections Addition Door 11 Tabulation	Strike Time:	5 Sec.	A.D.A. 39 Sec.

Door:	1.15.D10	CC Elections Addition Door 12 Tabulation	Security Level:	NORMAL	
Reader:	1.15.8.R2	CC Elections Addition Door 12 Tabulation	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.15.8.I3	CC Elections Addition Door 12 Tabulation	Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.15.8.O3	CC Elections Addition Door 12 Tabulation	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.15.D11	CC Elections Addition Door 5 Office/Work	Security Level:	NORMAL	
Reader:	1.15.7.R2	CC Elections Addition Door 5 Office/Wor	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.15.7.I3	CC Elections Addition Door 5 Office/Work	Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.15.7.O3	CC Elections Addition Door 5 Office/Work	Strike Time:	5 Sec.	A.D.A. 39 Sec.
Door:	1.15.D12	CC Elections Addition Door 4 to Old Elect	Security Level:	NORMAL	
Reader:	1.15.7.R1	CC Elections Addition Door 4 to Old Elec	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.15.7.I1	CC Elections Addition Door 4 to Old Elect	Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.15.7.O1	CC Elections Addition Door 4 to Old Elect	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.15.D13	CC Elections Addition Door 8 Elections	Security Level:	NORMAL	
Reader:	1.15.6.R2	CC Elections Addition Door 8 Elections -	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.15.6.I3	CC Elections Addition Door 8 Elections - I	Default reader mode:	Card Only	
REX 1:	1.15.6.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.15.6.O3	CC Elections Addition Door 8 Elections - I	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.15.D14	CC Elections Addition Door E2 Warehous	Security Level:	NORMAL	
Reader:	1.15.9.R1	CC Elections Addition Door E2 Warehou	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.15.9.I1	CC Elections Addition Door E2 Warehous	Default reader mode:	Facility Code Mode	
REX 1:	1.15.9.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.15.9.O1	CC Elections Addition Door E2 Warehous	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.15.D15	CC Elections Addition Front Door 1	Security Level:	NORMAL	
Reader:	1.15.6.R1	CC Elections Addition Front Door 1 - Re	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.15.6.I1	CC Elections Addition Front Door 1 - DSM	Default reader mode:	Card Only	
REX 1:	1.15.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.15.6.O1	CC Elections Addition Front Door 1 - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.

Door:	1.16.D1	TCD Farmersville	Security Level:	NORMAL	
Reader:	1.16.8.R1	TCD Farmersville - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.16.8.O1	TCD Farmersville - Lock	Strike Time:	5 Sec.	A.D.A. 21 Sec.
Door:	1.17.D1	Animal Shelter Door 101C Reader	Security Level:	NORMAL	
Reader:	1.17.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.17.1.I1		Default reader mode:	Card Only	
REX 1:	1.17.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.17.1.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.17.D2	Animal Shelter Door 117 Reader	Security Level:		
Reader:	1.17.2.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.17.2.I1		Default reader mode:	Card Only	
REX 1:	1.17.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.17.2.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.17.D3	Animal Shelter Door 119 Reader	Security Level:		
Reader:	1.17.3.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.17.3.I1		Default reader mode:	Card Only	
REX 1:	1.17.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.17.3.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.17.D4	Animal Shelter Door 201 Reader	Security Level:	NORMAL	
Reader:	1.17.4.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.17.4.I1		Default reader mode:	Card Only	
REX 1:	1.17.4.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.17.4.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.

Door:	1.17.D5	Animal Shelter Door 128 Reader	Security Level:	NORMAL	
Reader:	1.17.5.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.17.5.I1		Default reader mode:	Card Only	
REX 1:	1.17.5.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.17.5.O1		Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.17.D6	Animal Shelter Front Entry Gate Reader	Security Level:		
Reader:	1.17.6.R1	Animal Shelter Front Entry Gate Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.17.6.I1	Animal Shelter Front Entry Gate Reader -	Default reader mode:	Card Only	
REX 1:	1.17.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.17.6.O1	Animal Shelter Front Entry Gate Reader -	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.17.D7	Animal Shelter Sally Port	Security Level:		
Reader:	1.17.7.R1	Animal Shelter Sally Port - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.17.7.I1	Animal Shelter Sally Port - DSM	Default reader mode:	Card Only	
REX 1:	1.17.7.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.17.7.O1	Animal Shelter Sally Port - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.17.D8	Animal Shelter Main Rear Gate	Security Level:		
Reader:	1.17.7.R2	Animal Shelter Main Rear Gate - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.17.7.I3	Animal Shelter Main Rear Gate - DSM	Default reader mode:	Card Only	
REX 1:	1.17.7.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.17.7.O3	Animal Shelter Main Rear Gate - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.17.D9	TCD Animal Shelter	Security Level:	NORMAL	
Reader:	1.17.9.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Locked	
REX 1:	(none)		Offline reader mode:	Locked	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	1 Sec.	A.D.A. 23 Sec.
Door:	1.18.D1	TCD Sheriff's Office Loading Dock	Security Level:	NORMAL	
Reader:	1.18.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Locked	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	1 Sec.	A.D.A. 27 Sec.

Door:	1.18.D2	TCD Sheriff's Office Detention BC	Security Level:	
Reader:	1.18.2.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Locked
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 28 Sec.
Door:	1.18.D3	TCD Sheriff's Office Detention Locker Ro	Security Level:	
Reader:	1.18.3.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Locked
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 29 Sec.
Door:	1.18.D4	TCD Sheriff's Office Admin/HLS	Security Level:	
Reader:	1.18.4.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Locked
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 30 Sec.
Door:	1.18.D5	TCD Sheriff's Office Admin.	Security Level:	
Reader:	1.18.5.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Locked
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 31 Sec.
Door:	1.18.D6	TCD Sheriff's Office CID	Security Level:	
Reader:	1.18.6.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Locked
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 32 Sec.

Door:	1.18.D7	TCD Sheriff's Office Det. Officers/Patrol	Security Level:	
Reader:	1.18.7.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Locked
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 33 Sec.
Door:	1.18.D8	TCD Sheriff's Garage Level Office Admin.	Security Level:	
Reader:	1.18.8.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Locked
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 34 Sec.
Door:	1.19.D1	TCD Minumum Security	Security Level:	NORMAL
Reader:	1.19.1.R1		Close Delay (shunt time):	5 Sec. A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	0-no impact
Strike:	(none)		Strike Time:	1 Sec. A.D.A. 20 Sec.
Door:	1.20.D1	TCD Juvenile Facility	Security Level:	NORMAL
Reader:	1.20.1.R1		Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	5 Sec. A.D.A. 23 Sec.
Door:	1.20.D2	Admin Door 105	Security Level:	NORMAL
Reader:	1.20.2.R1	Admin Door 105 - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.20.2.I1	Admin Door 105 - DSM	Default reader mode:	Card Only
REX 1:	1.20.2.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.20.2.O1	Admin Door 105 - Lock	Strike Time:	5 Sec. A.D.A. 20 Sec.
Door:	1.21.D1	Lower Level 00012 "Detention"	Security Level:	NORMAL
Reader:	1.21.1.R1		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.21.1.I1		Default reader mode:	Card Only
REX 1:	1.21.1.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.21.1.O1		Strike Time:	5 Sec. A.D.A. 21 Sec.

Door:	1.21.D2	Lower Level 00048 "Detention"	Security Level:	NORMAL	
Reader:	1.21.2.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.21.2.O1		Strike Time:	5 Sec.	A.D.A. 22 Sec.
Door:	1.21.D3	Lower Level 00048 "Detention"- OUT	Security Level:	NORMAL	
Reader:	1.21.2.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.21.2.O1		Strike Time:	5 Sec.	A.D.A. 22 Sec.
Door:	1.21.D4	Lower Level 00078B stairwell	Security Level:	NORMAL	
Reader:	1.21.3.R1	Lower Level 00078B stairwell - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.3.I1	Lower Level 00078B stairwell - DSM	Default reader mode:	Card Only	
REX 1:	1.21.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I3		Strike Mode:	1-cut short on open	
Strike:	1.21.3.O1	Lower Level 00078B stairwell - Lock	Strike Time:	30 Sec.	A.D.A. 23 Sec.
Door:	1.21.D5	Lower Level 00080 district clerk	Security Level:	NORMAL	
Reader:	1.21.3.R2	Lower Level 00080 district clerk - Reade	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.3.I3	Lower Level 00080 district clerk - DSM	Default reader mode:	Card Only	
REX 1:	1.21.3.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I4		Strike Mode:	1-cut short on open	
Strike:	1.21.3.O3	Lower Level 00080 district clerk - Lock	Strike Time:	30 Sec.	A.D.A. 24 Sec.
Door:	1.21.D6	Lower Level 00086B	Security Level:	NORMAL	
Reader:	1.21.4.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.4.I1		Default reader mode:	Card Only	
REX 1:	1.21.4.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I5		Strike Mode:	1-cut short on open	
Strike:	1.21.4.O1		Strike Time:	25 Sec.	A.D.A. 25 Sec.

Door:	1.21.D7	Lower Level 00086A	Security Level:	NORMAL	
Reader:	1.21.5.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.5.I1		Default reader mode:	Card Only	
REX 1:	1.21.5.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I6		Strike Mode:	1-cut short on open	
Strike:	1.21.5.O1		Strike Time:	30 Sec.	A.D.A. 26 Sec.
Door:	1.21.D8	Lower Level 00090 district clerk	Security Level:	NORMAL	
Reader:	1.21.5.R2	Lower Level 00090 district clerk - Reade	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.5.I3	Lower Level 00090 district clerk - DSM	Default reader mode:	Card Only	
REX 1:	1.21.5.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I7		Strike Mode:	1-cut short on open	
Strike:	1.21.5.O3	Lower Level 00090 district clerk - Lock	Strike Time:	30 Sec.	A.D.A. 27 Sec.
Door:	1.21.D9	Lower Level 00104B/COUNTY CLERK	Security Level:	NORMAL	
Reader:	1.21.6.R1	Lower Level 00104B/COUNTY CLERK -	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.6.I1	Lower Level 00104B/COUNTY CLERK - I	Default reader mode:	Card Only	
REX 1:	1.21.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I8		Strike Mode:	1-cut short on open	
Strike:	1.21.6.O1	Lower Level 00104B/COUNTY CLERK - I	Strike Time:	30 Sec.	A.D.A. 28 Sec.
Door:	1.21.D10	Lower Level 00094/IT	Security Level:	NORMAL	
Reader:	1.21.6.R2	Lower Level 00094/IT - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.6.I3	Lower Level 00094/IT - DSM	Default reader mode:	Card Only	
REX 1:	1.21.6.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I9		Strike Mode:	1-cut short on open	
Strike:	1.21.6.O3	Lower Level 00094/IT - Lock	Strike Time:	30 Sec.	A.D.A. 29 Sec.
Door:	1.21.D11	Lower Level 00104A	Security Level:	NORMAL	
Reader:	1.21.7.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.7.I1		Default reader mode:	Card Only	
REX 1:	1.21.7.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I10		Strike Mode:	1-cut short on open	
Strike:	1.21.7.O1		Strike Time:	30 Sec.	A.D.A. 30 Sec.
Door:	1.21.D12	Lower Level 00088	Security Level:	NORMAL	
Reader:	1.21.7.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.7.I3		Default reader mode:	Card Only	
REX 1:	1.21.7.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I11		Strike Mode:	1-cut short on open	
Strike:	1.21.7.O3		Strike Time:	30 Sec.	A.D.A. 31 Sec.

Door:	1.21.D13	Lower Level 00096	Security Level:	NORMAL	
Reader:	1.21.8.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.8.I1		Default reader mode:	Card Only	
REX 1:	1.21.8.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I12		Strike Mode:	1-cut short on open	
Strike:	1.21.8.O1		Strike Time:	30 Sec.	A.D.A. 32 Sec.
Door:	1.21.D14	Lower Level 00004	Security Level:	NORMAL	
Reader:	1.21.9.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.9.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I13		Strike Mode:	1-cut short on open	
Strike:	1.21.9.O1		Strike Time:	30 Sec.	A.D.A. 33 Sec.
Door:	1.21.D15	Lower Level 00004- OUT	Security Level:	NORMAL	
Reader:	1.21.9.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.9.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I13		Strike Mode:	1-cut short on open	
Strike:	1.21.9.O1		Strike Time:	30 Sec.	A.D.A. 33 Sec.
Door:	1.21.D16	Lower Level 00178	Security Level:	NORMAL	
Reader:	1.21.10.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.10.I1		Default reader mode:	Card Only	
REX 1:	1.21.10.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I14		Strike Mode:	1-cut short on open	
Strike:	1.21.10.O1		Strike Time:	30 Sec.	A.D.A. 22 Sec.
Door:	1.21.D17	Lower Level 00176 Homeland Security	Security Level:	NORMAL	
Reader:	1.21.11.R1	Lower Level 00176 Homeland Security -	Close Delay (shunt time):	5 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.11.I1	Lower Level 00176 Homeland Security - I	Default reader mode:	Card Only	
REX 1:	1.21.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I15		Strike Mode:	1-cut short on open	
Strike:	1.21.11.O1	Lower Level 00176 Homeland Security - I	Strike Time:	30 Sec.	A.D.A. 23 Sec.

Door:	1.21.D18	Lower Level 00112	Security Level:	NORMAL	
Reader:	1.21.12.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.12.I1		Default reader mode:	Card Only	
REX 1:	1.21.12.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.26.I16		Strike Mode:	1-cut short on open	
Strike:	1.21.12.O1		Strike Time:	30 Sec.	A.D.A. 24 Sec.
Door:	1.21.D19	Lower Level 00166b "Detention"	Security Level:	NORMAL	
Reader:	1.21.13.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.21.13.O1		Strike Time:	5 Sec.	A.D.A. 25 Sec.
Door:	1.21.D20	Lower Level 00166a "Detention"	Security Level:	NORMAL	
Reader:	1.21.13.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.21.13.O3		Strike Time:	5 Sec.	A.D.A. 26 Sec.
Door:	1.21.D21	Lower Level 00120a	Security Level:	NORMAL	
Reader:	1.21.14.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.14.I1		Default reader mode:	Card Only	
REX 1:	1.21.14.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.27.I3		Strike Mode:	2-cut short on close	
Strike:	1.21.14.O1		Strike Time:	5 Sec.	A.D.A. 27 Sec.
Door:	1.21.D22	Lower Level 00120a- OUT	Security Level:	NORMAL	
Reader:	1.21.14.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.-1.I-1		Default reader mode:	Card Only	
REX 1:	1.21.-1.I-1		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	2-cut short on close	
Strike:	1.21.-1.O-1		Strike Time:	5 Sec.	A.D.A. 27 Sec.
Door:	1.21.D23	Lower Level Elevator 8 "Front Door"	Security Level:	NORMAL	
Reader:	1.21.31.R1	Lower Level Elevator 8 "Front Door" - Re	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.21.31.O1	Lower Level Elevator 8 "Front Door" - Loc	Strike Time:	5 Sec.	A.D.A. 34 Sec.

Door:	1.21.D24	Lower Level Elevator 8 "Rear Door"	Security Level:	
Reader:	1.21.16.R1		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.21.16.O1		Strike Time:	5 Sec. A.D.A. 35 Sec.
Door:	1.21.D25	Lower Level 00152b "Detention"	Security Level:	NORMAL
Reader:	1.21.17.R1		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.21.17.O1		Strike Time:	5 Sec. A.D.A. 36 Sec.
Door:	1.21.D26	Lower Level 00152b "Detention"- OUT	Security Level:	NORMAL
Reader:	1.21.17.R2		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.21.17.O1		Strike Time:	5 Sec. A.D.A. 36 Sec.
Door:	1.21.D27	Lower Level 00152a "Detention"	Security Level:	NORMAL
Reader:	1.21.18.R1		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.21.18.O1		Strike Time:	5 Sec. A.D.A. 37 Sec.
Door:	1.21.D28	Lower Level 00152a "Detention"- OUT	Security Level:	NORMAL
Reader:	1.21.18.R2		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.21.18.O1		Strike Time:	5 Sec. A.D.A. 37 Sec.

Door: 1.21.D29 Lower Level 00149
Reader: 1.21.19.R1
Door Contact: 1.21.19.I1
REX 1: (none)
REX 2: 1.21.27.I8
Strike: 1.21.19.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 2-cut short on close
Strike Time: 30 Sec. A.D.A. 38 Sec.

Door: 1.21.D30 Lower Level 00149- OUT
Reader: 1.21.19.R2
Door Contact: 1.21.19.I1
REX 1: (none)
REX 2: 1.21.27.I8
Strike: 1.21.19.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 2-cut short on close
Strike Time: 30 Sec. A.D.A. 38 Sec.

Door: 1.21.D31 Lower Level 00148b
Reader: 1.21.20.R1
Door Contact: 1.21.20.I1
REX 1: 1.21.20.I2
REX 2: 1.21.27.I9
Strike: 1.21.20.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 39 Sec.

Door: 1.21.D32 Lower Level 00132b
Reader: 1.21.20.R2
Door Contact: 1.21.20.I3
REX 1: 1.21.20.I4
REX 2: 1.21.27.I10
Strike: 1.21.20.O3

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 40 Sec.

Door: 1.21.D33 Lower Level 00146b
Reader: 1.21.21.R1
Door Contact: 1.21.21.I1
REX 1: 1.21.21.I2
REX 2: 1.21.27.I11
Strike: 1.21.21.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 41 Sec.

Door: 1.21.D34 Lower Level 00140a
Reader: 1.21.21.R2
Door Contact: 1.21.21.I3
REX 1: 1.21.21.I4
REX 2: 1.21.27.I12
Strike: 1.21.21.O3

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 42 Sec.

Door:	1.21.D35	BLCC Lower Level 00134b Exterior	Security Level:	NORMAL	
Reader:	1.21.22.R1	BLCC Lower Level 00134b Exterior - Re	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.22.I1	BLCC Lower Level 00134b Exterior - DSM	Default reader mode:	Card Only	
REX 1:	1.21.22.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.27.I13		Strike Mode:	1-cut short on open	
Strike:	1.21.22.O1	BLCC Lower Level 00134b Exterior - Locl	Strike Time:	30 Sec.	A.D.A. 43 Sec.

Door:	1.21.D36	Lower Level 00134c	Security Level:	NORMAL	
Reader:	1.21.22.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.22.I3		Default reader mode:	Card Only	
REX 1:	1.21.22.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.27.I14		Strike Mode:	1-cut short on open	
Strike:	1.21.22.O3		Strike Time:	30 Sec.	A.D.A. 44 Sec.

Door:	1.21.D37	Lower Level 00138	Security Level:	NORMAL	
Reader:	1.21.23.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.23.I1		Default reader mode:	Card Only	
REX 1:	1.21.23.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.27.I15		Strike Mode:	1-cut short on open	
Strike:	1.21.23.O1		Strike Time:	30 Sec.	A.D.A. 45 Sec.

Door:	1.21.D38	Lower Level 144a	Security Level:	NORMAL	
Reader:	1.21.23.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.23.I3		Default reader mode:	Card Only	
REX 1:	1.21.23.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.27.I16		Strike Mode:	1-cut short on open	
Strike:	1.21.23.O3		Strike Time:	30 Sec.	A.D.A. 46 Sec.

Door:	1.21.D39	Lower Level oo146a	Security Level:	NORMAL	
Reader:	1.21.24.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.21.24.I1		Default reader mode:	Card Only	
REX 1:	1.21.24.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.21.27.I4		Strike Mode:	1-cut short on open	
Strike:	1.21.24.O1		Strike Time:	30 Sec.	A.D.A. 47 Sec.

Door:	1.21.D40	Lower Level 00196 "Detention"	Security Level:	NORMAL	
Reader:	1.21.25.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.21.25.O1		Strike Time:	5 Sec.	A.D.A. 48 Sec.
Door:	1.21.D41	Lower Level 00196 "Detention"- OUT	Security Level:	NORMAL	
Reader:	1.21.25.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.21.25.O1		Strike Time:	5 Sec.	A.D.A. 48 Sec.
Door:	1.21.D43	LL Roll up Door back dock	Security Level:	NORMAL	
Reader:	1.21.31.R2	LL Roll up Door back dock - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.21.31.O2	LL Roll up Door back dock - Lock	Strike Time:	2 Sec.	A.D.A. 2 Sec.
Door:	1.22.D1	1st Level 10102	Security Level:	NORMAL	
Reader:	1.22.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.1.I1		Default reader mode:	Card Only	
REX 1:	1.22.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.22.1.O1		Strike Time:	30 Sec.	A.D.A. 63 Sec.
Door:	1.22.D2	First Level Elec Room 10192	Security Level:	NORMAL	
Reader:	1.22.2.R1	First Level Elec Room 10192 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.2.I1	First Level Elec Room 10192 - DSM	Default reader mode:	Card Only	
REX 1:	1.22.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I3		Strike Mode:	1-cut short on open	
Strike:	1.22.2.O1	First Level Elec Room 10192 - Lock	Strike Time:	30 Sec.	A.D.A. 38 Sec.
Door:	1.22.D3	First Level NW Data Room 10190	Security Level:	NORMAL	
Reader:	1.22.2.R2	First Level NW Data Room 10190 - Reac	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.2.I3	First Level NW Data Room 10190 - DSM	Default reader mode:	Card Only	
REX 1:	1.22.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I2		Strike Mode:	1-cut short on open	
Strike:	1.22.2.O3	First Level NW Data Room 10190 - Lock	Strike Time:	30 Sec.	A.D.A. 39 Sec.

Door:	1.22.D4	First Level 10162a	Security Level:	NORMAL	
Reader:	1.22.3.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.3.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I4		Strike Mode:	1-cut short on open	
Strike:	1.22.3.O1		Strike Time:	30 Sec.	A.D.A. 42 Sec.
Door:	1.22.D5	First Level 10162a- OUT	Security Level:	NORMAL	
Reader:	1.22.3.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.3.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I4		Strike Mode:	1-cut short on open	
Strike:	1.22.3.O1		Strike Time:	30 Sec.	A.D.A. 42 Sec.
Door:	1.22.D6	First Level 10162b	Security Level:	NORMAL	
Reader:	1.22.4.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.4.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I5		Strike Mode:	1-cut short on open	
Strike:	1.22.4.O1		Strike Time:	30 Sec.	A.D.A. 43 Sec.
Door:	1.22.D7	First Level 10162b- OUT	Security Level:	NORMAL	
Reader:	1.22.4.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.4.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I5		Strike Mode:	1-cut short on open	
Strike:	1.22.4.O1		Strike Time:	30 Sec.	A.D.A. 43 Sec.
Door:	1.22.D8	First Level 10122	Security Level:	NORMAL	
Reader:	1.22.5.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.5.I1		Default reader mode:	Card Only	
REX 1:	1.22.5.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I6		Strike Mode:	1-cut short on open	
Strike:	1.22.5.O1		Strike Time:	30 Sec.	A.D.A. 44 Sec.

Door:	1.22.D9	First Level 10234 Demo	Security Level:	NORMAL	
Reader:	1.22.6.R1	First Level 10234 Demo - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.6.I1	First Level 10234 Demo - DSM	Default reader mode:	Card Only	
REX 1:	1.22.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I7		Strike Mode:	1-cut short on open	
Strike:	1.22.6.O1	First Level 10234 Demo - Lock	Strike Time:	30 Sec.	A.D.A. 45 Sec.
Door:	1.22.D10	First Level Electrical Room #10278	Security Level:	NORMAL	
Reader:	1.22.7.R1	First Level Electrical Room #10278 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.7.I1	First Level Electrical Room #10278 - DSM	Default reader mode:	Card Only	
REX 1:	1.22.7.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I8		Strike Mode:	1-cut short on open	
Strike:	1.22.7.O1	First Level Electrical Room #10278 - Lock	Strike Time:	30 Sec.	A.D.A. 46 Sec.
Door:	1.22.D11	First Level Data Room 10276	Security Level:	NORMAL	
Reader:	1.22.7.R2	First Level Data Room 10276 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.7.I3	First Level Data Room 10276 - DSM	Default reader mode:	Card Only	
REX 1:	1.22.7.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I9		Strike Mode:	1-cut short on open	
Strike:	1.22.7.O3	First Level Data Room 10276 - Lock	Strike Time:	30 Sec.	A.D.A. 47 Sec.
Door:	1.22.D12	First Level Elevator 8 "Hall Call"	Security Level:	NORMAL	
Reader:	1.22.8.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.22.8.O1		Strike Time:	5 Sec.	A.D.A. 48 Sec.
Door:	1.22.D13	First Level 10256c	Security Level:	NORMAL	
Reader:	1.22.9.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.9.I1		Default reader mode:	Card Only	
REX 1:	1.22.9.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I10		Strike Mode:	1-cut short on open	
Strike:	1.22.9.O1		Strike Time:	30 Sec.	A.D.A. 49 Sec.
Door:	1.22.D14	First Level 10132D	Security Level:	NORMAL	
Reader:	1.22.9.R2	First Level 10132D - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.9.I3	First Level 10132D - DSM	Default reader mode:	Card Only	
REX 1:	1.22.9.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I11		Strike Mode:	1-cut short on open	
Strike:	1.22.9.O3	First Level 10132D - Lock	Strike Time:	30 Sec.	A.D.A. 50 Sec.

Door:	1.22.D15	First Level 10132C	Security Level:	NORMAL	
Reader:	1.22.10.R1	First Level 10132C - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.10.I1	First Level 10132C - DSM	Default reader mode:	Card Only	
REX 1:	1.22.10.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I12		Strike Mode:	1-cut short on open	
Strike:	1.22.10.O1	First Level 10132C - Lock	Strike Time:	30 Sec.	A.D.A. 51 Sec.

Door:	1.22.D16	First Level Door 10268	Security Level:	NORMAL	
Reader:	1.22.11.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.11.I1		Default reader mode:	Card Only	
REX 1:	1.22.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I13		Strike Mode:	1-cut short on open	
Strike:	1.22.11.O1		Strike Time:	30 Sec.	A.D.A. 52 Sec.

Door:	1.22.D17	First Level Door 00067c	Security Level:	NORMAL	
Reader:	1.22.12.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.12.I1		Default reader mode:	Card Only	
REX 1:	1.22.12.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I14		Strike Mode:	1-cut short on open	
Strike:	1.22.12.O1		Strike Time:	30 Sec.	A.D.A. 53 Sec.

Door:	1.22.D18	First Level Door 00067d	Security Level:	NORMAL	
Reader:	1.22.12.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.12.I3		Default reader mode:	Card Only	
REX 1:	1.22.12.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I15		Strike Mode:	1-cut short on open	
Strike:	1.22.12.O3		Strike Time:	30 Sec.	A.D.A. 54 Sec.

Door:	1.22.D19	First Level Door 10078a	Security Level:	NORMAL	
Reader:	1.22.13.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.13.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I16		Strike Mode:	1-cut short on open	
Strike:	1.22.13.O1		Strike Time:	30 Sec.	A.D.A. 55 Sec.

Door:	1.22.D20	First Level Door 10078a- OUT	Security Level:	NORMAL	
Reader:	1.22.13.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.13.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.25.I16		Strike Mode:	1-cut short on open	
Strike:	1.22.13.O1		Strike Time:	30 Sec.	A.D.A. 55 Sec.
Door:	1.22.D21	First Level Door 10078b	Security Level:	NORMAL	
Reader:	1.22.14.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.14.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.26.I1		Strike Mode:	1-cut short on open	
Strike:	1.22.14.O1		Strike Time:	30 Sec.	A.D.A. 57 Sec.
Door:	1.22.D22	First Level Door 10078b- OUT	Security Level:	NORMAL	
Reader:	1.22.14.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.14.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.26.I1		Strike Mode:	1-cut short on open	
Strike:	1.22.14.O1		Strike Time:	30 Sec.	A.D.A. 57 Sec.
Door:	1.22.D23	First Level Door 10072	Security Level:	NORMAL	
Reader:	1.22.15.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.15.I1		Default reader mode:	Card Only	
REX 1:	1.22.15.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.26.I3		Strike Mode:	1-cut short on open	
Strike:	1.22.15.O1		Strike Time:	30 Sec.	A.D.A. 59 Sec.
Door:	1.22.D24	First Level Door 10070	Security Level:	NORMAL	
Reader:	1.22.15.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.15.I3		Default reader mode:	Card Only	
REX 1:	1.22.15.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.26.I2		Strike Mode:	2-cut short on close	
Strike:	1.22.15.O3		Strike Time:	10 Sec.	A.D.A. 60 Sec.
Door:	1.22.D25	First Level Door 10020	Security Level:	NORMAL	
Reader:	1.22.16.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.16.I1		Default reader mode:	Card Only	
REX 1:	1.22.16.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.26.I4		Strike Mode:	0-no impact	
Strike:	1.22.16.O1		Strike Time:	5 Sec.	A.D.A. 61 Sec.

Door:	1.22.D26	First Level Door 10353a Demo	Security Level:	NORMAL	
Reader:	1.22.17.R1	First Level Door 10353a Demo - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.17.I1	First Level Door 10353a Demo - DSM	Default reader mode:	Card Only	
REX 1:	1.22.17.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.26.I5		Strike Mode:	1-cut short on open	
Strike:	1.22.17.O1	First Level Door 10353a Demo - Lock	Strike Time:	30 Sec.	A.D.A. 62 Sec.

Door:	1.22.D27	First Level Door 10353b Demo	Security Level:	NORMAL	
Reader:	1.22.18.R1	First Level Door 10353b Demo - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.18.I1	First Level Door 10353b Demo - DSM	Default reader mode:	Card Only	
REX 1:	1.22.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.26.I6		Strike Mode:	1-cut short on open	
Strike:	1.22.18.O1	First Level Door 10353b Demo - Lock	Strike Time:	30 Sec.	A.D.A. 63 Sec.

Door:	1.22.D28	First Level Door 10362b Demo	Security Level:	NORMAL	
Reader:	1.22.20.R1	First Level Door 10362b Demo - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.20.I1	First Level Door 10362b Demo - DSM	Default reader mode:	Card Only	
REX 1:	1.22.20.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.22.20.O1	First Level Door 10362b Demo - Lock	Strike Time:	30 Sec.	A.D.A. 64 Sec.

Door:	1.22.D29	First Level Door 10323 Demo	Security Level:	NORMAL	
Reader:	1.22.23.R1	First Level Door 10323 Demo - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.23.I1	First Level Door 10323 Demo - DSM	Default reader mode:	Card Only	
REX 1:	1.22.23.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.26.I10		Strike Mode:	1-cut short on open	
Strike:	1.22.23.O1	First Level Door 10323 Demo - Lock	Strike Time:	30 Sec.	A.D.A. 65 Sec.

Door:	1.22.D30	First Level Door 10002B BLCC LOBBY FI	Security Level:	NORMAL	
Reader:	1.22.24.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.24.I1		Default reader mode:	Card Only	
REX 1:	1.22.24.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.26.I11		Strike Mode:	2-cut short on close	
Strike:	1.22.24.O1		Strike Time:	10 Sec.	A.D.A. 67 Sec.

Door:	1.22.D31	First Level Electrical Room #10360	Security Level:	NORMAL	
Reader:	1.22.19.R1	First Level Electrical Room #10360 - Re	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.19.I1	First Level Electrical Room #10360 - DSM	Default reader mode:	Card Only	
REX 1:	1.22.19.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.22.26.I8		Strike Mode:	1-cut short on open	
Strike:	1.22.19.O1	First Level Electrical Room #10360 - Lock	Strike Time:	30 Sec.	A.D.A. 132 Sec.
Door:	1.22.D32	First Level Data Room #10358	Security Level:	NORMAL	
Reader:	1.22.19.R2	First Level Data Room #10358 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.19.I3	First Level Data Room #10358 - DSM	Default reader mode:	Card Only	
REX 1:	1.22.19.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.22.19.O3	First Level Data Room #10358 - Lock	Strike Time:	30 Sec.	A.D.A. 133 Sec.
Door:	1.22.D33	First Level 10198 (Handkey II Rdr)	Security Level:	NORMAL	
Reader:	1.22.27.R1	First Level 10198 (Handkey II Rdr) - Rea	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.27.I1	First Level 10198 (Handkey II Rdr) - DSM	Default reader mode:	Card Only	
REX 1:	1.22.27.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.22.27.O1	First Level 10198 (Handkey II Rdr) - Lock	Strike Time:	30 Sec.	A.D.A. 24 Sec.
Door:	1.22.D34	TCD6 District Courts 10020	Security Level:	NORMAL	
Reader:	1.22.28.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 40 Sec.
Door:	1.22.D35	TCD7 District Clerk 10353	Security Level:	NORMAL	
Reader:	1.22.29.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 41 Sec.
Door:	1.22.D36	TCD8 District Courts 10102	Security Level:	NORMAL	
Reader:	1.22.30.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 42 Sec.

Door:	1.22.D37	First Level Interior Lobby Doors #10006D	Security Level:	NORMAL	
Reader:	1.22.24.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.22.24.I3		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.22.24.O3		Strike Time:	30 Sec.	A.D.A. 68 Sec.
Door:	1.23.D1	2nd Level 20102	Security Level:		
Reader:	1.23.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.1.I1		Default reader mode:	Card Only	
REX 1:	1.23.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I1		Strike Mode:	1-cut short on open	
Strike:	1.23.1.O1		Strike Time:	30 Sec.	A.D.A. 65 Sec.
Door:	1.23.D1	2nd Level 20102	Security Level:		
Reader:	1.23.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.1.I1		Default reader mode:	Card Only	
REX 1:	1.23.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I1		Strike Mode:	1-cut short on open	
Strike:	1.23.1.O1		Strike Time:	30 Sec.	A.D.A. 65 Sec.
Door:	1.23.D2	Second Level 20174	Security Level:	NORMAL	
Reader:	1.23.2.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.2.I1		Default reader mode:	Card Only	
REX 1:	1.23.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I2		Strike Mode:	1-cut short on open	
Strike:	1.23.2.O1		Strike Time:	30 Sec.	A.D.A. 59 Sec.
Door:	1.23.D3	Second Level data room 20172	Security Level:	NORMAL	
Reader:	1.23.2.R2	Second Level data room 20172 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.2.I3	Second Level data room 20172 - DSM	Default reader mode:	Card Only	
REX 1:	1.23.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I3		Strike Mode:	1-cut short on open	
Strike:	1.23.2.O3	Second Level data room 20172 - Lock	Strike Time:	30 Sec.	A.D.A. 60 Sec.

Door:	1.23.D4	Second Level 20180a	Security Level:	NORMAL	
Reader:	1.23.3.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.3.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I4		Strike Mode:	1-cut short on open	
Strike:	1.23.3.O1		Strike Time:	5 Sec.	A.D.A. 61 Sec.
Door:	1.23.D5	Second Level 20180a- OUT	Security Level:	NORMAL	
Reader:	1.23.3.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.3.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I4		Strike Mode:	1-cut short on open	
Strike:	1.23.3.O1		Strike Time:	5 Sec.	A.D.A. 61 Sec.
Door:	1.23.D6	Second Level 20180b	Security Level:	NORMAL	
Reader:	1.23.4.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.4.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I5		Strike Mode:	1-cut short on open	
Strike:	1.23.4.O1		Strike Time:	5 Sec.	A.D.A. 62 Sec.
Door:	1.23.D7	Second Level 20180b- OUT	Security Level:	NORMAL	
Reader:	1.23.4.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.4.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I5		Strike Mode:	1-cut short on open	
Strike:	1.23.4.O1		Strike Time:	5 Sec.	A.D.A. 62 Sec.
Door:	1.23.D8	Second Level 20204	Security Level:	NORMAL	
Reader:	1.23.5.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.5.I1		Default reader mode:	Card Only	
REX 1:	1.23.5.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I6		Strike Mode:	1-cut short on open	
Strike:	1.23.5.O1		Strike Time:	30 Sec.	A.D.A. 63 Sec.
Door:	1.23.D9	Second Level 20206a	Security Level:	NORMAL	
Reader:	1.23.6.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.6.I1		Default reader mode:	Card Only	
REX 1:	1.23.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I7		Strike Mode:	1-cut short on open	
Strike:	1.23.6.O1		Strike Time:	30 Sec.	A.D.A. 64 Sec.

Door:	1.23.D10	Second Level 20262	Security Level:	NORMAL	
Reader:	1.23.7.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.7.I1		Default reader mode:	Card Only	
REX 1:	1.23.7.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I8		Strike Mode:	1-cut short on open	
Strike:	1.23.7.O1		Strike Time:	30 Sec.	A.D.A. 65 Sec.
Door:	1.23.D11	Second Level 20263a (Removed)	Security Level:	NORMAL	
Reader:	1.23.7.R2	Second Level 20263a (Removed) - Reac	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.7.I3	Second Level 20263a (Removed) - DSM	Default reader mode:	Card Only	
REX 1:	1.23.7.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I9		Strike Mode:	1-cut short on open	
Strike:	1.23.7.O3	Second Level 20263a (Removed) - Lock	Strike Time:	30 Sec.	A.D.A. 66 Sec.
Door:	1.23.D12	Second Level 00132e	Security Level:	NORMAL	
Reader:	1.23.8.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.8.I1		Default reader mode:	Card Only	
REX 1:	1.23.8.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I10		Strike Mode:	1-cut short on open	
Strike:	1.23.8.O1		Strike Time:	30 Sec.	A.D.A. 67 Sec.
Door:	1.23.D13	Second Level 00132f	Security Level:	NORMAL	
Reader:	1.23.8.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.8.I3		Default reader mode:	Card Only	
REX 1:	1.23.8.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I11		Strike Mode:	1-cut short on open	
Strike:	1.23.8.O3		Strike Time:	30 Sec.	A.D.A. 68 Sec.
Door:	1.23.D14	Second Level 20263b	Security Level:	NORMAL	
Reader:	1.23.9.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.9.I1		Default reader mode:	Card Only	
REX 1:	1.23.9.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I12		Strike Mode:	1-cut short on open	
Strike:	1.23.9.O1		Strike Time:	30 Sec.	A.D.A. 69 Sec.

Door:	1.23.D15	Second Level Elevator 8 "Hall Call"	Security Level:	NORMAL	
Reader:	1.23.9.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.23.9.O3		Strike Time:	5 Sec.	A.D.A. 70 Sec.
Door:	1.23.D16	Second Level Data Room 20260	Security Level:	NORMAL	
Reader:	1.23.10.R1	Second Level Data Room 20260 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.10.I1	Second Level Data Room 20260 - DSM	Default reader mode:	Card Only	
REX 1:	1.23.10.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I14		Strike Mode:	1-cut short on open	
Strike:	1.23.10.O1	Second Level Data Room 20260 - Lock	Strike Time:	30 Sec.	A.D.A. 71 Sec.
Door:	1.23.D17	Second Level 20452	Security Level:	NORMAL	
Reader:	1.23.11.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 5 Sec.
Door Contact:	1.23.11.I1		Default reader mode:	Card Only	
REX 1:	1.23.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I15		Strike Mode:	1-cut short on open	
Strike:	1.23.11.O1		Strike Time:	6 Sec.	A.D.A. 72 Sec.
Door:	1.23.D18	Second Level 20454	Security Level:	NORMAL	
Reader:	1.23.11.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.11.I3		Default reader mode:	Card Only	
REX 1:	1.23.11.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I16		Strike Mode:	1-cut short on open	
Strike:	1.23.11.O3		Strike Time:	30 Sec.	A.D.A. 73 Sec.
Door:	1.23.D19	Second Level 20250	Security Level:	NORMAL	
Reader:	1.23.12.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.12.I1		Default reader mode:	Card Only	
REX 1:	1.23.12.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.25.I1		Strike Mode:	1-cut short on open	
Strike:	1.23.12.O1		Strike Time:	30 Sec.	A.D.A. 74 Sec.
Door:	1.23.D20	Second Level 20450	Security Level:	NORMAL	
Reader:	1.23.12.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.12.I3		Default reader mode:	Card Only	
REX 1:	1.23.12.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.25.I2		Strike Mode:	1-cut short on open	
Strike:	1.23.12.O3		Strike Time:	30 Sec.	A.D.A. 75 Sec.

Door:	1.23.D21	Second Level 20222b	Security Level:	
Reader:	1.23.13.R1		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	1.23.13.I2		Offline reader mode:	Facility Code Mode
REX 2:	1.23.25.I3		Strike Mode:	1-cut short on open
Strike:	1.23.13.O1		Strike Time:	30 Sec. A.D.A. 76 Sec.
Door:	1.23.D22	Second Level 20224	Security Level:	
Reader:	1.23.13.R2		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.23.13.I3		Default reader mode:	Card Only
REX 1:	1.23.13.I4		Offline reader mode:	Facility Code Mode
REX 2:	1.23.25.I4		Strike Mode:	1-cut short on open
Strike:	1.23.13.O3		Strike Time:	30 Sec. A.D.A. 77 Sec.
Door:	1.23.D23	Second Level 00067e	Security Level:	NORMAL
Reader:	1.23.14.R1		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.23.14.I1		Default reader mode:	Card Only
REX 1:	1.23.14.I2		Offline reader mode:	Facility Code Mode
REX 2:	1.23.25.I5		Strike Mode:	1-cut short on open
Strike:	1.23.14.O1		Strike Time:	30 Sec. A.D.A. 78 Sec.
Door:	1.23.D24	Second Level 00067f	Security Level:	NORMAL
Reader:	1.23.14.R2		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.23.14.I3		Default reader mode:	Card Only
REX 1:	1.23.14.I4		Offline reader mode:	Facility Code Mode
REX 2:	1.23.25.I6		Strike Mode:	1-cut short on open
Strike:	1.23.14.O3		Strike Time:	30 Sec. A.D.A. 79 Sec.
Door:	1.23.D25	Second Level 20078a	Security Level:	NORMAL
Reader:	1.23.15.R1		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.23.15.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	1.23.25.I7		Strike Mode:	1-cut short on open
Strike:	1.23.15.O1		Strike Time:	30 Sec. A.D.A. 80 Sec.

Door:	1.23.D26	Second Level 20078a- OUT	Security Level:	NORMAL	
Reader:	1.23.15.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.15.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.25.I7		Strike Mode:	1-cut short on open	
Strike:	1.23.15.O1		Strike Time:	30 Sec.	A.D.A. 80 Sec.
Door:	1.23.D27	Second Level 20078b	Security Level:	NORMAL	
Reader:	1.23.16.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.16.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.25.I8		Strike Mode:	1-cut short on open	
Strike:	1.23.16.O1		Strike Time:	30 Sec.	A.D.A. 81 Sec.
Door:	1.23.D28	Second Level 20072	Security Level:	NORMAL	
Reader:	1.23.17.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.17.I1		Default reader mode:	Card Only	
REX 1:	1.23.17.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.25.I9		Strike Mode:	1-cut short on open	
Strike:	1.23.17.O1		Strike Time:	30 Sec.	A.D.A. 82 Sec.
Door:	1.23.D29	Second Level 20070	Security Level:	NORMAL	
Reader:	1.23.17.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.17.I3		Default reader mode:	Card Only	
REX 1:	1.23.17.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.25.I10		Strike Mode:	1-cut short on open	
Strike:	1.23.17.O3		Strike Time:	30 Sec.	A.D.A. 83 Sec.
Door:	1.23.D30	Second Level 20020	Security Level:	NORMAL	
Reader:	1.23.18.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.18.I1		Default reader mode:	Card Only	
REX 1:	1.23.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.25.I11		Strike Mode:	1-cut short on open	
Strike:	1.23.18.O1		Strike Time:	30 Sec.	A.D.A. 84 Sec.
Door:	1.23.D31	Second Level Electrical Room #20466	Security Level:	NORMAL	
Reader:	1.23.19.R1	Second Level Electrical Room #20466 -	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.19.I1	Second Level Electrical Room #20466 - E	Default reader mode:	Card Only	
REX 1:	1.23.19.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.25.I13		Strike Mode:	1-cut short on open	
Strike:	1.23.19.O1	Second Level Electrical Room #20466 - L	Strike Time:	30 Sec.	A.D.A. 85 Sec.

Door:	1.23.D32	Second Level 20004a	Security Level:	NORMAL	
Reader:	1.23.18.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.18.I3		Default reader mode:	Card Only	
REX 1:	1.23.18.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.25.I12		Strike Mode:	1-cut short on open	
Strike:	1.23.18.O3		Strike Time:	30 Sec.	A.D.A. 86 Sec.
Door:	1.23.D33	Second Level Data Room 20464	Security Level:	NORMAL	
Reader:	1.23.19.R2	Second Level Data Room 20464 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.19.I3	Second Level Data Room 20464 - DSM	Default reader mode:	Card Only	
REX 1:	1.23.19.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.25.I14		Strike Mode:	1-cut short on open	
Strike:	1.23.19.O3	Second Level Data Room 20464 - Lock	Strike Time:	30 Sec.	A.D.A. 87 Sec.
Door:	1.23.D34	Second Level 20428	Security Level:	NORMAL	
Reader:	1.23.20.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.20.I1		Default reader mode:	Card Only	
REX 1:	1.23.20.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.25.I15		Strike Mode:	1-cut short on open	
Strike:	1.23.20.O1		Strike Time:	30 Sec.	A.D.A. 88 Sec.
Door:	1.23.D35	Second Level 00144E	Security Level:	NORMAL	
Reader:	1.23.21.R1	Second Level 00144E - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.21.I1	Second Level 00144E - DSM	Default reader mode:	Card Only	
REX 1:	1.23.21.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.25.I16		Strike Mode:	1-cut short on open	
Strike:	1.23.21.O1	Second Level 00144E - Lock	Strike Time:	30 Sec.	A.D.A. 89 Sec.
Door:	1.23.D36	Second Level 00144D	Security Level:	NORMAL	
Reader:	1.23.21.R2	Second Level 00144D - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.23.21.I3	Second Level 00144D - DSM	Default reader mode:	Card Only	
REX 1:	1.23.21.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.23.24.I13		Strike Mode:	1-cut short on open	
Strike:	1.23.21.O3	Second Level 00144D - Lock	Strike Time:	30 Sec.	A.D.A. 90 Sec.

Door: 1.23.D37 Second Level 20078b- OUT
Reader: 1.23.16.R2
Door Contact: 1.23.16.I1
REX 1: (none)
REX 2: 1.23.25.I8
Strike: 1.23.16.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 81 Sec.

Door: 1.23.D38 TCD District Judges
Reader: 1.23.26.R1
Door Contact: (none)
REX 1: (none)
REX 2: (none)
Strike: (none)

Security Level:
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 64 Sec.

Door: 1.23.D39 TCD14 District Courts Corridor 20122
Reader: 1.23.27.R1
Door Contact: (none)
REX 1: (none)
REX 2: (none)
Strike: (none)

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 36 Sec.

Door: 1.23.D40 TCD15 District Attorney 20450
Reader: 1.23.28.R1
Door Contact: (none)
REX 1: (none)
REX 2: (none)
Strike: (none)

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 37 Sec.

Door: 1.23.D41 TCD16 District Attorney Law Library
Reader: 1.23.29.R1
Door Contact: (none)
REX 1: (none)
REX 2: (none)
Strike: (none)

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 38 Sec.

Door: 1.23.D42 TCD17 District Courts 20102
Reader: 1.23.30.R1
Door Contact: (none)
REX 1: (none)
REX 2: (none)
Strike: (none)

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 39 Sec.

Door:	1.24.D1	Third Floor 30102	Security Level:	NORMAL	
Reader:	1.24.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.1.I1		Default reader mode:	Card Only	
REX 1:	1.24.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.27.I1		Strike Mode:	1-cut short on open	
Strike:	1.24.1.O1		Strike Time:	30 Sec.	A.D.A. 92 Sec.
Door:	1.24.D2	Third Level 30174	Security Level:	NORMAL	
Reader:	1.24.2.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.2.I1		Default reader mode:	Card Only	
REX 1:	1.24.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.27.I2		Strike Mode:	1-cut short on open	
Strike:	1.24.2.O1		Strike Time:	30 Sec.	A.D.A. 92 Sec.
Door:	1.24.D3	Third Level Data Room 30172	Security Level:	NORMAL	
Reader:	1.24.2.R2	Third Level Data Room 30172 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.2.I3	Third Level Data Room 30172 - DSM	Default reader mode:	Card Only	
REX 1:	1.24.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.27.I3		Strike Mode:	1-cut short on open	
Strike:	1.24.2.O3	Third Level Data Room 30172 - Lock	Strike Time:	30 Sec.	A.D.A. 93 Sec.
Door:	1.24.D4	Third Level 30180a	Security Level:	NORMAL	
Reader:	1.24.3.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.3.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.27.I4		Strike Mode:	1-cut short on open	
Strike:	1.24.3.O1		Strike Time:	30 Sec.	A.D.A. 94 Sec.
Door:	1.24.D4	Third Level 30180a	Security Level:	NORMAL	
Reader:	1.24.3.R1	Third Level 30180a - BIO Rdr	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.3.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.27.I4		Strike Mode:	1-cut short on open	
Strike:	1.24.3.O1		Strike Time:	30 Sec.	A.D.A. 94 Sec.

Door: 1.24.D6 Third Level 30180b
Reader: 1.24.4.R1
Door Contact: 1.24.4.I1
REX 1: (none)
REX 2: 1.24.27.I5
Strike: 1.24.4.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 95 Sec.

Door: 1.24.D7 Third Level 30180b- OUT
Reader: 1.24.4.R2
Door Contact: 1.24.4.I1
REX 1: (none)
REX 2: 1.24.27.I5
Strike: 1.24.4.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 95 Sec.

Door: 1.24.D8 Third Level 30206a
Reader: 1.24.5.R1
Door Contact: (none)
REX 1: (none)
REX 2: 1.24.27.I6
Strike: 1.24.5.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 4 Sec. A.D.A. 96 Sec.

Door: 1.24.D9 Third Level 30248b- OUT
Reader: 1.24.13.R2
Door Contact: 1.24.13.I1
REX 1: (none)
REX 2: 1.24.28.I2
Strike: 1.24.13.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 105 Sec.

Door: 1.24.D10 Third Level E8 Rear "Hall Call"
Reader: 1.24.6.R1
Door Contact: (none)
REX 1: (none)
REX 2: (none)
Strike: 1.24.6.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 5 Sec. A.D.A. 98 Sec.

Door: 1.24.D11 Third Level E8 Front "Hall Call"
Reader: 1.24.6.R2
Door Contact: (none)
REX 1: (none)
REX 2: (none)
Strike: 1.24.6.O3

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 5 Sec. A.D.A. 99 Sec.

Door:	1.24.D12	Third Level 00132g	Security Level:	NORMAL	
Reader:	1.24.9.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.9.I1		Default reader mode:	Card Only	
REX 1:	1.24.9.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.27.I12		Strike Mode:	1-cut short on open	
Strike:	1.24.9.O1		Strike Time:	30 Sec.	A.D.A. 101 Sec.
Door:	1.24.D13	Third Level 00132h	Security Level:	NORMAL	
Reader:	1.24.9.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.9.I3		Default reader mode:	Card Only	
REX 1:	1.24.9.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.27.I14		Strike Mode:	1-cut short on open	
Strike:	1.24.9.O3		Strike Time:	30 Sec.	A.D.A. 102 Sec.
Door:	1.24.D14	Third Floor 30310	Security Level:	NORMAL	
Reader:	1.24.11.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.11.I1		Default reader mode:	Card Only	
REX 1:	1.24.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.27.I13		Strike Mode:	1-cut short on open	
Strike:	1.24.11.O1		Strike Time:	30 Sec.	A.D.A. 93 Sec.
Door:	1.24.D15	Third Level 30248a	Security Level:	NORMAL	
Reader:	1.24.12.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.12.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.28.I1		Strike Mode:	1-cut short on open	
Strike:	1.24.12.O1		Strike Time:	30 Sec.	A.D.A. 104 Sec.
Door:	1.24.D16	Third Level 30248a- OUT	Security Level:	NORMAL	
Reader:	1.24.12.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.12.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.28.I1		Strike Mode:	1-cut short on open	
Strike:	1.24.12.O1		Strike Time:	30 Sec.	A.D.A. 104 Sec.

Door: 1.24.D17 Third Level 30248b
Reader: 1.24.13.R1
Door Contact: 1.24.13.I1
REX 1: (none)
REX 2: 1.24.28.I2
Strike: 1.24.13.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 105 Sec.

Door: 1.24.D18 Third Level 30232
Reader: 1.24.14.R1
Door Contact: 1.24.14.I1
REX 1: 1.24.14.I2
REX 2: 1.24.27.I15
Strike: 1.24.14.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 30 Sec.

Door: 1.24.D19 Third Level 30218
Reader: 1.24.15.R1
Door Contact: 1.24.15.I1
REX 1: 1.24.15.I2
REX 2: 1.24.28.I4
Strike: 1.24.15.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 107 Sec.

Door: 1.24.D20 Third Level 30206b
Reader: 1.24.16.R1
Door Contact: 1.24.16.I1
REX 1: 1.24.16.I2
REX 2: 1.24.28.I5
Strike: 1.24.16.O2

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 108 Sec.

Door: 1.24.D21 Third Level 30072
Reader: 1.24.17.R1
Door Contact: 1.24.17.I1
REX 1: 1.24.17.I2
REX 2: 1.24.28.I6
Strike: 1.24.17.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 109 Sec.

Door: 1.24.D22 Third Level Data Room 30070
Reader: 1.24.17.R2 Third Level Data Room 30070 - Reader
Door Contact: 1.24.17.I3 Third Level Data Room 30070 - DSM
REX 1: 1.24.17.I4
REX 2: 1.24.28.I7
Strike: 1.24.17.O3 Third Level Data Room 30070 - Lock

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 110 Sec.

Door:	1.24.D23	Third Level 30020	Security Level:	NORMAL	
Reader:	1.24.18.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.18.I1		Default reader mode:	Card Only	
REX 1:	1.24.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.28.I8		Strike Mode:	1-cut short on open	
Strike:	1.24.18.O1		Strike Time:	30 Sec.	A.D.A. 111 Sec.
Door:	1.24.D24	Third Level 00067g	Security Level:	NORMAL	
Reader:	1.24.19.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.19.I1		Default reader mode:	Card Only	
REX 1:	1.24.19.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.28.I9		Strike Mode:	1-cut short on open	
Strike:	1.24.19.O1		Strike Time:	30 Sec.	A.D.A. 112 Sec.
Door:	1.24.D25	Third Level 00067h	Security Level:	NORMAL	
Reader:	1.24.19.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.19.I3		Default reader mode:	Card Only	
REX 1:	1.24.19.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.28.I10		Strike Mode:	1-cut short on open	
Strike:	1.24.19.O3		Strike Time:	30 Sec.	A.D.A. 113 Sec.
Door:	1.24.D26	Third Level 30078a	Security Level:	NORMAL	
Reader:	1.24.20.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.20.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.28.I11		Strike Mode:	1-cut short on open	
Strike:	1.24.20.O1		Strike Time:	30 Sec.	A.D.A. 114 Sec.
Door:	1.24.D27	Third Level 30078a- OUT	Security Level:	NORMAL	
Reader:	1.24.20.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.20.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.28.I11		Strike Mode:	1-cut short on open	
Strike:	1.24.20.O1		Strike Time:	30 Sec.	A.D.A. 114 Sec.

Door:	1.24.D28	Third Level Electrical Room #30230	Security Level:	NORMAL	
Reader:	1.24.21.R1	Third Level Electrical Room #30230 - Re	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.21.I1	Third Level Electrical Room #30230 - DSI	Default reader mode:	Card Only	
REX 1:	1.24.21.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.28.I12		Strike Mode:	1-cut short on open	
Strike:	1.24.21.O1	Third Level Electrical Room #30230 - Loc	Strike Time:	30 Sec.	A.D.A. 115 Sec.
Door:	1.24.D29	Third Level Data Room 30231	Security Level:	NORMAL	
Reader:	1.24.21.R2	Third Level Data Room 30231 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.21.I3	Third Level Data Room 30231 - DSM	Default reader mode:	Card Only	
REX 1:	1.24.21.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.28.I13		Strike Mode:	1-cut short on open	
Strike:	1.24.21.O3	Third Level Data Room 30231 - Lock	Strike Time:	30 Sec.	A.D.A. 116 Sec.
Door:	1.24.D30	Third Level 30234b (30335H NEW)	Security Level:	NORMAL	
Reader:	1.24.22.R1	Third Level 30234b (30335H NEW) - Re	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.22.I1	Third Level 30234b (30335H NEW) - DSM	Default reader mode:	Card Only	
REX 1:	1.24.22.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.28.I14		Strike Mode:	1-cut short on open	
Strike:	1.24.22.O1	Third Level 30234b (30335H NEW) - Loc	Strike Time:	30 Sec.	A.D.A. 30 Sec.
Door:	1.24.D31	TCD25 District Courts	Security Level:	NORMAL	
Reader:	1.24.7.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 43 Sec.
Door:	1.24.D32	Third Level 30078b	Security Level:	NORMAL	
Reader:	1.24.23.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.23.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.27.I11		Strike Mode:	1-cut short on open	
Strike:	1.24.23.O1		Strike Time:	30 Sec.	A.D.A. 118 Sec.
Door:	1.24.D33	Third Level 30078b- OUT	Security Level:	NORMAL	
Reader:	1.24.23.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.23.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.27.I11		Strike Mode:	1-cut short on open	
Strike:	1.24.23.O1		Strike Time:	30 Sec.	A.D.A. 118 Sec.

Door:	1.24.D34	Third Level 30240	Security Level:	NORMAL	
Reader:	1.24.8.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.8.I1		Default reader mode:	Card Only	
REX 1:	1.24.8.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.27.I8		Strike Mode:	1-cut short on open	
Strike:	1.24.8.O1		Strike Time:	30 Sec.	A.D.A. 119 Sec.
Door:	1.24.D35	Third Level Data Room 30238	Security Level:	NORMAL	
Reader:	1.24.8.R2	Third Level Data Room 30238 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.24.8.I3	Third Level Data Room 30238 - DSM	Default reader mode:	Card Only	
REX 1:	1.24.8.I4		Offline reader mode:	Facility Code Mode	
REX 2:	1.24.27.I7		Strike Mode:	1-cut short on open	
Strike:	1.24.8.O3	Third Level Data Room 30238 - Lock	Strike Time:	30 Sec.	A.D.A. 120 Sec.
Door:	1.24.D36	TCD20 District Judges "Only"	Security Level:	NORMAL	
Reader:	1.24.10.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 44 Sec.
Door:	1.24.D37	TCD21 District Courts 30102	Security Level:	NORMAL	
Reader:	1.24.24.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 44 Sec.
Door:	1.24.D38	TCD District Courts 30020	Security Level:	NORMAL	
Reader:	1.24.29.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 94 Sec.

Door:	1.24.D39	TCD23 District Courts	Security Level:	NORMAL	
Reader:	1.24.30.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 46 Sec.
Door:	1.24.D40	3rd Floor Elevator Hall Call	Security Level:	NORMAL	
Reader:	1.24.31.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 5 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.24.31.O1		Strike Time:	10 Sec.	A.D.A. 10 Sec.
Door:	1.24.D41	CC30104 Attorney Conference	Security Level:	NORMAL	
Reader:	1.24.1.R2	CC30104 Attorney Conference - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.24.1.I3	CC30104 Attorney Conference - DSM	Default reader mode:	Card Only	
REX 1:	1.24.1.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.24.1.O3	CC30104 Attorney Conference - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.25.D1	Penthouse 40010	Security Level:	NORMAL	
Reader:	1.25.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.1.I1		Default reader mode:	Card Only	
REX 1:	1.25.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.25.14.I1		Strike Mode:	1-cut short on open	
Strike:	1.25.1.O1		Strike Time:	30 Sec.	A.D.A. 121 Sec.
Door:	1.25.D2	Penthouse 40012	Security Level:	NORMAL	
Reader:	1.25.2.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.2.I1		Default reader mode:	Card Only	
REX 1:	1.25.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.25.14.I2		Strike Mode:	1-cut short on open	
Strike:	1.25.2.O1		Strike Time:	30 Sec.	A.D.A. 122 Sec.
Door:	1.25.D3	Penthouse 40016	Security Level:	NORMAL	
Reader:	1.25.3.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.3.I1		Default reader mode:	Card Only	
REX 1:	1.25.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.25.14.I3		Strike Mode:	1-cut short on open	
Strike:	1.25.3.O1		Strike Time:	30 Sec.	A.D.A. 123 Sec.

Door:	1.25.D4	Penthouse 40020	Security Level:	NORMAL	
Reader:	1.25.4.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.4.I1		Default reader mode:	Card Only	
REX 1:	1.25.4.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.25.14.I4		Strike Mode:	1-cut short on open	
Strike:	1.25.4.O1		Strike Time:	30 Sec.	A.D.A. 124 Sec.
Door:	1.25.D5	Penthouse 40018	Security Level:	NORMAL	
Reader:	1.25.5.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.5.I1		Default reader mode:	Card Only	
REX 1:	1.25.5.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.25.5.I5		Strike Mode:	1-cut short on open	
Strike:	1.25.5.O1		Strike Time:	30 Sec.	A.D.A. 61 Sec.
Door:	1.25.D6	Penthouse 00132j	Security Level:	NORMAL	
Reader:	1.25.6.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.6.I1		Default reader mode:	Card Only	
REX 1:	1.25.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.25.14.I6		Strike Mode:	1-cut short on open	
Strike:	1.25.6.O1		Strike Time:	30 Sec.	A.D.A. 126 Sec.
Door:	1.25.D7	Penthouse 00067j	Security Level:	NORMAL	
Reader:	1.25.7.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.7.I1		Default reader mode:	Card Only	
REX 1:	1.25.7.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.25.14.I7		Strike Mode:	1-cut short on open	
Strike:	1.25.7.O1		Strike Time:	30 Sec.	A.D.A. 127 Sec.
Door:	1.25.D8	Penthouse 40006	Security Level:	NORMAL	
Reader:	1.25.8.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.8.I1		Default reader mode:	Card Only	
REX 1:	1.25.8.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.25.14.I8		Strike Mode:	1-cut short on open	
Strike:	1.25.8.O1		Strike Time:	30 Sec.	A.D.A. 128 Sec.

Door:	1.25.D9	Penthouse 40002c	Security Level:	NORMAL	
Reader:	1.25.9.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.9.I1		Default reader mode:	Card Only	
REX 1:	1.25.9.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.25.14.I9		Strike Mode:	1-cut short on open	
Strike:	1.25.9.O1		Strike Time:	30 Sec.	A.D.A. 129 Sec.
Door:	1.25.D10	Penthouse 40026	Security Level:	NORMAL	
Reader:	1.25.10.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.10.I1		Default reader mode:	Card Only	
REX 1:	1.25.10.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.25.14.I10		Strike Mode:	1-cut short on open	
Strike:	1.25.10.O1		Strike Time:	30 Sec.	A.D.A. 130 Sec.
Door:	1.25.D11	North Penthouse Exterior 40008b	Security Level:	NORMAL	
Reader:	1.25.11.R1	North Penthouse Exterior 40008b - Reac	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.11.I1	North Penthouse Exterior 40008b - DSM	Default reader mode:	Card Only	
REX 1:	1.25.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.25.14.I11		Strike Mode:	1-cut short on open	
Strike:	1.25.11.O1	North Penthouse Exterior 40008b - Lock	Strike Time:	30 Sec.	A.D.A. 131 Sec.
Door:	1.25.D12	Penthouse Elevator 8 "Hall Call"	Security Level:	NORMAL	
Reader:	1.25.5.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.25.5.O3		Strike Time:	5 Sec.	A.D.A. 62 Sec.
Door:	1.25.D14	TCD24 District Courts 30310	Security Level:	NORMAL	
Reader:	1.25.16.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 47 Sec.
Door:	1.25.D15	District Court Room 30260	Security Level:	NORMAL	
Reader:	1.25.17.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.17.I1		Default reader mode:	Card Only	
REX 1:	1.25.17.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.25.17.O1		Strike Time:	30 Sec.	A.D.A. 41 Sec.

Door:	1.25.D16	District Court Room 30262a	Security Level:	NORMAL	
Reader:	1.25.18.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.18.I1		Default reader mode:	Card Only	
REX 1:	1.25.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.25.18.O1		Strike Time:	30 Sec.	A.D.A. 42 Sec.
Door:	1.25.D17	District Court Room 30262b	Security Level:	NORMAL	
Reader:	1.25.18.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.18.I3		Default reader mode:	Card Only	
REX 1:	1.25.18.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.25.18.O3		Strike Time:	30 Sec.	A.D.A. 43 Sec.
Door:	1.25.D18	District Court Room 30316a	Security Level:	NORMAL	
Reader:	1.25.19.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.19.I1		Default reader mode:	Card Only	
REX 1:	1.25.19.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.25.19.O1		Strike Time:	30 Sec.	A.D.A. 44 Sec.
Door:	1.25.D19	District Court Room 30316b	Security Level:	NORMAL	
Reader:	1.25.19.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.19.I3		Default reader mode:	Card Only	
REX 1:	1.25.19.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.25.19.O3		Strike Time:	30 Sec.	A.D.A. 45 Sec.
Door:	1.25.D20	District Court Room 30092	Security Level:	NORMAL	
Reader:	1.25.20.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.20.I1		Default reader mode:	Card Only	
REX 1:	1.25.20.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.25.20.O1		Strike Time:	30 Sec.	A.D.A. 46 Sec.

Door: 1.25.D21 District Court Room 30094a
Reader: 1.25.21.R1
Door Contact: 1.25.21.I1
REX 1: 1.25.21.I2
REX 2: (none)
Strike: 1.25.21.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 47 Sec.

Door: 1.25.D22 District Court Room 30094b
Reader: 1.25.21.R2
Door Contact: 1.25.21.I3
REX 1: 1.25.21.I4
REX 2: (none)
Strike: 1.25.21.O3

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 48 Sec.

Door: 1.25.D23 District Court Room 30058a
Reader: 1.25.22.R1
Door Contact: 1.25.22.I1
REX 1: 1.25.22.I2
REX 2: (none)
Strike: 1.25.22.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 49 Sec.

Door: 1.25.D24 District Court Room 30058b
Reader: 1.25.22.R2
Door Contact: 1.25.22.I3
REX 1: 1.25.22.I4
REX 2: (none)
Strike: 1.25.22.O3

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 50 Sec.

Door: 1.25.D25 District Court Room 30162a
Reader: 1.25.23.R1
Door Contact: 1.25.23.I1
REX 1: 1.25.23.I2
REX 2: (none)
Strike: 1.25.23.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 51 Sec.

Door: 1.25.D26 District Court Room 30162b
Reader: 1.25.23.R2
Door Contact: 1.25.23.I3
REX 1: 1.25.23.I4
REX 2: (none)
Strike: 1.25.23.O3

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 52 Sec.

Door:	1.25.D27	District Court Room 30196a	Security Level:	NORMAL	
Reader:	1.25.24.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.24.I1		Default reader mode:	Card Only	
REX 1:	1.25.24.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.25.24.O1		Strike Time:	30 Sec.	A.D.A. 53 Sec.
Door:	1.25.D28	District Court Room 30196b	Security Level:	NORMAL	
Reader:	1.25.24.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.25.24.I3		Default reader mode:	Card Only	
REX 1:	1.25.24.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.25.24.O3		Strike Time:	30 Sec.	A.D.A. 54 Sec.
Door:	1.26.D1	Sherriffs South "in"	Security Level:	NORMAL	
Reader:	1.26.5.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.26.5.O1		Strike Time:	5 Sec.	A.D.A. 118 Sec.
Door:	1.26.D2	Sherriffs South "out"	Security Level:	NORMAL	
Reader:	1.26.5.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.26.5.O3		Strike Time:	5 Sec.	A.D.A. 119 Sec.
Door:	1.26.D3	Gates Judges "IN"	Security Level:	NORMAL	
Reader:	1.26.4.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.26.4.O1		Strike Time:	5 Sec.	A.D.A. 120 Sec.

Door:	1.26.D4	Gates Judges "OUT"	Security Level:	NORMAL	
Reader:	1.26.4.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.26.4.O3		Strike Time:	5 Sec.	A.D.A. 121 Sec.
Door:	1.26.D5	SHERIFF'S Gate"IN"	Security Level:	NORMAL	
Reader:	1.26.3.R1	SHERIFF'S Gate"IN" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.26.3.O1	SHERIFF'S Gate"IN" - Lock	Strike Time:	5 Sec.	A.D.A. 122 Sec.
Door:	1.26.D6	SHERIFF'S Gate"OUT"	Security Level:	NORMAL	
Reader:	1.26.3.R2	SHERIFF'S Gate"OUT" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.26.3.O3	SHERIFF'S Gate"OUT" - Lock	Strike Time:	5 Sec.	A.D.A. 123 Sec.
Door:	1.26.D7	Service Dock Gate "IN"	Security Level:	NORMAL	
Reader:	1.26.2.R1	Service Dock Gate "IN" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.26.2.O1	Service Dock Gate "IN" - Lock	Strike Time:	5 Sec.	A.D.A. 124 Sec.
Door:	1.26.D8	Service Dock Gate "OUT"	Security Level:	NORMAL	
Reader:	1.26.2.R2	Service Dock Gate "OUT" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.26.2.O3	Service Dock Gate "OUT" - Lock	Strike Time:	5 Sec.	A.D.A. 125 Sec.
Door:	1.26.D9	SALLY PORT/PRISONERS Sheriff North	Security Level:	NORMAL	
Reader:	1.26.1.R1	SALLY PORT/PRISONERS Sheriff North	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.26.1.O1	SALLY PORT/PRISONERS Sheriff North	Strike Time:	5 Sec.	A.D.A. 126 Sec.

Door:	1.26.D10	TCD1 Evidence Storage	Security Level:	NORMAL	
Reader:	1.26.6.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 24 Sec.
Door:	1.26.D11	TCD2 Sherrif's Break Room	Security Level:	NORMAL	
Reader:	1.26.7.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 25 Sec.
Door:	1.26.D12	TCD3 Homeland Security Monitoring Rm	Security Level:	NORMAL	
Reader:	1.26.8.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 26 Sec.
Door:	1.26.D13	TCD4 Juvenile Holding	Security Level:	NORMAL	
Reader:	1.26.9.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 27 Sec.
Door:	1.26.D14	TCD5 Judges Parking	Security Level:	NORMAL	
Reader:	1.26.10.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 28 Sec.

Door:	1.26.D15	Lower Level Elevator Hall Call	Security Level:	NORMAL	
Reader:	1.26.11.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.26.11.O1		Strike Time:	5 Sec.	A.D.A. 71 Sec.
Door:	1.26.D16	Lower Level Door# 00114 Facilities Works	Security Level:	NORMAL	
Reader:	1.26.12.R1	Lower Level Door# 00114 Facilities Work	Close Delay (shunt time):	20 Sec.	A.D.A. 30 Sec.
Door Contact:	1.26.12.I1	Lower Level Door# 00114 Facilities Works	Default reader mode:	Card Only	
REX 1:	1.26.12.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.26.12.O1	Lower Level Door# 00114 Facilities Works	Strike Time:	20 Sec.	A.D.A. 21 Sec.
Door:	1.26.D17	EMPLOYEE North East Parking Gate "IN"	Security Level:	NORMAL	
Reader:	1.26.13.R1	EMPLOYEE North East Parking Gate "IN"	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.26.13.O1	EMPLOYEE North East Parking Gate "IN"	Strike Time:	1 Sec.	A.D.A. 66 Sec.
Door:	1.26.D18	EMPLOYEE North East Parking Gate "OL"	Security Level:	NORMAL	
Reader:	1.26.13.R2	EMPLOYEE North East Parking Gate "C"	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.26.13.O3	EMPLOYEE North East Parking Gate "OL"	Strike Time:	1 Sec.	A.D.A. 67 Sec.
Door:	1.26.D19	EMPLOYEE North East Parking Gate "IN"	Security Level:	NORMAL	
Reader:	1.26.14.R1	EMPLOYEE North East Parking Gate "IN"	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.26.14.O1	EMPLOYEE North East Parking Gate "IN"	Strike Time:	1 Sec.	A.D.A. 68 Sec.
Door:	1.26.D20	EMPLOYEE North East Parking Gate"OU"	Security Level:	NORMAL	
Reader:	1.26.14.R2	EMPLOYEE North East Parking Gate"OI"	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.26.14.O3	EMPLOYEE North East Parking Gate"OU"	Strike Time:	1 Sec.	A.D.A. 69 Sec.

Door:	1.26.D21	SHERIFF North West Parking Gate "IN"	Security Level:	NORMAL
Reader:	1.26.15.R1	SHERIFF North West Parking Gate "IN"	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.26.15.O1	SHERIFF North West Parking Gate "IN" -	Strike Time:	1 Sec. A.D.A. 70 Sec.

Door:	1.26.D22	SHERIFF North West Parking Gate "OUT	Security Level:	NORMAL
Reader:	1.26.15.R2	SHERIFF North West Parking Gate "OU	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.26.15.O3	SHERIFF North West Parking Gate "OUT	Strike Time:	1 Sec. A.D.A. 71 Sec.

Door:	1.27.D1	TCD9 District Judges	Security Level:	NORMAL
Reader:	1.27.1.R1		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	30 Sec. A.D.A. 29 Sec.

Door:	1.27.D2	TCD10 District Courts 10122	Security Level:	NORMAL
Reader:	1.27.2.R1		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	30 Sec. A.D.A. 30 Sec.

Door:	1.27.D3	TCD11 District Clerks/Jury Clerks	Security Level:	NORMAL
Reader:	1.27.3.R1		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	(none)		Strike Time:	30 Sec. A.D.A. 31 Sec.

Door: 1.27.D4 TCD12 District Clerk
Reader: 1.27.4.R1
Door Contact: (none)
REX 1: (none)
REX 2: (none)
Strike: (none)

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 32 Sec.

Door: 1.27.D5 District Court Door 10156a
Reader: 1.27.5.R1
Door Contact: 1.27.5.I1
REX 1: 1.27.5.I2
REX 2: (none)
Strike: 1.27.5.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 35 Sec.

Door: 1.27.D6 District Court Door 10156b
Reader: 1.27.5.R2
Door Contact: 1.27.5.I3
REX 1: 1.27.5.I4
REX 2: (none)
Strike: 1.27.5.O3

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 36 Sec.

Door: 1.27.D7 District Court Door 10150a
Reader: 1.27.6.R1
Door Contact: 1.27.6.I1
REX 1: 1.27.6.I2
REX 2: (none)
Strike: 1.27.6.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 37 Sec.

Door: 1.27.D8 District Court Door 10150b
Reader: 1.27.6.R2
Door Contact: 1.27.6.I3
REX 1: 1.27.6.I4
REX 2: (none)
Strike: 1.27.6.O3

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 38 Sec.

Door: 1.27.D9 District Court Door 10174a
Reader: 1.27.7.R1
Door Contact: 1.27.7.I1
REX 1: 1.27.7.I2
REX 2: (none)
Strike: 1.27.7.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 39 Sec.

Door:	1.27.D10	District Court Door 10174b	Security Level:	NORMAL	
Reader:	1.27.7.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.7.I3		Default reader mode:	Card Only	
REX 1:	1.27.7.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.7.O3		Strike Time:	30 Sec.	A.D.A. 40 Sec.
Door:	1.27.D11	District Court Door 10058a	Security Level:	NORMAL	
Reader:	1.27.9.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.9.I1		Default reader mode:	Card Only	
REX 1:	1.27.9.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.9.O1		Strike Time:	30 Sec.	A.D.A. 69 Sec.
Door:	1.27.D12	District Court Door 10058b	Security Level:	NORMAL	
Reader:	1.27.9.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.9.I3		Default reader mode:	Card Only	
REX 1:	1.27.9.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.9.O3		Strike Time:	30 Sec.	A.D.A. 70 Sec.
Door:	1.27.D13	District Court Door 10094a	Security Level:	NORMAL	
Reader:	1.27.10.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.10.I1		Default reader mode:	Card Only	
REX 1:	1.27.10.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.10.O1		Strike Time:	30 Sec.	A.D.A. 71 Sec.
Door:	1.27.D14	District Court Doors 10094b	Security Level:	NORMAL	
Reader:	1.27.10.R2		Close Delay (shunt time):	3 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.10.I3		Default reader mode:	Card Only	
REX 1:	1.27.10.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.10.O3		Strike Time:	30 Sec.	A.D.A. 72 Sec.

Door:	1.27.D15	District Court Door 10092	Security Level:	NORMAL	
Reader:	1.27.11.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.11.I1		Default reader mode:	Card Only	
REX 1:	1.27.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.11.O1		Strike Time:	30 Sec.	A.D.A. 73 Sec.
Door:	1.27.D16	District Court Door 10180	Security Level:	NORMAL	
Reader:	1.27.8.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.8.I1		Default reader mode:	Card Only	
REX 1:	1.27.8.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.8.O1		Strike Time:	30 Sec.	A.D.A. 73 Sec.
Door:	1.27.D17	1st Floor Homeland Security/Door 10226	Security Level:	NORMAL	
Reader:	1.27.12.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.12.I1		Default reader mode:	Card Only	
REX 1:	1.27.12.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.12.O1		Strike Time:	30 Sec.	A.D.A. 69 Sec.
Door:	1.27.D18	1st Floor Elevator Hall Call/DISTRICT JUI	Security Level:	NORMAL	
Reader:	1.27.13.R1	1st Floor Elevator Hall Call/DISTRICT JL	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.27.13.O1	1st Floor Elevator Hall Call/DISTRICT JUI	Strike Time:	5 Sec.	A.D.A. 70 Sec.
Door:	1.27.D19	1st Floor 10332F"New"	Security Level:	NORMAL	
Reader:	1.27.16.R1	1st Floor 10332F"New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.16.I1	1st Floor 10332F"New" - DSM	Default reader mode:	Card Only	
REX 1:	1.27.16.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.16.O1	1st Floor 10332F"New" - Lock	Strike Time:	30 Sec.	A.D.A. 33 Sec.
Door:	1.27.D20	1st Floor 10366A "New"	Security Level:	NORMAL	
Reader:	1.27.17.R1	1st Floor 10366A "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.17.I1	1st Floor 10366A "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.27.17.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.17.O1	1st Floor 10366A "New" - Lock	Strike Time:	30 Sec.	A.D.A. 34 Sec.

Door:	1.27.D21	1st Floor 10332B "NEW"	Security Level:	NORMAL
Reader:	1.27.18.R1	1st Floor 10332B "NEW" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.18.I1	1st Floor 10332B "NEW" - DSM	Default reader mode:	Card Only
REX 1:	1.27.18.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.18.O1	1st Floor 10332B "NEW" - Lock	Strike Time:	30 Sec. A.D.A. 35 Sec.
Door:	1.27.D22	1st Floor 10332E "New"	Security Level:	NORMAL
Reader:	1.27.18.R2	1st Floor 10332E "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.18.I3	1st Floor 10332E "New" - DSM	Default reader mode:	Card Only
REX 1:	1.27.18.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.18.O3	1st Floor 10332E "New" - Lock	Strike Time:	30 Sec. A.D.A. 36 Sec.
Door:	1.27.D23	1st Floor 10400A "New"	Security Level:	NORMAL
Reader:	1.27.19.R1	1st Floor 10400A "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.19.I1	1st Floor 10332J "New" - DSM	Default reader mode:	Card Only
REX 1:	1.27.19.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.19.O1	1st Floor 10400A "New" - Lock	Strike Time:	30 Sec. A.D.A. 37 Sec.
Door:	1.27.D24	1st Floor 10332J "New"	Security Level:	NORMAL
Reader:	1.27.19.R2	1st Floor 10332J "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.19.I3	1st Floor 10332J "New" - DSM	Default reader mode:	Card Only
REX 1:	1.27.19.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.19.O3	1st Floor 10332J "New" - Lock	Strike Time:	30 Sec. A.D.A. 38 Sec.
Door:	1.27.D25	1st Floor 10390B "New"	Security Level:	NORMAL
Reader:	1.27.20.R1	1st Floor 10390B "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.20.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.20.O1	1st Floor 10390B "New" - Lock	Strike Time:	30 Sec. A.D.A. 39 Sec.

Door:	1.27.D25	1st Floor 10390B "New"	Security Level:	NORMAL
Reader:	1.27.20.R1	1st Floor 10390B "New" - BIO Rdr	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.20.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.20.O1	1st Floor 10390B "New" - Lock	Strike Time:	30 Sec. A.D.A. 39 Sec.
Door:	1.27.D27	1st Floor 10440B "New"	Security Level:	NORMAL
Reader:	1.27.21.R1	1st Floor 10440B "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.21.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.21.O1	1st Floor 10440B "New" - Lock	Strike Time:	30 Sec. A.D.A. 40 Sec.
Door:	1.27.D27	1st Floor 10440B "New"	Security Level:	NORMAL
Reader:	1.27.21.R1	1st Floor 10440B "New" - BIO Rdr	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.21.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.21.O1	1st Floor 10440B "New" - Lock	Strike Time:	30 Sec. A.D.A. 40 Sec.
Door:	1.27.D29	1st Floor 10332A "new"	Security Level:	NORMAL
Reader:	1.27.22.R1	1st Floor 10332A "new" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.22.I1	1st Floor 10332A "new" - DSM	Default reader mode:	Card Only
REX 1:	1.27.22.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.22.O1	1st Floor 10332A "new" - Lock	Strike Time:	60 Sec. A.D.A. 41 Sec.
Door:	1.27.D30	1st Floor 10222B/CCL #3 COURT CORR	Security Level:	NORMAL
Reader:	1.27.22.R2	1st Floor 10222B/CCL #3 COURT CORF	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.22.I3	1st Floor 10222B/CCL #3 COURT CORR	Default reader mode:	Card Only
REX 1:	1.27.22.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.22.O3	1st Floor 10222B/CCL #3 COURT CORR	Strike Time:	60 Sec. A.D.A. 42 Sec.
Door:	1.27.D31	1st Floor 10282A "New"	Security Level:	NORMAL
Reader:	1.27.23.R1	1st Floor 10282A "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.23.I1	1st Floor 10282A "New" - DSM	Default reader mode:	Card Only
REX 1:	1.27.23.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.23.O1	1st Floor 10282A "New" - Lock	Strike Time:	30 Sec. A.D.A. 39 Sec.

Door:	1.27.D34	1st Floor 10222C "New"	Security Level:	NORMAL
Reader:	1.27.25.R1	1st Floor 10222C "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.25.I1	1st Floor 10222C "New" - DSM	Default reader mode:	Card Only
REX 1:	1.27.25.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.25.O1	1st Floor 10222C "New" - Lock	Strike Time:	30 Sec. A.D.A. 42 Sec.
Door:	1.27.D35	1st Floor 10222E "New"	Security Level:	NORMAL
Reader:	1.27.25.R2	1st Floor 10222E "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.25.I3	1st Floor 10222E "New" - DSM	Default reader mode:	Card Only
REX 1:	1.27.25.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.25.O3	1st Floor 10222E "New" - Lock	Strike Time:	30 Sec. A.D.A. 43 Sec.
Door:	1.27.D36	1st Floor 10222F "New"	Security Level:	NORMAL
Reader:	1.27.26.R1	1st Floor 10222F "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.26.I1	1st Floor 10222F "New" - DSM	Default reader mode:	Card Only
REX 1:	1.27.26.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.26.O1	1st Floor 10222F "New" - Lock	Strike Time:	5 Sec. A.D.A. 44 Sec.
Door:	1.27.D37	1st Floor 10222G "New"	Security Level:	NORMAL
Reader:	1.27.26.R2	1st Floor 10222G "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.26.I3	1st Floor 10222G "New" - DSM	Default reader mode:	Card Only
REX 1:	1.27.26.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.26.O3	1st Floor 10222G "New" - Lock	Strike Time:	30 Sec. A.D.A. 45 Sec.
Door:	1.27.D38	1st Floor 10286B "New"	Security Level:	NORMAL
Reader:	1.27.27.R1	1st Floor 10286B "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.27.27.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.27.27.O1	1st Floor 10286B "New" - Lock	Strike Time:	30 Sec. A.D.A. 46 Sec.

Door:	1.27.D38	1st Floor 10286B "New"	Security Level:	NORMAL	
Reader:	1.27.27.R1	1st Floor 10286B "New" - BIO Rdr	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.27.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.27.O1	1st Floor 10286B "New" - Lock	Strike Time:	30 Sec.	A.D.A. 46 Sec.
Door:	1.27.D40	1st Floor 10296B "New"	Security Level:	NORMAL	
Reader:	1.27.28.R1	1st Floor 10296B "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.28.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.28.O1	1st Floor 10296B "New" - Lock	Strike Time:	30 Sec.	A.D.A. 47 Sec.
Door:	1.27.D40	1st Floor 10296B "New"	Security Level:	NORMAL	
Reader:	1.27.28.R1	1st Floor 10296B "New" - BIO Rdr	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.28.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.28.O1	1st Floor 10296B "New" - Lock	Strike Time:	30 Sec.	A.D.A. 47 Sec.
Door:	1.27.D42	1st Floor 10353A "New"	Security Level:	NORMAL	
Reader:	1.27.29.R1	1st Floor 10353A "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.29.I1	1st Floor 10353A "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.27.29.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	1.27.29.O1	1st Floor 10353A "New" - Lock	Strike Time:	7 Sec.	A.D.A. 48 Sec.
Door:	1.27.D43	1st Floor 10248A "New"	Security Level:	NORMAL	
Reader:	1.27.30.R1	1st Floor 10248A "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.27.30.I1	1st Floor 10248A "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.27.30.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.30.O1	1st Floor 10248A "New" - Lock	Strike Time:	30 Sec.	A.D.A. 67 Sec.
Door:	1.27.D44	1st Floor E8 Hall Call "New"	Security Level:	NORMAL	
Reader:	1.27.30.R2	1st Floor E8 Hall Call "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.27.30.O3	1st Floor E8 Hall Call "New" - Lock	Strike Time:	5 Sec.	A.D.A. 68 Sec.

Door:	1.28.D1	TCD18 District Courts 20020	Security Level:	NORMAL	
Reader:	1.28.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 33 Sec.
Door:	1.28.D2	TCD19 District Attorney "Conference Roo	Security Level:	NORMAL	
Reader:	1.28.2.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 34 Sec.
Door:	1.28.D3	District Court Door 20196a	Security Level:	NORMAL	
Reader:	1.28.3.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.3.I1		Default reader mode:	Card Only	
REX 1:	1.28.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.3.O1		Strike Time:	30 Sec.	A.D.A. 24 Sec.
Door:	1.28.D4	District Court Door 20196b	Security Level:	NORMAL	
Reader:	1.28.3.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.3.I3		Default reader mode:	Card Only	
REX 1:	1.28.3.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.3.O3		Strike Time:	30 Sec.	A.D.A. 25 Sec.
Door:	1.28.D5	District Court Door 20162a	Security Level:	NORMAL	
Reader:	1.28.4.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.4.I1		Default reader mode:	Card Only	
REX 1:	1.28.4.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.4.O1		Strike Time:	30 Sec.	A.D.A. 26 Sec.

Door:	1.28.D6	District Court Door 20162b	Security Level:	NORMAL	
Reader:	1.28.4.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.4.I3		Default reader mode:	Card Only	
REX 1:	1.28.4.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.4.O3		Strike Time:	30 Sec.	A.D.A. 27 Sec.
Door:	1.28.D7	District Court Door 20168	Security Level:	NORMAL	
Reader:	1.28.5.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.5.I1		Default reader mode:	Card Only	
REX 1:	1.28.5.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.5.O1		Strike Time:	30 Sec.	A.D.A. 28 Sec.
Door:	1.28.D8	District Court Door 20222a demo	Security Level:	NORMAL	
Reader:	1.28.6.R1	District Court Door 20222a demo - Read	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.6.I1	District Court Door 20222a demo - DSM	Default reader mode:	Unlocked	
REX 1:	1.28.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.6.O1	District Court Door 20222a demo - Lock	Strike Time:	30 Sec.	A.D.A. 29 Sec.
Door:	1.28.D9	District Court Door 20058a	Security Level:	NORMAL	
Reader:	1.28.7.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.7.I1		Default reader mode:	Card Only	
REX 1:	1.28.7.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.7.O1		Strike Time:	30 Sec.	A.D.A. 30 Sec.
Door:	1.28.D10	District Court Door 20058b	Security Level:	NORMAL	
Reader:	1.28.7.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.7.I3		Default reader mode:	Card Only	
REX 1:	1.28.7.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.7.O3		Strike Time:	30 Sec.	A.D.A. 31 Sec.
Door:	1.28.D11	District Court Door 20094a	Security Level:	NORMAL	
Reader:	1.28.8.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.8.I1		Default reader mode:	Card Only	
REX 1:	1.28.8.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.8.O1		Strike Time:	30 Sec.	A.D.A. 32 Sec.

Door:	1.28.D12	District Court Door 20094b	Security Level:	NORMAL	
Reader:	1.28.8.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.8.I3		Default reader mode:	Card Only	
REX 1:	1.28.8.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.8.O3		Strike Time:	30 Sec.	A.D.A. 33 Sec.
Door:	1.28.D13	District Court Door 20422a (DEMO)	Security Level:	NORMAL	
Reader:	1.28.9.R1	District Court Door 20422a (DEMO) - Re	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.9.I1	District Court Door 20422a (DEMO) - DS	Default reader mode:	Card Only	
REX 1:	1.28.9.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.9.O1	District Court Door 20422a (DEMO) - Loc	Strike Time:	30 Sec.	A.D.A. 34 Sec.
Door:	1.28.D14	DA'S OFFICE NEW DOOR BY ELEVATC	Security Level:	NORMAL	
Reader:	1.28.11.R1	DA'S OFFICE NEW DOOR BY ELEVAT	Close Delay (shunt time):	15 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.11.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.11.O1	DA'S OFFICE NEW DOOR BY ELEVATC	Strike Time:	30 Sec.	A.D.A. 30 Sec.
Door:	1.28.D16	2nd Floor 20352A "New"	Security Level:	NORMAL	
Reader:	1.28.12.R1	2nd Floor 20352A "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.12.I1	2nd Floor 20352A "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.28.12.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.12.O1	2nd Floor 20352A "New" - Lock	Strike Time:	30 Sec.	A.D.A. 49 Sec.
Door:	1.28.D17	2nd Floor 20374A "New"	Security Level:	NORMAL	
Reader:	1.28.13.R1	2nd Floor 20374A "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.13.I1	2nd Floor 20374A "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.28.13.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.13.O1	2nd Floor 20374A "New" - Lock	Strike Time:	30 Sec.	A.D.A. 50 Sec.

Door:	1.28.D18	2nd Floor 200342F "New"	Security Level:	NORMAL	
Reader:	1.28.14.R1	2nd Floor 200342F "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.14.I1	2nd Floor 200342F "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.28.14.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.14.O1	2nd Floor 200342F "New" - Lock	Strike Time:	30 Sec.	A.D.A. 51 Sec.
Door:	1.28.D19	2nd Floor 20342D "New"	Security Level:	NORMAL	
Reader:	1.28.14.R2	2nd Floor 20342D "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.14.I3	2nd Floor 20342D "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.28.14.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.14.O3	2nd Floor 20342D "New" - Lock	Strike Time:	30 Sec.	A.D.A. 52 Sec.
Door:	1.28.D20	2nd Floor 20342A "New"	Security Level:	NORMAL	
Reader:	1.28.15.R1	2nd Floor 20342A "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.15.I1	2nd Floor 20342A "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.28.15.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.15.O1	2nd Floor 20342A "New" - Lock	Strike Time:	30 Sec.	A.D.A. 53 Sec.
Door:	1.28.D21	2nd Floor 20342C "New"	Security Level:	NORMAL	
Reader:	1.28.15.R2	2nd Floor 20342C "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.15.I3	2nd Floor 20342C "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.28.15.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.15.O3	2nd Floor 20342C "New" - Lock	Strike Time:	30 Sec.	A.D.A. 54 Sec.
Door:	1.28.D22	2nd Floor 20390B "New"	Security Level:	NORMAL	
Reader:	1.28.16.R1	2nd Floor 20390B "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.16.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.16.O1	2nd Floor 20390B "New" - Lock	Strike Time:	30 Sec.	A.D.A. 55 Sec.
Door:	1.28.D22	2nd Floor 20390B "New"	Security Level:	NORMAL	
Reader:	1.28.16.R1	2nd Floor 20390B "New" - BIO Rdr	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.16.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.16.O1	2nd Floor 20390B "New" - Lock	Strike Time:	30 Sec.	A.D.A. 55 Sec.

Door:	1.28.D24	2nd Floor 20400B "New"	Security Level:	NORMAL	
Reader:	1.28.17.R1	2nd Floor 20400B "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.17.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.17.O1	2nd Floor 20400B "New" - Lock	Strike Time:	30 Sec.	A.D.A. 56 Sec.
Door:	1.28.D24	2nd Floor 20400B "New"	Security Level:	NORMAL	
Reader:	1.28.17.R1	2nd Floor 20400B "New" - BIO Rdr	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.17.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.17.O1	2nd Floor 20400B "New" - Lock	Strike Time:	30 Sec.	A.D.A. 56 Sec.
Door:	1.28.D26	2nd Floor 20342H/CCL #1 & 5 COURT C	Security Level:	NORMAL	
Reader:	1.28.18.R1	2nd Floor 20342H/CCL #1 & 5 COURT C	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.18.I1	2nd Floor 20342H/CCL #1 & 5 COURT C	Default reader mode:	Card Only	
REX 1:	1.28.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.18.O1	2nd Floor 20342H/CCL #1 & 5 COURT C	Strike Time:	60 Sec.	A.D.A. 57 Sec.
Door:	1.28.D27	2nd Floor 20238J/CCL # COURT CORR	Security Level:	NORMAL	
Reader:	1.28.18.R2	2nd Floor 20238J/CCL # COURT CORR	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.18.I3	2nd Floor 20238J/CCL # COURT CORR	Default reader mode:	Card Only	
REX 1:	1.28.18.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.18.O3	2nd Floor 20238J/CCL # COURT CORR	Strike Time:	60 Sec.	A.D.A. 58 Sec.
Door:	1.28.D28	2nd Floor 20004E "New"	Security Level:	NORMAL	
Reader:	1.28.19.R1	2nd Floor 20004E "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.28.19.I1	2nd Floor 20004E "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.28.19.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.28.19.O1	2nd Floor 20004E "New" - Lock	Strike Time:	30 Sec.	A.D.A. 59 Sec.

Door:	1.28.D29	2nd Floor 20288 "New"	Security Level:	NORMAL
Reader:	1.28.20.R1	2nd Floor 20288 "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.28.20.I1	2nd Floor 20288 "New" - DSM	Default reader mode:	Card Only
REX 1:	1.28.20.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.20.O1	2nd Floor 20288 "New" - Lock	Strike Time:	30 Sec. A.D.A. 60 Sec.
Door:	1.28.D30	2nd Floor 20268 "New"	Security Level:	NORMAL
Reader:	1.28.21.R1	2nd Floor 20268 "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.28.21.I1	2nd Floor 20268 "New" - DSM	Default reader mode:	Card Only
REX 1:	1.28.21.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.21.O1	2nd Floor 20268 "New" - Lock	Strike Time:	30 Sec. A.D.A. 61 Sec.
Door:	1.28.D31	2nd Floor EL8 "New"	Security Level:	NORMAL
Reader:	1.28.21.R2	2nd Floor EL8 "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.21.O3	2nd Floor EL8 "New" - Lock	Strike Time:	5 Sec. A.D.A. 62 Sec.
Door:	1.28.D32	2nd Floor 20238F "New"	Security Level:	NORMAL
Reader:	1.28.22.R1	2nd Floor 20238F "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.28.22.I1	2nd Floor 20238F "New" - DSM	Default reader mode:	Card Only
REX 1:	1.28.22.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.22.O1	2nd Floor 20238F "New" - Lock	Strike Time:	30 Sec. A.D.A. 63 Sec.
Door:	1.28.D33	2nd Floor 20238E "New"	Security Level:	NORMAL
Reader:	1.28.22.R2	2nd Floor 20238E "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.28.22.I3	2nd Floor 20238E "New" - DSM	Default reader mode:	Card Only
REX 1:	1.28.22.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.22.O3	2nd Floor 20238E "New" - Lock	Strike Time:	30 Sec. A.D.A. 64 Sec.
Door:	1.28.D34	2nd Floor 20238B "New"	Security Level:	NORMAL
Reader:	1.28.23.R1	2nd Floor 20238B "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.28.23.I1	2nd Floor 20238B "New" - DSM	Default reader mode:	Card Only
REX 1:	1.28.23.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.23.O1	2nd Floor 20238B "New" - Lock	Strike Time:	30 Sec. A.D.A. 65 Sec.

Door:	1.28.D35	2nd Floor 20238D SPARE COURTROOM	Security Level:	NORMAL
Reader:	1.28.23.R2	2nd Floor 20238D SPARE COURTROOM	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.28.23.I3	2nd Floor 20238D SPARE COURTROOM	Default reader mode:	Card Only
REX 1:	1.28.23.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.23.O3	2nd Floor 20238D SPARE COURTROOM	Strike Time:	5 Sec. A.D.A. 66 Sec.

Door:	1.28.D36	2nd Floor 20294A "New"	Security Level:	NORMAL
Reader:	1.28.24.R1	2nd Floor 20294A "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.28.24.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.24.O1	2nd Floor 20294A "New" - Lock	Strike Time:	30 Sec. A.D.A. 67 Sec.

Door:	1.28.D36	2nd Floor 20294A "New"	Security Level:	NORMAL
Reader:	1.28.24.R1	2nd Floor 20294A "New" - BIO Rdr	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.28.24.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.24.O1	2nd Floor 20294A "New" - Lock	Strike Time:	30 Sec. A.D.A. 67 Sec.

Door:	1.28.D38	2nd Floor 20308A "New"	Security Level:	NORMAL
Reader:	1.28.25.R1	2nd Floor 20308A "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.28.25.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.25.O1	2nd Floor 20308A "New" - Lock	Strike Time:	30 Sec. A.D.A. 68 Sec.

Door:	1.28.D38	2nd Floor 20308A "New"	Security Level:	NORMAL
Reader:	1.28.25.R1	2nd Floor 20308A "New" - BIO Rdr	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.28.25.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.25.O1	2nd Floor 20308A "New" - Lock	Strike Time:	30 Sec. A.D.A. 68 Sec.

Door:	1.28.D40	2nd Floor 20342J "New"	Security Level:	NORMAL
Reader:	1.28.26.R1	2nd Floor 20342J "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.28.26.I1	2nd Floor 20342J "New" - DSM	Default reader mode:	Card Only
REX 1:	1.28.26.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.26.O1	2nd Floor 20342J "New" - Lock	Strike Time:	30 Sec. A.D.A. 69 Sec.
Door:	1.28.D41	2nd Floor 20220A "New"	Security Level:	NORMAL
Reader:	1.28.27.R1	2nd Floor 20220A "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.28.27.I1	2nd Floor 20220A "New" - DSM	Default reader mode:	Card Only
REX 1:	1.28.27.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.27.O1	2nd Floor 20220A "New" - Lock	Strike Time:	30 Sec. A.D.A. 70 Sec.
Door:	1.28.D42	2nd Floor 20212A "New"	Security Level:	NORMAL
Reader:	1.28.27.R2	2nd Floor 20212A "New" - Reader	Close Delay (shunt time):	5 Sec. A.D.A. 4 Sec.
Door Contact:	1.28.27.I3	2nd Floor 20212A "New" - DSM	Default reader mode:	Card Only
REX 1:	1.28.27.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.28.27.O3	2nd Floor 20212A "New" - Lock	Strike Time:	20 Sec. A.D.A. 10 Sec.
Door:	1.29.D1	Interior Main Electrical Room 1126A	Security Level:	NORMAL
Reader:	1.29.1.R1		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.29.1.I1		Default reader mode:	Card Only
REX 1:	1.29.1.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.29.1.O1		Strike Time:	30 Sec. A.D.A. 129 Sec.
Door:	1.29.D2	Exterior Main Electrical Room 1126B	Security Level:	NORMAL
Reader:	1.29.1.R2		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.29.1.I3		Default reader mode:	Card Only
REX 1:	1.29.1.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.29.1.O3		Strike Time:	30 Sec. A.D.A. 130 Sec.
Door:	1.29.D3	Exterior Fire Pump Room 1124	Security Level:	NORMAL
Reader:	1.29.2.R1		Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.29.2.I1		Default reader mode:	Card Only
REX 1:	1.29.2.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.29.2.O1		Strike Time:	30 Sec. A.D.A. 131 Sec.

Door:	1.29.D4	East Exterior Door 1123C	Security Level:	NORMAL	
Reader:	1.29.2.R2	East Exterior Door 1123C - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.2.I3	East Exterior Door 1123C - DSM	Default reader mode:	Card Only	
REX 1:	1.29.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.2.O3	East Exterior Door 1123C - Lock	Strike Time:	30 Sec.	A.D.A. 132 Sec.
Door:	1.29.D5	Exterior Chilled Water Riser 1116	Security Level:	NORMAL	
Reader:	1.29.3.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.3.I1		Default reader mode:	Card Only	
REX 1:	1.29.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.3.O1		Strike Time:	30 Sec.	A.D.A. 133 Sec.
Door:	1.29.D6	Loading Dock 1114C	Security Level:	NORMAL	
Reader:	1.29.3.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.3.I3		Default reader mode:	Card Only	
REX 1:	1.29.3.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.3.O3		Strike Time:	30 Sec.	A.D.A. 134 Sec.
Door:	1.29.D7	Building Support 1108	Security Level:	NORMAL	
Reader:	1.29.4.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.4.I1		Default reader mode:	Card Only	
REX 1:	1.29.4.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.4.O1		Strike Time:	30 Sec.	A.D.A. 135 Sec.
Door:	1.29.D8	Elevator Control Room 1104	Security Level:	NORMAL	
Reader:	1.29.4.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.4.I3		Default reader mode:	Card Only	
REX 1:	1.29.4.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.4.O3		Strike Time:	30 Sec.	A.D.A. 136 Sec.

Door: 1.29.D9 1st Data Closet 1120
Reader: 1.29.5.R1
Door Contact: 1.29.5.I1
REX 1: 1.29.5.I2
REX 2: (none)
Strike: 1.29.5.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 137 Sec.

Door: 1.29.D10 Interior Dock Door 1115
Reader: 1.29.5.R2
Door Contact: 1.29.5.I3
REX 1: 1.29.5.I4
REX 2: (none)
Strike: 1.29.5.O3

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 138 Sec.

Door: 1.29.D11 Open Office 1128
Reader: 1.29.6.R1
Door Contact: 1.29.6.I1
REX 1: 1.29.6.I2
REX 2: (none)
Strike: 1.29.6.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 139 Sec.

Door: 1.29.D12 Constable PCT 1 1138
Reader: 1.29.6.R2
Door Contact: 1.29.6.I3
REX 1: 1.29.6.I4
REX 2: (none)
Strike: 1.29.6.O3

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 140 Sec.

Door: 1.29.D13 Electrical Room 1170
Reader: 1.29.7.R1
Door Contact: 1.29.7.I1
REX 1: 1.29.7.I2
REX 2: (none)
Strike: 1.29.7.O1

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 141 Sec.

Door: 1.29.D14 JP1 Office 1158
Reader: 1.29.7.R2
Door Contact: 1.29.7.I3
REX 1: 1.29.7.I4
REX 2: (none)
Strike: 1.29.7.O3

Security Level: NORMAL
Close Delay (shunt time): 25 Sec. A.D.A. 15 Sec.
Default reader mode: Card Only
Offline reader mode: Facility Code Mode
Strike Mode: 1-cut short on open
Strike Time: 30 Sec. A.D.A. 142 Sec.

Door:	1.29.D15	JP1 Court Room 1148 A	Security Level:	NORMAL	
Reader:	1.29.8.R1	JP1 Court Room 1148 A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.8.I1	JP1 Court Room 1148 A - DSM	Default reader mode:	Card Only	
REX 1:	1.29.8.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.8.O1	JP1 Court Room 1148 A - Lock	Strike Time:	30 Sec.	A.D.A. 143 Sec.
Door:	1.29.D16	Constable PCT1 1136B	Security Level:	NORMAL	
Reader:	1.29.8.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.8.I3		Default reader mode:	Card Only	
REX 1:	1.29.8.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.8.O3		Strike Time:	30 Sec.	A.D.A. 144 Sec.
Door:	1.29.D17	JP1 Jury Deliberation 1154	Security Level:	NORMAL	
Reader:	1.29.9.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.9.I1		Default reader mode:	Card Only	
REX 1:	1.29.9.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.9.O1		Strike Time:	30 Sec.	A.D.A. 145 Sec.
Door:	1.29.D18	JP1 Storage 1152	Security Level:	NORMAL	
Reader:	1.29.9.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.9.I3		Default reader mode:	Card Only	
REX 1:	1.29.9.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.9.O3		Strike Time:	30 Sec.	A.D.A. 146 Sec.
Door:	1.29.D19	JP1 Waiting Area 1162	Security Level:	NORMAL	
Reader:	1.29.10.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.10.I1		Default reader mode:	Card Only	
REX 1:	1.29.10.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.10.O1		Strike Time:	30 Sec.	A.D.A. 147 Sec.

Door:	1.29.D20	JP1 Public Counter 1164	Security Level:	NORMAL	
Reader:	1.29.10.R2		Close Delay (shunt time):	32 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.10.I3		Default reader mode:	Card Only	
REX 1:	1.29.10.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.10.O3		Strike Time:	40 Sec.	A.D.A. 150 Sec.
Door:	1.29.D21	JP1 Judges Chambers 1150B	Security Level:	NORMAL	
Reader:	1.29.11.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.11.I1		Default reader mode:	Card Only	
REX 1:	1.29.11.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.11.O1		Strike Time:	30 Sec.	A.D.A. 30 Sec.
Door:	1.29.D22	1st Floor Main West Entry 1100B	Security Level:	NORMAL	
Reader:	1.29.11.R2	1st Floor Main West Entry 1100B - Read	Close Delay (shunt time):	32 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.11.I3	1st Floor Main West Entry 1100B - DSM	Default reader mode:	Card Only	
REX 1:	1.29.11.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.11.O3	1st Floor Main West Entry 1100B - Lock	Strike Time:	30 Sec.	A.D.A. 150 Sec.
Door:	1.29.D23	TC JP1	Security Level:	NORMAL	
Reader:	1.29.12.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 151 Sec.
Door:	1.29.D24	TC1-2	Security Level:	NORMAL	
Reader:	1.29.13.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	1.29.13.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 152 Sec.
Door:	1.29.D25	TC1-3	Security Level:	NORMAL	
Reader:	1.29.14.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 153 Sec.

Door:	1.29.D26	TC1-4	Security Level:	NORMAL	
Reader:	1.29.15.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	30 Sec.	A.D.A. 154 Sec.
Door:	1.29.D27	County Clerk 2106B	Security Level:	NORMAL	
Reader:	1.29.17.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.17.I1		Default reader mode:	Card Only	
REX 1:	1.29.17.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.17.O1		Strike Time:	30 Sec.	A.D.A. 155 Sec.
Door:	1.29.D28	County Clerk 2116	Security Level:	NORMAL	
Reader:	1.29.17.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.17.I3		Default reader mode:	Card Only	
REX 1:	1.29.17.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.17.O3		Strike Time:	30 Sec.	A.D.A. 156 Sec.
Door:	1.29.D29	Door 2190/Conference Room	Security Level:	NORMAL	
Reader:	1.29.18.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.18.I1		Default reader mode:	Card Only	
REX 1:	1.29.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.18.O1		Strike Time:	30 Sec.	A.D.A. 157 Sec.
Door:	1.29.D30	Door 2184 Electrical/Mechanical 2A	Security Level:	NORMAL	
Reader:	1.29.18.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.18.I3		Default reader mode:	Card Only	
REX 1:	1.29.18.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.18.O3		Strike Time:	30 Sec.	A.D.A. 158 Sec.

Door:	1.29.D31	TAX OFFICE MOTOR VEHICLE DOUBLE	Security Level:	NORMAL	
Reader:	1.29.19.R1	TAX OFFICE MOTOR VEHICLE DOUBLE	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.29.19.I1	TAX OFFICE MOTOR VEHICLE DOUBLE	Default reader mode:	Card Only	
REX 1:	1.29.19.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.19.O1	TAX OFFICE MOTOR VEHICLE DOUBLE	Strike Time:	30 Sec.	A.D.A. 159 Sec.
Door:	1.29.D32	TAX OFFICE SERVER ROOM 2312	Security Level:	NORMAL	
Reader:	1.29.19.R2	TAX OFFICE SERVER ROOM 2312 - R	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.19.I3	TAX OFFICE SERVER ROOM 2312 - DS	Default reader mode:	Card Only	
REX 1:	1.29.19.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.19.O3	TAX OFFICE SERVER ROOM 2312 - Loc	Strike Time:	30 Sec.	A.D.A. 23 Sec.
Door:	1.29.D33	Tax Cashier 2310	Security Level:	NORMAL	
Reader:	1.29.20.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.20.I3		Default reader mode:	Card Only	
REX 1:	1.29.20.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.20.O3		Strike Time:	30 Sec.	A.D.A. 25 Sec.
Door:	1.29.D34	Vehicle Tags 2308	Security Level:	NORMAL	
Reader:	1.29.20.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.20.I1		Default reader mode:	Card Only	
REX 1:	1.29.20.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.20.O1		Strike Time:	30 Sec.	A.D.A. 24 Sec.
Door:	1.29.D35	Dealer Tags 2300	Security Level:	NORMAL	
Reader:	1.29.21.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.21.I1		Default reader mode:	Card Only	
REX 1:	1.29.21.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.21.O1		Strike Time:	30 Sec.	A.D.A. 26 Sec.
Door:	1.29.D36	2nd Floor North Entry 2100B	Security Level:	NORMAL	
Reader:	1.29.21.R2		Close Delay (shunt time):	30 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.21.I3		Default reader mode:	Card Only	
REX 1:	1.29.21.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.21.O3		Strike Time:	60 Sec.	A.D.A. 27 Sec.

Door:	1.29.D37	Property Tax Public Entrance 2326	Security Level:	NORMAL	
Reader:	1.29.22.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.22.I1		Default reader mode:	Card Only	
REX 1:	1.29.22.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.22.O1		Strike Time:	30 Sec.	A.D.A. 28 Sec.
Door:	1.29.D38	Tax Office Vault 2314	Security Level:	NORMAL	
Reader:	1.29.22.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.22.I3		Default reader mode:	Card Only	
REX 1:	1.29.22.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.22.O3		Strike Time:	30 Sec.	A.D.A. 29 Sec.
Door:	1.29.D39	Property Tax Office 2332	Security Level:	NORMAL	
Reader:	1.29.23.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.23.I1		Default reader mode:	Card Only	
REX 1:	1.29.23.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.23.O1		Strike Time:	30 Sec.	A.D.A. 30 Sec.
Door:	1.29.D40	Tax Accounting Office 2338	Security Level:	NORMAL	
Reader:	1.29.23.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.23.I3		Default reader mode:	Card Only	
REX 1:	1.29.23.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.23.O3		Strike Time:	30 Sec.	A.D.A. 31 Sec.
Door:	1.29.D41	Electric Room 2200	Security Level:	NORMAL	
Reader:	1.29.24.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.24.I1		Default reader mode:	Card Only	
REX 1:	1.29.24.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.24.O1		Strike Time:	30 Sec.	A.D.A. 32 Sec.

Door:	1.29.D42	County Clerk 2133	Security Level:	NORMAL	
Reader:	1.29.24.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.24.I3		Default reader mode:	Card Only	
REX 1:	1.29.24.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.24.O3		Strike Time:	30 Sec.	A.D.A. 33 Sec.
Door:	1.29.D43	Tax Office 2372	Security Level:	NORMAL	
Reader:	1.29.25.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.25.I1		Default reader mode:	Card Only	
REX 1:	1.29.25.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.25.O1		Strike Time:	30 Sec.	A.D.A. 34 Sec.
Door:	1.29.D44	Tax Reception 2366	Security Level:	NORMAL	
Reader:	1.29.25.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.25.I3		Default reader mode:	Card Only	
REX 1:	1.29.25.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.25.O3		Strike Time:	30 Sec.	A.D.A. 35 Sec.
Door:	1.29.D45	Mail Room 2350	Security Level:	NORMAL	
Reader:	1.29.26.R1	Mail Room 2350 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.26.I1	Mail Room 2350 - DSM	Default reader mode:	Card Only	
REX 1:	1.29.26.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.26.O1	Mail Room 2350 - Lock	Strike Time:	30 Sec.	A.D.A. 36 Sec.
Door:	1.29.D46	TAX RECORDS 2354	Security Level:	NORMAL	
Reader:	1.29.26.R2	TAX RECORDS 2354 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.26.I3	TAX RECORDS 2354 - DSM	Default reader mode:	Card Only	
REX 1:	1.29.26.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.26.O3	TAX RECORDS 2354 - Lock	Strike Time:	30 Sec.	A.D.A. 37 Sec.
Door:	1.29.D47	Tax Training Office 2301	Security Level:	NORMAL	
Reader:	1.29.27.R1	Tax Training Office 2301 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.27.I1	Tax Training Office 2301 - DSM	Default reader mode:	Card Only	
REX 1:	1.29.27.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.27.O1	Tax Training Office 2301 - Lock	Strike Time:	30 Sec.	A.D.A. 38 Sec.

Door:	1.29.D48	TC2-1 2nd Floor Elev Lobby	Security Level:	NORMAL	
Reader:	1.29.28.R1	TC2-1 2nd Floor Elev Lobby - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	5 Sec.	A.D.A. 39 Sec.
Door:	1.29.D49	TC2-2 County Clerk Area	Security Level:	NORMAL	
Reader:	1.29.29.R1	TC2-2 County Clerk Area - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	5 Sec.	A.D.A. 40 Sec.
Door:	1.29.D50	Break Room 2188A	Security Level:	NORMAL	
Reader:	1.29.30.R1	Break Room 2188A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.30.I1	Break Room 2188A - DSM	Default reader mode:	Card Only	
REX 1:	1.29.30.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.30.O1	Break Room 2188A - Lock	Strike Time:	30 Sec.	A.D.A. 41 Sec.
Door:	1.29.D51	Break Room Door 2188B	Security Level:	NORMAL	
Reader:	1.29.30.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.30.I3		Default reader mode:	Card Only	
REX 1:	1.29.30.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.30.O3		Strike Time:	30 Sec.	A.D.A. 42 Sec.
Door:	1.29.D52	Break Room Door 2182A	Security Level:	NORMAL	
Reader:	1.29.31.R1	Break Room Door 2182A - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.31.I1	Break Room Door 2182A - DSM	Default reader mode:	Card Only	
REX 1:	1.29.31.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.31.O1	Break Room Door 2182A - Lock	Strike Time:	30 Sec.	A.D.A. 43 Sec.

Door:	1.29.D53	Break Room Door 2182B	Security Level:	NORMAL	
Reader:	1.29.31.R2	Break Room Door 2182B - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.29.31.I3	Break Room Door 2182B - DSM	Default reader mode:	Card Only	
REX 1:	1.29.31.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.29.31.O3	Break Room Door 2182B - Lock	Strike Time:	30 Sec.	A.D.A. 44 Sec.
Door:	1.29.D54	TC2-3 Hallway Tag / Tax by 2312	Security Level:	NORMAL	
Reader:	1.29.32.R1	TC2-3 Hallway Tag / Tax by 2312 - Read	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	(none)		Strike Time:	5 Sec.	A.D.A. 22 Sec.
Door:	1.29.D55	TC1-5	Security Level:	NORMAL	
Reader:	1.29.16.R1	TC1-5 - Reader	Close Delay (shunt time):	0 Sec.	A.D.A. 0 Sec.
Door Contact:	(none)		Default reader mode:	None	
REX 1:	(none)		Offline reader mode:	None	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	5 Sec.	A.D.A. 0 Sec.
Door:	1.30.D1	3122A/Auditor Conference Room	Security Level:	NORMAL	
Reader:	1.30.1.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.1.I1		Default reader mode:	Card Only	
REX 1:	1.30.1.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.1.O1		Strike Time:	30 Sec.	A.D.A. 45 Sec.
Door:	1.30.D2	3100 Auditor Reception	Security Level:	NORMAL	
Reader:	1.30.1.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.1.I3		Default reader mode:	Card Only	
REX 1:	1.30.1.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.1.O3		Strike Time:	30 Sec.	A.D.A. 20 Sec.
Door:	1.30.D3	Door 3136/Auditor Emp. Entrance	Security Level:	NORMAL	
Reader:	1.30.2.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.2.I1		Default reader mode:	Card Only	
REX 1:	1.30.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.2.O1		Strike Time:	30 Sec.	A.D.A. 47 Sec.

Door:	1.30.D4	Electrical Room 3218	Security Level:	NORMAL	
Reader:	1.30.2.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.2.I3		Default reader mode:	Card Only	
REX 1:	1.30.2.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.2.O3		Strike Time:	30 Sec.	A.D.A. 48 Sec.
Door:	1.30.D5	Treasury 3139	Security Level:	NORMAL	
Reader:	1.30.3.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.3.I1		Default reader mode:	Card Only	
REX 1:	1.30.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.3.O1		Strike Time:	30 Sec.	A.D.A. 49 Sec.
Door:	1.30.D6	Door 3154/Purchasing Emp. Entrance	Security Level:	NORMAL	
Reader:	1.30.3.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.3.I3		Default reader mode:	Card Only	
REX 1:	1.30.3.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.3.O3		Strike Time:	30 Sec.	A.D.A. 50 Sec.
Door:	1.30.D7	Door 3160/Purchasing Reception	Security Level:	NORMAL	
Reader:	1.30.4.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.4.I1	Door 3160/Purchasing Reception - DSM	Default reader mode:	Card Only	
REX 1:	1.30.4.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.30.4.I5		Strike Mode:	1-cut short on open	
Strike:	1.30.4.O1		Strike Time:	30 Sec.	A.D.A. 51 Sec.
Door:	1.30.D8	Door 3166B/Purchasing Conference Roo	Security Level:	NORMAL	
Reader:	1.30.4.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.4.I3		Default reader mode:	Card Only	
REX 1:	1.30.4.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.4.O3		Strike Time:	30 Sec.	A.D.A. 52 Sec.

Door:	1.30.D9	Data Closet 3212	Security Level:	NORMAL	
Reader:	1.30.5.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.5.I1		Default reader mode:	Card Only	
REX 1:	1.30.5.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.5.O1		Strike Time:	30 Sec.	A.D.A. 53 Sec.
Door:	1.30.D10	Electric Room 3202	Security Level:	NORMAL	
Reader:	1.30.6.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.6.I1		Default reader mode:	Card Only	
REX 1:	1.30.6.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.6.O1		Strike Time:	30 Sec.	A.D.A. 54 Sec.
Door:	1.30.D11	Door 3198A/IT Reception Area	Security Level:	NORMAL	
Reader:	1.30.6.R2	Door 3198A/IT Reception Area - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.6.I3	Door 3198A/IT Reception Area - DSM	Default reader mode:	Card Only	
REX 1:	1.30.6.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.6.O3	Door 3198A/IT Reception Area - Lock	Strike Time:	30 Sec.	A.D.A. 55 Sec.
Door:	1.30.D12	TC3-1	Security Level:	NORMAL	
Reader:	1.30.9.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	5 Sec.	A.D.A. 56 Sec.
Door:	1.30.D13	TC3-2	Security Level:	NORMAL	
Reader:	1.30.10.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	5 Sec.	A.D.A. 57 Sec.
Door:	1.30.D14	TC3-3	Security Level:	NORMAL	
Reader:	1.30.11.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	5 Sec.	A.D.A. 58 Sec.

Door: 1.30.D15	TC3-4	Security Level: NORMAL	
Reader: 1.30.12.R1		Close Delay (shunt time): 25 Sec.	A.D.A. 20 Sec.
Door Contact: (none)		Default reader mode: Card Only	
REX 1: (none)		Offline reader mode: Facility Code Mode	
REX 2: (none)		Strike Mode: 0-no impact	
Strike: (none)		Strike Time: 5 Sec.	A.D.A. 59 Sec.
Door: 1.30.D16	TC3-5	Security Level: NORMAL	
Reader: 1.30.13.R1		Close Delay (shunt time): 25 Sec.	A.D.A. 20 Sec.
Door Contact: (none)		Default reader mode: Card Only	
REX 1: (none)		Offline reader mode: Facility Code Mode	
REX 2: (none)		Strike Mode: 0-no impact	
Strike: (none)		Strike Time: 5 Sec.	A.D.A. 60 Sec.
Door: 1.30.D17	TC3-6	Security Level: NORMAL	
Reader: 1.30.14.R1		Close Delay (shunt time): 25 Sec.	A.D.A. 20 Sec.
Door Contact: (none)		Default reader mode: Card Only	
REX 1: (none)		Offline reader mode: Facility Code Mode	
REX 2: (none)		Strike Mode: 0-no impact	
Strike: (none)		Strike Time: 5 Sec.	A.D.A. 61 Sec.
Door: 1.30.D18	Breakroom Door 3208A	Security Level: NORMAL	
Reader: 1.30.15.R1		Close Delay (shunt time): 25 Sec.	A.D.A. 20 Sec.
Door Contact: 1.30.15.I1		Default reader mode: Card Only	
REX 1: 1.30.15.I2		Offline reader mode: Facility Code Mode	
REX 2: (none)		Strike Mode: 1-cut short on open	
Strike: 1.30.15.O1		Strike Time: 30 Sec.	A.D.A. 62 Sec.
Door: 1.30.D19	Breakroom Door 3208B	Security Level: NORMAL	
Reader: 1.30.15.R2		Close Delay (shunt time): 25 Sec.	A.D.A. 20 Sec.
Door Contact: 1.30.15.I3		Default reader mode: Card Only	
REX 1: 1.30.15.I4		Offline reader mode: Facility Code Mode	
REX 2: (none)		Strike Mode: 1-cut short on open	
Strike: 1.30.15.O3		Strike Time: 30 Sec.	A.D.A. 63 Sec.

Door:	1.30.D20	Commissioners Court Exit 4152B	Security Level:	NORMAL	
Reader:	1.30.17.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.17.I1		Default reader mode:	Card Only	
REX 1:	1.30.17.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.17.O1		Strike Time:	30 Sec.	A.D.A. 64 Sec.
Door:	1.30.D21	Commissioners Court Exit 4152C	Security Level:	NORMAL	
Reader:	1.30.17.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.17.I3		Default reader mode:	Card Only	
REX 1:	1.30.17.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.17.O3		Strike Time:	30 Sec.	A.D.A. 65 Sec.
Door:	1.30.D22	Commissioners Court Entry 4152A	Security Level:	NORMAL	
Reader:	1.30.18.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.18.I1		Default reader mode:	Card Only	
REX 1:	1.30.18.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.18.O1		Strike Time:	30 Sec.	A.D.A. 81 Sec.
Door:	1.30.D23	Door 4192/Commrs. Court Employee Ent	Security Level:	NORMAL	
Reader:	1.30.19.R1	Door 4192/Commrs. Court Employee En	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.19.I1	Door 4192/Commrs. Court Employee Ent	Default reader mode:	Card Only	
REX 1:	1.30.19.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.30.19.I7		Strike Mode:	1-cut short on open	
Strike:	1.30.19.O1	Door 4192/Commrs. Court Employee Ent	Strike Time:	30 Sec.	A.D.A. 67 Sec.
Door:	1.30.D24	A/V Room 4196	Security Level:	NORMAL	
Reader:	1.30.19.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.19.I3		Default reader mode:	Card Only	
REX 1:	1.30.19.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.19.O3		Strike Time:	30 Sec.	A.D.A. 68 Sec.
Door:	1.30.D25	UPS Room 4198	Security Level:	NORMAL	
Reader:	1.30.20.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.20.I1		Default reader mode:	Card Only	
REX 1:	1.30.20.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.20.O1		Strike Time:	30 Sec.	A.D.A. 69 Sec.

Door:	1.30.D26	Electrical Room 4162	Security Level:	NORMAL	
Reader:	1.30.20.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.20.I3		Default reader mode:	Card Only	
REX 1:	1.30.20.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.20.O3		Strike Time:	30 Sec.	A.D.A. 70 Sec.
Door:	1.30.D27	Door 4139/Commrs. Office Entry	Security Level:	NORMAL	
Reader:	1.30.21.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.21.I1		Default reader mode:	Card Only	
REX 1:	1.30.21.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.21.O1		Strike Time:	30 Sec.	A.D.A. 71 Sec.
Door:	1.30.D28	Door 4128B Human Resouces Testing	Security Level:	NORMAL	
Reader:	1.30.21.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.21.I3		Default reader mode:	Card Only	
REX 1:	1.30.21.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.21.O3		Strike Time:	29 Sec.	A.D.A. 72 Sec.
Door:	1.30.D29	Electrical Room 4178	Security Level:	NORMAL	
Reader:	1.30.22.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.22.I1		Default reader mode:	Card Only	
REX 1:	1.30.22.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.22.O1		Strike Time:	30 Sec.	A.D.A. 73 Sec.
Door:	1.30.D30	Door 4175/Corridor Comm. Court	Security Level:	NORMAL	
Reader:	1.30.22.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.22.I3		Default reader mode:	Card Only	
REX 1:	1.30.22.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.22.O3		Strike Time:	30 Sec.	A.D.A. 74 Sec.

Door:	1.30.D31	BUDGET DEPARTMENT 4170	Security Level:	NORMAL	
Reader:	1.30.23.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.23.I1		Default reader mode:	Card Only	
REX 1:	1.30.23.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.23.O1		Strike Time:	30 Sec.	A.D.A. 75 Sec.
Door:	1.30.D32	Door 4100 DATA CLOSET	Security Level:	NORMAL	
Reader:	1.30.23.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.23.I3		Default reader mode:	Card Only	
REX 1:	1.30.23.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.23.O3		Strike Time:	30 Sec.	A.D.A. 76 Sec.
Door:	1.30.D33	Interior Breakroom Door 4172B	Security Level:	NORMAL	
Reader:	1.30.24.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.24.I1		Default reader mode:	Card Only	
REX 1:	1.30.24.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.24.O1		Strike Time:	30 Sec.	A.D.A. 77 Sec.
Door:	1.30.D34	Door 4112 Human Resources File Room	Security Level:	NORMAL	
Reader:	1.30.24.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.24.I3		Default reader mode:	Card Only	
REX 1:	1.30.24.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.24.O3		Strike Time:	30 Sec.	A.D.A. 78 Sec.
Door:	1.30.D35	Door 4117 Human Resources Emp. Entra	Security Level:	NORMAL	
Reader:	1.30.25.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.25.I1		Default reader mode:	Card Only	
REX 1:	1.30.25.I2		Offline reader mode:	Facility Code Mode	
REX 2:	1.30.21.I6		Strike Mode:	1-cut short on open	
Strike:	1.30.25.O1		Strike Time:	29 Sec.	A.D.A. 79 Sec.
Door:	1.30.D36	Door 4130B Human Resources Reception	Security Level:	NORMAL	
Reader:	1.30.25.R2		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.25.I3		Default reader mode:	Card Only	
REX 1:	1.30.25.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.25.O3		Strike Time:	30 Sec.	A.D.A. 80 Sec.

Door:	1.30.D37	TC4-1	Security Level:	NORMAL	
Reader:	1.30.26.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	5 Sec.	A.D.A. 81 Sec.
Door:	1.30.D38	TC4-2	Security Level:	NORMAL	
Reader:	1.30.27.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	(none)		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	0-no impact	
Strike:	(none)		Strike Time:	5 Sec.	A.D.A. 82 Sec.
Door:	1.30.D39	Door #3201 IT	Security Level:	NORMAL	
Reader:	1.30.29.R1		Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.30.29.I1		Default reader mode:	Card Only	
REX 1:	1.30.29.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.29.O1		Strike Time:	30 Sec.	A.D.A. 61 Sec.
Door:	1.30.D40	Door# 2134 County Clerks Store Room	Security Level:	NORMAL	
Reader:	1.30.7.R1	Door# 2134 County Clerks Store Room -	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.7.I1	Door# 2134 County Clerks Store Room -	Default reader mode:	Card Only	
REX 1:	1.30.7.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.7.O1	Door# 2134 County Clerks Store Room -	Strike Time:	10 Sec.	A.D.A. 20 Sec.
Door:	1.30.D41	Conference Room	Security Level:	NORMAL	
Reader:	1.30.30.R1	Conference Room - Reader	Close Delay (shunt time):	5 Sec.	A.D.A. 30 Sec.
Door Contact:	1.30.30.I1	Conference Room - DSM	Default reader mode:	Card Only	
REX 1:	1.30.30.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.30.O1	Conference Room - Lock	Strike Time:	30 Sec.	A.D.A. 31 Sec.

Door:	1.30.D42	Conference Room Door# 3206	Security Level:	NORMAL	
Reader:	1.30.8.R1	Conference Room Door# 3206 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.8.I1	Conference Room Door# 3206 - DSM	Default reader mode:	Card Only	
REX 1:	1.30.8.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.8.O1	Conference Room Door# 3206 - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.30.D43	Conference Room Door# 3207	Security Level:	NORMAL	
Reader:	1.30.8.R2	Conference Room Door# 3207 - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 20 Sec.
Door Contact:	1.30.8.I3	Conference Room Door# 3207 - DSM	Default reader mode:	Card Only	
REX 1:	1.30.8.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.8.O3	Conference Room Door# 3207 - Lock	Strike Time:	5 Sec.	A.D.A. 20 Sec.
Door:	1.30.D44	Door # 2106 A	Security Level:	NORMAL	
Reader:	1.30.16.R1	Door # 2106 A - Reader	Close Delay (shunt time):	10 Sec.	A.D.A. 10 Sec.
Door Contact:	1.30.16.I1	Door # 2106 A - DSM	Default reader mode:	Card Only	
REX 1:	1.30.16.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.16.O1	Door # 2106 A - Lock	Strike Time:	20 Sec.	A.D.A. 20 Sec.
Door:	1.30.D45	Door # 2104A	Security Level:	NORMAL	
Reader:	1.30.16.R2	Door # 2104A - Reader	Close Delay (shunt time):	10 Sec.	A.D.A. 10 Sec.
Door Contact:	1.30.16.I3	Door # 2104A - DSM	Default reader mode:	Card Only	
REX 1:	1.30.16.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.30.16.O3	Door # 2104A - Lock	Strike Time:	20 Sec.	A.D.A. 20 Sec.
Door:	1.31.D1	Third Floor 30344A "New"	Security Level:	NORMAL	
Reader:	1.31.2.R1	Third Floor 30344A "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.31.2.I1	Third Floor 30344A "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.31.2.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.31.2.O1	Third Floor 30344A "New" - Lock	Strike Time:	30 Sec.	A.D.A. 25 Sec.
Door:	1.31.D2	Third Floor 30364A "New"	Security Level:	NORMAL	
Reader:	1.31.3.R1	Third Floor 30364A "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.31.3.I1	Third Floor 30364A "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.31.3.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.31.3.O1	Third Floor 30364A "New" - Lock	Strike Time:	30 Sec.	A.D.A. 26 Sec.

Door:	1.31.D3	Third Floor 30335D "New"	Security Level:	NORMAL	
Reader:	1.31.4.R1	Third Floor 30335D "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.31.4.I1	Third Floor 30335D "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.31.4.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.31.4.O1	Third Floor 30335D "New" - Lock	Strike Time:	30 Sec.	A.D.A. 27 Sec.
Door:	1.31.D4	Third Floor 30380A "New"	Security Level:	NORMAL	
Reader:	1.31.4.R2	Third Floor 30380A "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.31.4.I3	Third Floor 30380A "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.31.4.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.31.4.O3	Third Floor 30380A "New" - Lock	Strike Time:	30 Sec.	A.D.A. 28 Sec.
Door:	1.31.D5	Third Floor 30335E "New"	Security Level:	NORMAL	
Reader:	1.31.5.R1	Third Floor 30335E "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.31.5.I1	Third Floor 30335E "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.31.5.I2		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.31.5.O1	Third Floor 30335E "New" - Lock	Strike Time:	30 Sec.	A.D.A. 29 Sec.
Door:	1.31.D6	Third Floor 30335G "New"	Security Level:	NORMAL	
Reader:	1.31.5.R2	Third Floor 30335G "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.31.5.I3	Third Floor 30335G "New" - DSM	Default reader mode:	Card Only	
REX 1:	1.31.5.I4		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.31.5.O3	Third Floor 30335G "New" - Lock	Strike Time:	30 Sec.	A.D.A. 29 Sec.
Door:	1.31.D7	Third Floor 30380A "New"	Security Level:	NORMAL	
Reader:	1.31.6.R1	Third Floor 30380A "New" - Reader	Close Delay (shunt time):	25 Sec.	A.D.A. 15 Sec.
Door Contact:	1.31.6.I1		Default reader mode:	Card Only	
REX 1:	(none)		Offline reader mode:	Facility Code Mode	
REX 2:	(none)		Strike Mode:	1-cut short on open	
Strike:	1.31.6.O1	Third Floor 30380A "New" - Lock	Strike Time:	30 Sec.	A.D.A. 30 Sec.

Door:	1.31.D7	Third Floor 30380A "New"	Security Level:	NORMAL
Reader:	1.31.6.R1	Third Floor 30380A "New" - BIO Rdr	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.31.6.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.31.6.O1	Third Floor 30380A "New" - Lock	Strike Time:	30 Sec. A.D.A. 30 Sec.
Door:	1.31.D9	Third Floor 30212A CCL COURT CORR	Security Level:	NORMAL
Reader:	1.31.7.R1	Third Floor 30212A CCL COURT CORR	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.31.7.I1	Third Floor 30212A CCL COURT CORR	Default reader mode:	Card Only
REX 1:	1.31.7.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.31.7.O1	Third Floor 30212A CCL COURT CORR	Strike Time:	30 Sec. A.D.A. 31 Sec.
Door:	1.31.D10	Third Floor 30335I CCL #6 COURT COR	Security Level:	NORMAL
Reader:	1.31.7.R2	Third Floor 30335I CCL #6 COURT COF	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.31.7.I3	Third Floor 30335I CCL #6 COURT COR	Default reader mode:	Card Only
REX 1:	1.31.7.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.31.7.O3	Third Floor 30335I CCL #6 COURT COR	Strike Time:	30 Sec. A.D.A. 32 Sec.
Door:	1.31.D11	3rd Floor 30390A "New"	Security Level:	NORMAL
Reader:	1.31.8.R1	3rd Floor 30390A "New" - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.31.8.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.31.8.O1	3rd Floor 30390A "New" - Lock	Strike Time:	30 Sec. A.D.A. 31 Sec.
Door:	1.31.D11	3rd Floor 30390A "New"	Security Level:	NORMAL
Reader:	1.31.8.R1	3rd Floor 30390A "New" - BIO Rdr	Close Delay (shunt time):	25 Sec. A.D.A. 15 Sec.
Door Contact:	1.31.8.I1		Default reader mode:	Card Only
REX 1:	(none)		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.31.8.O1	3rd Floor 30390A "New" - Lock	Strike Time:	30 Sec. A.D.A. 31 Sec.
Door:	1.31.D13	3rd Floor District Clerk 30210	Security Level:	NORMAL
Reader:	1.31.9.R1	3rd Floor District Clerk 30210 - Reader	Close Delay (shunt time):	0 Sec. A.D.A. 20 Sec.
Door Contact:	1.31.9.I1	3rd Floor District Clerk 30210 - DSM	Default reader mode:	Card Only
REX 1:	1.31.9.I2		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.31.9.O1	3rd Floor District Clerk 30210 - Lock	Strike Time:	5 Sec. A.D.A. 40 Sec.

Door:	1.31.D14	3rd Floor District Clerk 30328	Security Level:	NORMAL
Reader:	1.31.9.R2	3rd Floor District Clerk 30328 - Reader	Close Delay (shunt time):	25 Sec. A.D.A. 20 Sec.
Door Contact:	1.31.9.I3	3rd Floor District Clerk 30328 - DSM	Default reader mode:	Card Only
REX 1:	1.31.9.I4		Offline reader mode:	Facility Code Mode
REX 2:	(none)		Strike Mode:	1-cut short on open
Strike:	1.31.9.O3	3rd Floor District Clerk 30328 - Lock	Strike Time:	5 Sec. A.D.A. 40 Sec.

Door Count Total: 754

Monitor Points | Settings

Page 1 of 65

Report Date/Time: 3/9/2016 1:11:17PM

Operator: Badge

Parameters
 · Site(s): <ALL SITES>
 · Controller(s): <ALL CONTROLLERS>
 · Monitor Point(s): <ALL POINTS>

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
Site: 1					
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	PUBLIC WORKS ADMIN PANIC	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open w/supv	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Healthcare Overhead Door 4	N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
	Healthcare Overhead Door 5	N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
	Nothing Connected to Input	N/Closed	10	85 ms	Do not log c-o-s if masked
	Nothing Connected to Input	N/Open	0	85 ms	Do not log c-o-s if masked
	Healthcare Overhead Door 2	N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
	Healthcare Overhead Door 3	N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
	Healthcare Overhead Door 1	N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	5	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Panic in HCA at Development Service Bldg Permits	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c	

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	"Panic" Health Care Annex-Admin Office	N/Closed	0	85 ms	Do not log c-o-s if masked
	"Door Release" for #50 HCA	N/Open	0	85 ms	Logs all Changes
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	OPEN "NO PANIC BUTTON"	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Panic in H/ C Annex at Substance Abuse	N/Open w/supv	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	HCA-Door Release # 222	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC - Elections Front Desk	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	5	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Elections Vote Center Exit Only	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Open	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		Elections Addition Warehouse Rollup South	N/Closed	0	85 ms	Do not log c-o-s if masked
		Elections Addition Warehouse Rollup North	N/Closed	0	85 ms	Do not log c-o-s if masked
			N/Closed	0	85 ms	Do not log c-o-s if masked
			N/Closed	0	85 ms	Do not log c-o-s if masked
			N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked	
		N/Open	0	85 ms	Do not log c-o-s if masked	
		N/Open	0	85 ms	Do not log c-o-s if masked	
	Sally Port Override Animal Sheltor	N/Open	0	85 ms	Do not log c-o-s if masked	
	Sally Port Normal	N/Open	0	85 ms	Do not log c-o-s if masked	
	Knox Key Override	N/Open	0	85 ms	Do not log c-o-s if masked	

Configuration	Event Type	Count	Frequency	Logging
Knox Key Override	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
N/Open	0	85 ms	Do not log c-o-s if masked	
N/Open	0	85 ms	Do not log c-o-s if masked	
N/Open	0	85 ms	Do not log c-o-s if masked	
"PANIC" -JJAEP/Reception Office DR #AEC173	N/Open	1	85 ms	Logs all Changes
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	JJAEP Fire Evidence Room AEC 113	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	LL East Stairwell "EXIT" Door 00134B	N/Closed	0	170 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	
	N/Closed	0	85 ms	Do not log c-o-s if masked	

[illegible]

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	LL West Stairwell "EXIT" Door 00067A	N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	First Level Door 00078a - DSM	N/Closed	0	85 ms	Do not log c-o-s if masked
	First Level Door 00078a - REX	N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	First Level Door 10078a - DSM	N/Closed	0	85 ms	Do not log c-o-s if masked
	First Level Door 10078a - REX	N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	OLD PANIC BUTTON	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
2	EMERGENCY LOCKDOWN "LOBBY"	N/Closed	0	85 ms	Do not log c-o-s if masked
3	Test Fire Alarm	N/Open	0	85 ms	Do not log c-o-s if masked
4		N/Open	0	85 ms	Do not log c-o-s if masked
5		N/Open	0	85 ms	Do not log c-o-s if masked
6		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
	Handkey Rdr Unlock Side Doors	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	OLD PANIC BUTTON	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	Remote Release for 20250	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	3rd Floor RTE "MCS" Door spare	N/Closed	0	85 ms	Do not log c-o-s if masked
	3rd Floor RTE "MCS" Door spare	N/Closed	0	85 ms	Do not log c-o-s if masked
	3rd Floor RTE "MCS" Door spare	N/Closed	0	85 ms	Do not log c-o-s if masked
	3rd Floor RTE "MCS" Door spare	N/Closed	0	85 ms	Do not log c-o-s if masked
	3rd Floor RTE "MCS" Door spare	N/Closed	0	85 ms	Do not log c-o-s if masked
	3rd Floor RTE "MCS" Door spare	N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

[illegible]

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC 3rd Fl. District Clerks Criminal Office #1	N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC 3rd Fl. District Clerks Criminal Office/MCS #2	N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PLC NE Parking Gate 1 "IN" UNLOCK	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PLC NE Parking Gate 1 "OUT" UNLOCK	N/Open	0	85 ms	Do not log c-o-s if masked
	PLC NE Parking Gate 2 "IN" Unlock	N/Open	0	85 ms	Do not log c-o-s if masked
	PLC NE Parking Gate 2 "OUT" UNLOCK	N/Open	0	85 ms	Do not log c-o-s if masked
	PLC NW Parking Gate "IN" UNLOCK	N/Open	0	85 ms	Do not log c-o-s if masked
	PLC NW Parking Gate "OUT" UNLOCK	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

[illegible]

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	Door 10002A	N/Closed	0	85 ms	Do not log c-o-s if masked
	Door 10002C	N/Closed	0	85 ms	Do not log c-o-s if masked
	Door 10006B	N/Closed	0	85 ms	Do not log c-o-s if masked
	Door 10006A	N/Closed	0	85 ms	Do not log c-o-s if masked
	Door 10006C	N/Closed	0	85 ms	Do not log c-o-s if masked
	Door 10006D	N/Closed	0	85 ms	Do not log c-o-s if masked
	Door 10006E	N/Closed	0	85 ms	Do not log c-o-s if masked
	Break Glass R1	N/Open	0	85 ms	Do not log c-o-s if masked
	Break Glass R2	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC Court 4 Rm 10332 B&E	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Break Glass R1	N/Open	0	85 ms	Do not log c-o-s if masked
	Break Glass R2	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC Court 2 Rm 10332 J&F	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC Court 3 Rm 10222 E&C	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC County Aux 7 10222 G&F	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	2nd Floor DA PANIC	N/Open	0	85 ms	Do not log c-o-s if masked
	20416B "MCS Unlock Input"	N/Open	0	85 ms	Do not log c-o-s if masked
	30404A "MCS Unlock Input"	N/Open	0	85 ms	Do not log c-o-s if masked
	30404B "MCS Unlock Input"	N/Open	0	85 ms	Do not log c-o-s if masked
	22004A "MCS Unlock Input"	N/Open	0	85 ms	Do not log c-o-s if masked
	22004B "MCS Unlock Input"	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	10310A "MCS Unlock Input"	N/Open	0	85 ms	Do not log c-o-s if masked
	10310B "MCS Unlock Input"	N/Open	0	85 ms	Do not log c-o-s if masked
	10414A "MCS Unlock Input"	N/Open	0	85 ms	Do not log c-o-s if masked
	10414B "MCS Unlock Input"	N/Open	0	85 ms	Do not log c-o-s if masked
	20330A "MCS Unlock Input"	N/Open	0	85 ms	Do not log c-o-s if masked
	20330B "MCS Unlock Input"	N/Open	0	85 ms	Do not log c-o-s if masked
	20416A "MCS Unlock Input"	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	Break Glass R1	N/Open	0	85 ms	Do not log c-o-s if masked
	Break Glass R2	N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	PANIC - BLCC Court 1 Rm 20342 D&F	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Break Glass R1	N/Open	0	85 ms	Do not log c-o-s if masked
	Break Glass R2	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC Court 5 Rm 20342 A&C	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Break Glass R1	N/Open	0	85 ms	Do not log c-o-s if masked
	Break Glass R2	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC 2nd Flr Empty Court NE Rm 20238 E&F	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Break Glass R1	N/Open	0	85 ms	Do not log c-o-s if masked
	Break Glass R2	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC Aux CCL 5 20238 B&D	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	ANIC - BLCC 2nd Flr Indigent/Court Collections Counter	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG 1 ST FLOOR JP 1 FRONT COUNTER 1-3	N/Open	0	85 ms	Do not log c-o-s if masked
	Remote Release 1-3	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Remote Release 1-2	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG JP 1 COURTROOM JUDGES BENCH 1-2	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG 2 ND FLOOR COUNTY CLERK PUBLIC COUNTER 2-4	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	3rd & 4th Flr Panic Buttons to Constable Office Strobe 01139	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG 2'ND FLOOR PROPERTY TAX COUNTER 2-2	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG 2`nd FLOOR MOTORVEHICLE TAX OFFICE COUNTER 2-1	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG 2ND FLOOR NORTH ENTRY RECEPTION (HLS DESK)	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
	Remote Release 1-1	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG 1`ST FLR CONSTABLE PCT 1 COUNTER 1-1	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	NE Fire Exit Door CC-02388C	N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Remote Release for 02082A	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC LL Addition Grand Jury	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC Central Jury Room Bench	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
West Exit Fire Door "EXIT ONLY" (02168C)	N/Closed	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
Remote Release for 02154A	N/Open	0	85 ms	Do not log c-o-s if masked
PANIC - BLCC LL Addition Victim Assistance	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
Remote Release for 02180A	N/Open	0	85 ms	Do not log c-o-s if masked
PANIC - BLCC LL Addition DA Felony Reception	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
PANIC - BLCC LL Addition Law Library	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
	N/Open	0	85 ms	Do not log c-o-s if masked
Remote Release for 02326A	N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	PANIC - BLCC LL Addition DA Hot Checks Reception	N/Open	0	85 ms	Do not log c-o-s if masked
	North Lobby "Non Active Leaf DPS"	N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	East Fire Door "EXIT ONLY" New Addition	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC 1st Flr Addition Probate Court	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Remote Release 02475A	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC LL Addition DA Misdemeanor Reception	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Remote Release for 02340A	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC LL Addition Family Justice	N/Open	0	85 ms	Do not log c-o-s if masked
	Knox Box Override (Orange Level Alarm)	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	County Clerk Remote Lock Button	N/Open	0	85 ms	Do not log c-o-s if masked
	County Clerk Remote Unlock Button 2106	N/Open	0	85 ms	Do not log c-o-s if masked
	County Clerk Remote Unlock Button 2104A	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG COMM COURT & BREAK GLASS 4-2	N/Closed	0	85 ms	Do not log c-o-s if masked
	4TH FLR COMM COURT BREAK GLASS	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG 4`TH FLOOR COMMISSIONERS RECEPTION 4-3	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG 4`TH FLOOR H.R. PUBLIC COUNTER 4-1	N/Open	0	255 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG 3'RD FLOOR TREASURY'S OFFICE COUNTER 3-1	N/Open	0	85 ms	Do not log c-o-s if masked
	Remote Release for 3139	N/Open	5	51 ms	Logs all Changes
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG 3'RD FLOOR PURCHASING 3-2	N/Open w/supv	0	85 ms	Do not log c-o-s if masked
	PANIC Admin Bldg. 3rd Flr Purchasing Entry	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - ADMIN BLDG 3'RD FLOOR I.T. DEPT COUNTER 3-3	N/Open	0	85 ms	Do not log c-o-s if masked
	Remote Release 3198A	N/Open	0	85 ms	Logs all Changes
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	5	51 ms	Logs all Changes
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Fire Input 1st Floor	N/Open	0	85 ms	Do not log c-o-s if masked
	Fire Input 2nd Floor	N/Open	0	85 ms	Do not log c-o-s if masked
	Fire Input (Unlock Back Courtroom Doors)	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC Court 6 Rm 30335 B&D	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC Empty Court by Court 6 Rm 30335 G&E	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC Addition Child Support	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC District Clerk Collections	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	12000B DPS Only	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC 1st Flr Addition CSCD Counter	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC Probate Clerks Counter	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC Mental Commitments Clerks Counter	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC 1st Flr District Clerk Civil (POC:x4314 Ame Melvin,x4254 Amy Mathews)	N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	Emergency Door From Jury selection to District Clerks	N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
	Remote Release for 12090A	N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC - BLCC Central Jury Reception	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	CP- J1105A Grounds North Rollup Dr.	N/Open	0	85 ms	Do not log c-o-s if masked
	CP- J1105C Grounds North Rollup Dr.	N/Open	0	85 ms	Do not log c-o-s if masked
	CP- J1105D Grounds North Rollup Dr.	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	CP- #J1114A South Supply Storage Rollup Dr.	N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
	CP- #J1114B South Supply Storage Rollup Dr.	N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
	CP- #J1116A South Supply Storage Rollup Dr.	N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
	CP- #J1116B South Keyshop Storage Rollup Dr.	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	Tool Room Back Door RTE	N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
	J1111A-DPS-Tool Room Bay #1	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
	J1111B-DPS -Tool Room-Bay #2	N/Closed w/supv	3	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	J1111C-DPS-Tool Room Bay #3	N/Closed w/supv	3	85 ms	Do not log c-o-s if masked
	J1111D-DPS-Tool Room Bay #4	N/Closed w/supv	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	5	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
	J1115A-DPS-CHILLER BAY DOOR	N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
	BLDG900 DPS - Door 2275 CSCD	N/Closed w/supv	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
	BLDG900 DPS - Door 2264 CSCD	N/Closed w/supv	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	BLDG900 DPS - Door # 2266	N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC 900 Juv Prob Back Conference	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	BLDG900 DPS Door 2267- EAST SIDE ENT JUV PROBATION	N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
	PANIC PLANO 900 JUVENILE PROBATION	N/Open	5	85 ms	Do not log c-o-s if masked
	PANIC 900 Juv Probation Front Office	N/Open	15	85 ms	Do not log c-o-s if masked
	Remote Release Juvenile Lobby Plano	N/Open	0	85 ms	Logs all Changes
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC PLANO 900 COUNTY CLERK (SUITE 140C)	N/Closed	3	85 ms	Do not log c-o-s if masked
	PANIC PLANO 900 VETERANS OFFICE (SUITE 150)	N/Closed	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	PANIC PLANO 900-PASSPORTS SUITE 140A	N/Open	3	85 ms	Do not log c-o-s if masked
		N/Closed	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
	PANIC PLANO 900 Veteran Services Ste 150	N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
	PANIC PLANO 900 WIC OFFICE FIRST FLOOR	N/Closed	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
	P2262 CSCD 900 Bldg - No Reader	N/Closed w/supv	3	85 ms	Do not log c-o-s if masked
	PANIC PLANO 900 ADULT PROBATION (SUITE 200)	N/Closed	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
	PANIC PLANO 920 Judge Paytons Clerk	N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC PLANO 920 JP 3-1 Misty Beaty' Desk	N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	PANIC PLANO 920 Judge Lewis' Clerk Back Desk	N/Closed	0	85 ms	Do not log c-o-s if masked
	Panic Plano 920 Judge Paytons Office	N/Open w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	PANIC PLANO 920 JUDGE LEWIS' COUNTER(removed)	N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC PLANO 920 Judge Payton's Counter	N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC PLANO 920 JUDGE PAYTONS (Deleted)	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	??	N/Closed	0	85 ms	Do not log c-o-s if masked
	??	N/Closed	0	85 ms	Do not log c-o-s if masked
	Bldg920 #103 Rollup Door Record Storage	N/Closed	0	85 ms	Do not log c-o-s if masked
	Bldg920 #104 Rollup Door Record Storage	N/Closed	0	85 ms	Do not log c-o-s if masked
	Bldg920 #105 Rollup Door Record Storage	N/Closed	0	85 ms	Do not log c-o-s if masked
	Bldg920 #106 Rollup Door Record Storage	N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
	Bldg920 #101 Rollup Door Facilities Workshop	N/Closed	0	85 ms	Do not log c-o-s if masked
	Bldg920 #102 Rollup Door Facilities Workshop	N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	920 Panic Tax& Tag Cashiers Room	N/Open w/supv	0	85 ms	Do not log c-o-s if masked
	920 Panic Tax & Tag Volt Room	N/Open	0	85 ms	Do not log c-o-s if masked
	920 Panic Tax & Tag Cashiers Room	N/Open w/supv	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC PLANO 920 Tags office 1st Floor	N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC PLANO 920 JUDGE PAYTON BENCH	N/Closed	0	85 ms	Do not log c-o-s if masked
	PANIC PLANO 920 JUDGES BENCH	N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
	BLDG920 DOOR #29 DPS Tax Office Public Ent.	N/Closed	3	85 ms	Do not log c-o-s if masked
		N/Closed	3	85 ms	Do not log c-o-s if masked
	DPS- EAST ENTRANCE	N/Closed	0	85 ms	Do not log c-o-s if masked
	RTE- EAST ENTRANCE	N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	5	51 ms	Logs all Changes
	Bldg 920 IT Vault Door 26	N/Closed w/supv	0	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
	Bldg920 #108 Rollup Door Record Storage	N/Closed	3	85 ms	Do not log c-o-s if masked
	Bldg920 #107 Rollup Door Record Storage	N/Closed	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	3	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
	DPS-920-87 - 2nd Flr Waiting Room	N/Closed	3	85 ms	Do not log c-o-s if masked
	RTE 920-87	N/Open	3	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	3	85 ms	Do not log c-o-s if masked
		N/Open	5	85 ms	Do not log c-o-s if masked
		N/Closed w/supv	5	85 ms	Do not log c-o-s if masked
	OPEN (old DR# 78)	N/Open	0	85 ms	Do not log c-o-s if masked
	OPEN (Old DR# 78)	N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked

Address	Description	Circuit Type	Hold Time (seconds)	Sensitivity	Log Specification
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Closed	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked
		N/Open	0	85 ms	Do not log c-o-s if masked

Sub-controllers | Settings

Page 1 of 24

Report Date/Time: 3/9/2016 1:08:58PM

Operator: Badge

Parameters

- Site(s): <ALL SITES>
- Controller(s): <ALL CONTROLLERS>
- Sub-controller(s): <ALL SUBCONTROLLERS>

Address	Description	Model	SIO Address	Channel	Enabled?
Site: 1					
	On board SIO	RSC-D2	0	Port 2	Y
	TCD Frisco	RSC-1	2	Port 2	Y
	IDF Closet & Taks (C114 & C115)	RSC-D2	0	Port 2	Y
	Student Entry & Corridor Entry (A100 & C100)	RSC-2	2	Port 2	Y
	South Entry & Security (C100A & C104)	RSC-2	3	Port 2	Y
	Electrical Room & Work Room (C122 & C123B)	RSC-2	4	Port 2	Y
	Electrical Room & South West South Exit (A11+	RSC-2	5	Port 2	Y
	Lounge & Conference Room (C124 & C126)	RSC-2	6	Port 2	Y
	West Lobby Entry (C128A)	RSC-1	7	Port 2	Y
	South West Lobby Entry (C128B)	RSC-1	8	Port 2	Y
	South East Lobby Entry (C128C)	RSC-1	9	Port 2	Y
	East Lobby Entry (C127A)	RSC-1	10	Port 2	Y
	North East Entry (C128D)	RSC-1	11	Port 2	Y
	North West Entry & Corridor Entry (C128E & C1	RSC-2	12	Port 2	Y
	Electrical Room & Clinic Entry (C182 & C185)	RSC-2	13	Port 2	Y
	MDF & Rear Kitchen Entry (C179 & C180A)	RSC-2	14	Port 2	Y
	Front Kitchen Entry & A/V Room (C180B & C17	RSC-2	15	Port 2	Y
	Fire Control Room (C158)	RSC-1	16	Port 2	Y
	Multi-Purpose Room South Entry (C186B)	RSC-1	17	Port 2	Y

Multi-Purpose Room North Entry & North Entry	RSC-2	18	Port 2	Y
Basement West & Basement South (D100A & L	RSC-2	19	Port 2	Y
Electrical Room & North West Exit (B110 & B10	RSC-2	20	Port 2	Y
Basement Mechanical North Entry & Crawl Spa	RSC-2	21	Port 2	Y
Basement Mechanical West Entry (M101A)	RSC-1	22	Port 2	Y
JJAEP TCD1	RSC-1	23	Port 2	Y
JJAEP TCD2	RSC-1	24	Port 2	Y
Fire Evidence Room AEC 113	RSC-2	25	Port 2	Y
JJAEP Storage Area	RSC-2	26	Port 2	Y
B North & South Classroom AEB100A & AEB10	RSC-2	27	Port 2	Y
North & South Classrooms AEA104A & AEA106	RSC-2	28	Port 2	Y
JJAEP TCD3 SW Hall	RSC-1	29	Port 2	Y
Courthouse Add Lower Level Doors 02532A & (	RSC-D2	0	Port 2	Y
Courthouse Add Lower Level Door 02004J & 02	RSC-2	2	Port 2	Y
Courthouse Add Lower Level Doors Probate Pa	RSC-2	3	Port 2	Y
Courthouse Add Lower Level Doors 02052B & (	RSC-2	4	Port 2	Y
Courthouse Add Lower Level Doors 02052A & (	RSC-2	5	Port 2	Y
Courthouse Add Lower Level Doors 02038A & (	RSC-2	6	Port 2	Y
Courthouse Add Lower Level Doors 02040A & (	RSC-2	7	Port 2	Y
Courthouse Add Lower Level Doors 02004D	RSC-1	8	Port 2	Y
Courthouse Add Lower Level Doors 02340A & (	RSC-2	9	Port 2	Y
Courthouse Add Lower Level Doors 02388A & (	RSC-2	10	Port 2	Y
Courthouse Add Lower Level Door 02388B	RSC-1	11	Port 2	Y
Courthouse Add Lower Level Doors 02082A & (	RSC-2	12	Port 2	Y

Courthouse Add Lower Level Doors 02004H & ' RSC-2	13	Port 2	Y
Courthouse Add Lower Level Doors 02168A & (RSC-2	14	Port 2	Y
Courthouse Add Lower Level Door 02154A RSC-1	15	Port 2	Y
Courthouse Add Lower Level Doors 02044B & (RSC-2	16	Port 2	Y
Courthouse Add Lower Level Doors 02182B & (RSC-2	17	Port 2	Y
Courthouse Add Lower Level Doors 02032A & (RSC-2	18	Port 2	Y
Courthouse Add Lower Level Doors 02034A & (RSC-2	19	Port 2	Y
Courthouse Add Lower Level Doors 02326A & (RSC-2	20	Port 2	Y
DA-Misdemeanor TCD RSC-1	21	Port 2	Y
DA-Felony TCD RSC-1	22	Port 2	Y
DA-Hotchecks TCD RSC-1	23	Port 2	Y
Kitchen TCD RSC-1	24	Port 2	Y
DA To East & West Storage RSC-2	25	Port 2	Y
DA Breakroom Childrens Walk Thru RSC-2	26	Port 2	Y
Courthouse Add Level 1 Doors 12324B & 1235: RSC-D2	0	Port 2	Y
Courthouse Add Level 1 Doors 12010A & 1203: RSC-2	2	Port 2	Y
Courthouse Add Level 1 Doors 12172A & 1214: RSC-2	3	Port 2	Y
Courthouse Add Level 1 Doors 12038A & 1203: RSC-2	4	Port 2	Y
Deleted RSC-1	5	Port 2	Y
Courthouse Add Level 1 Doors 12050A & 1204: RSC-2	6	Port 2	Y
Courthouse Add Level 1 Door 12120B RSC-1	7	Port 2	Y
Courthouse Add Level 1 Doors 12142A & 1212: RSC-2	8	Port 2	Y
Courthouse Add Level 1 Doors 12090A & 1209: RSC-2	9	Port 2	Y
Courthouse Add Level 1 Doors 12144A"ADD" & RSC-2	10	Port 2	Y

Courthouse Add Level 1 Doors 12276A & 12276B	RSC-2	11	Port 2	Y
Courthouse Add Level 1 Doors 12010C & 12221	RSC-2	12	Port 2	Y
Courthouse Add Level 1 Doors 12044A & 12044B	RSC-2	13	Port 2	Y
Courthouse Add Level 1 Door 12030A	RSC-1	14	Port 2	Y
Courthouse Add Level 1 Doors 12054A & 12054B	RSC-2	15	Port 2	Y
Courthouse Add Level 1 Doors 12056A & 12056B	RSC-2	16	Port 2	Y
Courthouse Add Level 1 Doors 12353B & 12353C	RSC-2	17	Port 2	Y
Courthouse Add Level 1 Doors 12360B & 12360C	RSC-2	18	Port 2	Y
Courthouse Add Level 1 Doors 12370A & 12370B	RSC-2	19	Port 2	Y
Courthouse Add Level 1 Door 12388A	RSC-1	20	Port 2	Y
Deleted	RSC-1	21	Port 2	Y
TCD-1 District Clerk	RSC-1	22	Port 2	Y
TCD-2 District Clerk	RSC-1	23	Port 2	Y
TCD-1 County Clerk at Law	RSC-1	24	Port 2	Y
TCD-2 County Clerk at Law	RSC-1	25	Port 2	Y
Courthouse Add Level East Penthouse	RSC-2	26	Port 2	Y
Courthouse Add Level West Penthouse	RSC-2	27	Port 2	Y
Courthouse Add Level 1 Door 12210A	RSC-1	28	Port 2	Y
Probate Court Hall Dr 12368A & Dr 10222A	RSC-2	29	Port 2	Y
CH Level 1 Doors 12048B & County Clerks Suite	RSC-2	30	Port 2	Y
Courthouse Add Level 1 Door A12004A	RSC-2	31	Port 2	Y
CP #J1101-Electric Room Interior East	RSC-1	0	Port 2	Y
CP-#J1111 Tool Room	RSC-2	1	Port 2	Y
CP-#J1119B Front East Entrance & J1119A SW	RSC-2	2	Port 2	Y

CP-#1S10B	RSC-1	3	Port 2	Y
Homepage:				
Alarm Text:				
CP- #J1105 & CP-#J1104	RSC-2	4	Port 2	Y
Homepage:				
Alarm Text:				
CP-#J1115	RSC-1	5	Port 2	Y
Homepage:				
Alarm Text:				
CP- #J1113 KEY SHOP	RSC-1	6	Port 2	Y
Homepage:				
Alarm Text:				
TCD Central Plant- New	RSC-1	7	Port 2	Y
CP-ISC16-8-CP	ISC-16	8	Port 5	Y
CP- #J1105B & #J11105E (Grounds Shop Drs)	RSC-2	9	Port 3	Y
CP- #J1102	RSC-1	10	Port 3	Y
CP- #J1116	RSC-1	11	Port 3	Y
CP- #J1114	RSC-1	12	Port 3	Y
TCD Central Plant	RSC-1	13	Port 3	Y
CP- #J1108 & #J1117	RSC-2	14	Port 3	Y
CP-#J1121D Cleaning Supply WH	RSC-2	15	Port 3	Y
CP-#J1101A Chiller Rm (Interior/East) Dr.	RSC-2	16	Port 3	Y
CP-#J2123B Control Room	RSC-1	17	Port 3	Y
900 PARK-#1095 & 900-#1102	RSC-2	0	Port 3	Y
Homepage:				
Alarm Text:				
900-#1097 & 900-#1101	RSC-2	1	Port 2	Y
Homepage:				
Alarm Text:				
900 PARK-#1078 & 900 PARK-#1070	RSC-2	2	Port 2	Y

Homepage:

Alarm Text:

900 PARK-#1076 & 900 PARK-#1080	RSC-2	3	Port 2	Y
---------------------------------	-------	---	--------	---

900 PARK-#1061 & 900 PARK-#1058	RSC-2	4	Port 2	Y
---------------------------------	-------	---	--------	---

900 PARK-#1064	RSC-1	5	Port 3	Y
----------------	-------	---	--------	---

900 PARK-#1084 & 900 PARK-#1090	RSC-2	6	Port 3	Y
---------------------------------	-------	---	--------	---

Homepage:

Alarm Text:

900 PARK-#1120 MECHANICAL	RSC-1	7	Port 2	Y
---------------------------	-------	---	--------	---

Homepage:

Alarm Text:

900 PARK-#2257 & 900 PARK-#2261 & P2262	RSC-2	8	Port 2	Y
---	-------	---	--------	---

900 PARK-#2251 & 900 PARK-#2247 & 2275	RSC-2	9	Port 3	Y
--	-------	---	--------	---

900 PARK-#2246 & 900 PARK-#2243 & 2264	RSC-2	10	Port 2	Y
--	-------	----	--------	---

900 PARK-#2270 No Reader	RSC-1	11	Port 2	Y
--------------------------	-------	----	--------	---

TCD 900 BLDG 1st Floor PassPorts	RSC-1	12	Port 4	Y
----------------------------------	-------	----	--------	---

TCD 900 BLDG 1st Floor WIC/Healthcare	RSC-1	13	Port 4	Y
---------------------------------------	-------	----	--------	---

TCD 900 BLDG 2nd Floor Probation	RSC-1	14	Port 4	Y
----------------------------------	-------	----	--------	---

TCD 900 BLDG Juv. Probate	RSC-1	20	Port 4	Y
---------------------------	-------	----	--------	---

900 PARK-#2265 & 900 PARK-#2266	RSC-2	16	Port 3	Y
---------------------------------	-------	----	--------	---

900 PARK-#2268 & 900 PARK-#2267	RSC-2	17	Port 3	Y
---------------------------------	-------	----	--------	---

900 PARK-1067 & 1069	RSC-2	18	Port 3	Y
----------------------	-------	----	--------	---

Homepage:

Alarm Text:

900 PARK-1053 & 1045	RSC-2	19	Port 3	Y
----------------------	-------	----	--------	---

Homepage:

Alarm Text:

920 Doors 1, 2 & 21	RSC-2	0	Port 2	Y
---------------------	-------	---	--------	---

920 Doors 14 & 22	RSC-2	1	Port 2	Y
-------------------	-------	---	--------	---

920 Doors 38b (old#40), 3 , 4 & 29 -TAX OFFIC	RSC-2	2	Port 2	Y
920 Doors 33 & 5 Dealer Entrance	RSC-2	3	Port 2	Y
920 Doors 26 & 28	RSC-2	4	Port 2	Y
920 Doors 9 & 10	RSC-2	5	Port 2	Y
Deleted	ISC-16	12	Port 5	N
920 Doors 88 , 73 , 87 & 82	RSC-2	7	Port 3	Y
920 Doors 50 Constables Frnt & 81 Constables	RSC-2	8	Port 2	Y
920 Doors 57 JP 3-1 Counter & 47 JP 3-2 Cour	RSC-2	9	Port 3	Y
920 Doors 53 & 41 & 52	RSC-2	10	Port 3	Y
TCD 920 BLDG. Tax Office	RSC-1	15	Port 3	Y
TCD 920 BLDG. Constable	RSC-1	16	Port 3	Y
920 Doors 56 JP 3-1 Counter & 46 JP 3-2 Cour	RSC-2	13	Port 3	Y
920 Doors Open & PP98 JP 3-1 Sidedoor	RSC-2	14	Port 3	Y
920 Doors PP8 Records Storage & All Rollup I	RSC-2	11	Port 3	Y
920 Doors PP7 Records Storage & #PP6 Faci	RSC-2	6	Port 2	Y
920 Door 39 Tax & Tag	RSC-2	18	Port 4	Y
920 Door PP80 Evidence Storage & 74 Constal	RSC-2	19	Port 4	Y
920 Doors 51 & 52 Courtroom JP-3-2	RSC-2	20	Port 4	Y
920 Doors 60 & 61 Courtroom JP-3-1	RSC-2	21	Port 4	Y
920 Doors 79 Constables Back & 55 Court Offic	RSC-2	22	Port 4	Y
TCD Medical Exam	RSC-1	1	Port 2	Y
Property Storage	RSC-2	2	Port 2	Y
TCD JP-4 Frisco	RSC-1	1	Port 2	Y
Frisco JP-4 Back Entry Door F115A & F119	RSC-2	2	Port 2	Y

Frisco JP-4 Back Entry Door F115B	RSC-2	3	Port 2	Y
Frisco JP-4 Evidence Storage	RSC-2	4	Port 2	Y
On board SIO	RSC-D2	0	Port 2	N
TCD Frisco Tax Office	RSC-1	1	Port 2	Y
P.W.S.C.-#0-SOUTHWEST GATE ENTRY	RSC-1	0	Port 2	Y
P.W.S.C.- #3 LOBBY ENTRY & #1 FRONT ENT	RSC-2	1	Port 2	Y
PW Southwest #17 & PW West Walk Thru	RSC-2	2	Port 2	Y
Homepage:				
Alarm Text:				
P.W.S.C.-#69 Fuel Tech & #20 Fuel Tech Door	RSC-2	3	Port 2	Y
Homepage:				
Alarm Text:				
P.W.S.C.-#67-Parts Room & #36-Parts Delivery	RSC-2	4	Port 2	Y
Homepage:				
Alarm Text:				
P.W.S.C.-#55-Shop E. Entry & #56 W. Shop En	RSC-2	5	Port 2	Y
Homepage:				
Alarm Text:				
Not Used	RSC-2	20	Port 2	Y
TCD Public Works	RSC-1	7	Port 2	Y
TCD Public Works Red Barn	RSC-1	8	Port 2	Y
PW East Slider and Ped Gate	RSC-2	6	Port 2	Y
HCA #117 & HCA-#116	RSC-2	0	Port 2	Y
HCA #98 & HCA-#114	RSC-2	1	Port 2	Y
Homepage:				
Alarm Text:				
HCA #109 & HCA- #25	RSC-2	2	Port 2	Y
Homepage:				
Alarm Text:				
HCA-#85	RSC-1	3	Port 2	Y

Homepage:

Alarm Text:

HCA-#19 & HCA- #62 Medical Lab	RSC-2	4	Port 2	Y
HCA Dental/STD Waiting Door N29 & HCA-#45	RSC-2	5	Port 2	Y
HCA TB Corridor !85 Door N23 & HCA-#53	RSC-2	6	Port 2	Y
HCA-#49 & HCA-#201	RSC-2	7	Port 2	Y
HCA-#1	RSC-2	8	Port 2	Y
HCA-#70 & HCA-#73	RSC-2	9	Port 3	Y
HCA-#16 & HCA-#17	RSC-2	10	Port 3	Y
HCA-#12	RSC-1	11	Port 3	Y
Homepage:				
Alarm Text:				
HCA-#38 & HCA-#93	RSC-2	12	Port 3	Y
Homepage:				
Alarm Text:				
HCA Not Used	RSC-1	13	Port 3	Y
North Hall Hc 118 & AG Extention Hc 122	RSC-2	14	Port 3	Y
TABC Hallway Hc 119	RSC-2	15	Port 3	Y
HCA #55 & #HCA #149-Refig. Room	RSC-2	16	Port 4	Y
HCA # 222 & #124	RSC-2	17	Port 4	Y
Homepage:				
Alarm Text:				
HCA-#66	RSC-1	18	Port 5	Y
HCA #147 & HCA #150	RSC-2	19	Port 5	Y
Homepage:				
Alarm Text:				
HCA-#14 & HCA-#10	RSC-2	20	Port 4	Y
Homepage:				
Alarm Text:				
TCD Healthcare "Records"	RSC-1	21	Port 4	Y

TCD Healthcare "WIC"	RSC-1	22	Port 4	Y
TCD Healthcare "Healthcare"	RSC-1	23	Port 4	Y
TCD Healthcare "Engineering"	RSC-1	24	Port 4	Y
HCA Checkin Office Door N28 & TB Waiting Fr	RSC-2	26	Port 3	Y
TCD North Entry Engineering	RSC-1	27	Port 2	Y
HCA #115 & #92	RSC-2	28	Port 5	Y
HCA # 91 & # 106	RSC-2	29	Port 5	Y
HCA # 89 Vaccine Storage	RSC-2	30	Port 5	Y
HCA Conference Room 111 &112	RSC-2	31	Port 5	Y
TCD Elections	RSC-1	5	Port 2	Y
CC Elections #103 & #100A	RSC-2	1	Port 2	Y
Homepage:				
Alarm Text:				
CC Elections #109 & #112	RSC-2	2	Port 2	Y
Homepage:				
Alarm Text:				
CC Elections #104 & #110	RSC-2	3	Port 2	Y
CC Elections #100B	RSC-1	4	Port 2	Y
Elections Addition Door 1 & 8	RSC-2	6	Port 2	Y
Elections Addition Doors 4 & 5	RSC-2	7	Port 2	Y
Elections Addition Doors 11 & 12	RSC-2	8	Port 2	Y
Elections Addition E2 Warehouse Exit	RSC-2	9	Port 3	Y
HR 5 For Door 13 - Not Hooked Up	RSC-2	10	Port 3	Y
On board SIO	DCont	0	Port 2	Y
Farmersville Public Works TCD	RSC-1	8	Port 2	Y
Animal Shelter Door 101C	RSC-1	0	Port 2	Y

	Homepage:				
	Alarm Text:				
	Animal Shelter Door 117	RSC-1	1	Port 2	Y
	Homepage:				
	Animal Shelter Door 119	RSC-1	2	Port 2	Y
	Alarm Text:				
	Animal Shelter Door 201	RSC-1	3	Port 2	Y
	Homepage:				
	Animal Shelter Door 128	RSC-1	4	Port 2	Y
	Alarm Text:				
	Animal Shelter Gate 3 "Front Entry"	RSC-1	5	Port 2	Y
	Homepage:				
	Gate 1 and 2	RSC-2	6	Port 2	Y
	Alarm Text:				
	TCD Animal Shelter	RSC-1	8	Port 2	Y
	Homepage:				
	TCD Sheriff's Office Loading Dock	RSC-1	1	Port 2	Y
	Alarm Text:				
	TCD Sheriff's Office Detention BC	RSC-1	2	Port 2	Y
	Homepage:				
	TCD Sheriff's Office Detention Locker Rooms	RSC-1	3	Port 2	Y
	Alarm Text:				
	TCD Sheriff's Office Admin/HLS	RSC-1	4	Port 2	Y
	Homepage:				
	TCD Sheriff's Office Admin.	RSC-1	5	Port 2	Y
	Alarm Text:				
	TCD Sheriff's Office CID	RSC-1	6	Port 2	Y
	Homepage:				
	TCD Sheriff's Office Det. Officers/Patrol	RSC-1	7	Port 2	Y
	Alarm Text:				
	TCD Sheriff's Garage Level Office Admin.	RSC-1	8	Port 2	Y
	Homepage:				
	TCD Minumum Security	RSC-1	0	Port 2	Y
	Alarm Text:				
	TCD Juvenile Facility	RSC-1	1	Port 2	Y
	Homepage:				
	Admin Door 105	RSC-2	2	Port 2	Y
	Alarm Text:				

Lower Level 00012	RSC-1	1	Port 2	Y
Lower Level 00048 IN/OUT	RSC-2	2	Port 2	Y
Lower Level 00078A & 00078B	RSC-2	3	Port 2	Y
Lower Level 00086B	RSC-1	4	Port 2	Y
Lower Level 00086A & 00090	RSC-2	5	Port 2	Y
Lower Level 00104B & 00094	RSC-2	6	Port 2	Y
Lower Level 00098 & 00080	RSC-2	7	Port 2	Y
Lower Level 00096	RSC-1	8	Port 2	Y
Lower Level 00004 IN/OUT	RSC-2	9	Port 3	Y
Lower Level 00178	RSC-1	10	Port 3	Y
Lower Level 00176	RSC-1	11	Port 3	Y
Lower Level 00112	RSC-1	12	Port 3	Y
Lower Level 00166A & 00166B	RSC-2	13	Port 3	Y
Lower Level 00120A IN/OUT	RSC-2	14	Port 3	Y
Lower Level EL8B	RSC-1	16	Port 3	Y
Lower Level 00152B	RSC-2	17	Port 4	Y
Lower Level 00152A IN/OUT	RSC-2	18	Port 4	Y
Lower Level 00149 IN/OUT	RSC-2	19	Port 4	Y
Lower Level 00148B & 00132B	RSC-2	20	Port 4	Y
Lower Level 00146B & 00140A	RSC-2	21	Port 4	Y
Lower Level 00134A & 00134C	RSC-2	22	Port 4	Y
Lower Level 00138 & 00144A	RSC-2	23	Port 4	Y
Lower Level 00146	RSC-1	24	Port 4	Y
Lower Level 00196 IN/OUT	RSC-2	25	Port 5	Y

Lower Level ISC 16-1	ISC-16	26	Port 5	Y
Lower Level ISC 16-2	ISC-16	27	Port 5	Y
Lower Level OSC 16-1	OSC-16	28	Port 5	Y
Lower Level OSC 16-2	OSC-16	29	Port 5	Y
OPEN-Extra	RSC-2	30	Port 5	Y
LL Roll up Door back dock	RSC-2	31	Port 3	Y
1st Level 10102	RSC-2	1	Port 2	Y
1st Floor 10190 & 10192	RSC-2	2	Port 2	Y
1st Floor 10162A IN/OUT	RSC-2	3	Port 2	Y
1st Floor 10162B IN/OUT	RSC-2	4	Port 2	Y
1st Floor 10122	RSC-1	5	Port 2	Y
1st Floor 10234 (DEMO)	RSC-1	6	Port 2	Y
1st Floor 10276 & 10278	RSC-2	7	Port 2	Y
1st Floor E8L (DEMO)	RSC-1	8	Port 2	Y
1st Floor 10256C & 10132D	RSC-2	9	Port 3	Y
1st Floor 10132C	RSC-1	10	Port 3	Y
1st Floor 10268	RSC-1	11	Port 3	Y
1st Floor 00067C & 00067D	RSC-2	12	Port 3	Y
1st Floor 10078A IN/OUT	RSC-2	13	Port 3	Y
1st Floor 10078B IN/OUT	RSC-2	14	Port 3	Y
1st Floor 10070 & 10072	RSC-2	15	Port 3	Y
1st Floor 10020	RSC-1	16	Port 3	Y
1st Floor 10353A (DEMO)	RSC-1	17	Port 4	Y
1st Floor 10353B (DEMO)	RSC-1	18	Port 4	Y

1st Floor 10362b & 10358	RSC-2	19	Port 4	Y
1st Floor 10362B (DEMO)	RSC-1	20	Port 4	Y
1st Floor OSC 16-1	OSC-16	21	Port 4	Y
1st Floor OSC 16-2	OSC-16	22	Port 4	Y
1st Floor 10323 (DEMO)	RSC-1	23	Port 4	Y
1st Floor10002B & 10006D/Interior Lobby Auto	RSC-2	24	Port 4	Y
1st Floor ISC 16-1	ISC-16	25	Port 4	Y
1st Floor ISC 16-2	ISC-16	26	Port 4	Y
1st Floor 10198 (Handkey II)	RSC-1	27	Port 4	Y
TCD District Courts 10020	RSC-1	28	Port 2	Y
TCD District Clerk 10353 (DEMO)	RSC-1	29	Port 5	Y
TCD District Courts 10102	RSC-1	30	Port 2	Y
Second Level 20102	RSC-2	1	Port 2	Y
2nd Floor 20174 & 20172	RSC-2	2	Port 2	Y
2nd Floor 20180A IN/OUT	RSC-2	3	Port 2	Y
2nd Floor 20180B IN/OUT	RSC-2	4	Port 2	Y
2nd Floor 20204	RSC-1	5	Port 2	Y
2nd Floor 20206A	RSC-1	6	Port 2	Y
2nd Floor 20262 & (20263A Removed)	RSC-2	7	Port 2	Y
2nd Floor 00132E & 00132F	RSC-2	8	Port 2	Y
2nd Floor 20263B & E82 (DEMO)	RSC-2	9	Port 3	Y
2nd Floor 20260	RSC-1	10	Port 3	Y
2nd Floor 20452 & 20454 (DEMO)	RSC-2	11	Port 3	Y
2nd Floor 20250 & 20450 (DEMO)	RSC-2	12	Port 3	Y

2nd Floor 20224 & 20222B (DEMO)	RSC-2	13	Port 3	Y
2nd Floor 00067E & 00067F	RSC-2	14	Port 3	Y
2nd Floor 20078A IN/OUT	RSC-2	15	Port 3	Y
2nd Floor 20078B IN/OUT	RSC-2	16	Port 3	Y
2nd Floor 20072 & 20070	RSC-2	17	Port 4	Y
2nd Floor 20020 & 20004A	RSC-2	18	Port 4	Y
2nd Floor 20466 & 20464	RSC-2	19	Port 4	Y
2nd Floor 20428 (DEMO)	RSC-1	20	Port 4	Y
2nd Floor 00144D & 00144E	RSC-2	21	Port 4	Y
2nd Floor OSC 16-1	OSC-16	22	Port 4	Y
2nd Floor OSC 16-2	OSC-16	23	Port 4	Y
2nd Floor ISC 16-1	ISC-16	24	Port 4	Y
2nd Floor ISC 16-2	ISC-16	25	Port 4	Y
TCD District Judges	RSC-1	26	Port 3	Y
TCD District Courts Corridor 20122	RSC-1	27	Port 3	Y
TCD District Attorney (DEMO)	RSC-1	28	Port 5	Y
TCD Law Library (DEMO)	RSC-1	29	Port 5	Y
TCD District Courts 20102	RSC-1	30	Port 3	Y
3rd Floor 30102 & CC30104	RSC-2	1	Port 2	Y
3rd Floor 30174 & 30172	RSC-2	2	Port 2	Y
3rd Floor 30180A IN/OUT	RSC-2	3	Port 2	Y
3rd Floor 30180B IN/OUT	RSC-2	4	Port 2	Y
3rd Floor 30206A	RSC-1	5	Port 2	Y
3rd floor E83	RSC-2	6	Port 2	Y

TCD District Courts	RSC-1	7	Port 2	Y
3rd Floor 30240 & 30238	RSC-2	8	Port 2	Y
3rd Floor 00132G & 00132H	RSC-2	9	Port 3	Y
TCD District Judges "Only"	RSC-1	10	Port 3	Y
3rd Floor 30310	RSC-2	11	Port 3	Y
3rd Floor 30248A IN/OUT	RSC-2	12	Port 3	Y
3rd Floor 30248B IN/OUT	RSC-2	13	Port 3	Y
3rd Floor 30232	RSC-1	14	Port 3	Y
3rd Floor 30218	RSC-1	15	Port 3	Y
3rd Floor 30206B	RSC-1	16	Port 3	Y
3rd Floor 30070 & 30072	RSC-2	17	Port 4	Y
3rd Floor 30020	RSC-1	18	Port 4	Y
3rd Floor 00067G & 00067H	RSC-2	19	Port 4	Y
3rd Floor 30078A IN/OUT	RSC-2	20	Port 4	Y
3rd Floor 30230 & 30231	RSC-2	21	Port 4	Y
Third Level 30234B (30335H NEW)	RSC-1	22	Port 4	Y
3rd Floor 30078B IN/OUT	RSC-2	23	Port 4	Y
TCD District Courts 30102	RSC-1	24	Port 4	Y
3rd Floor OSC 16-1	OSC-16	25	Port 5	Y
3rd Floor OSC 16-2	OSC-16	26	Port 5	Y
3rd Floor ISC 16-1	ISC-16	27	Port 5	Y
3rd Floor ISC 16-2	ISC-16	28	Port 5	Y
TCD District Courts 30020	RSC-1	29	Port 5	Y
TCD District Courts	RSC-1	30	Port 5	Y

3rd Floor Elevator Hall Call	RSC-1	31	Port 5	Y
Penthouse 40010	RSC-1	1	Port 2	Y
Penthouse 40012	RSC-1	2	Port 2	Y
Penthouse 40016	RSC-1	3	Port 2	Y
Penthouse 40020	RSC-1	4	Port 2	Y
Penthouse 40018 & Elevator Hall Call	RSC-2	5	Port 2	Y
Penthouse 00132J	RSC-1	6	Port 2	Y
Penthouse 00067J	RSC-1	7	Port 2	Y
Penthouse 40006	RSC-1	8	Port 2	Y
Penthouse 40002C	RSC-1	9	Port 3	Y
Penthouse 40026	RSC-1	10	Port 3	Y
Penthouse 40008B	RSC-1	11	Port 3	Y
Penthouse Elevator 8 "floor control" OSC	OSC-16	12	Port 3	Y
Penthouse OSC 16-1	OSC-16	13	Port 3	Y
Penthouse ISC 16-1	ISC-16	14	Port 3	Y
Elevator 8 "Cab Readers"	RSC-2	15	Port 3	Y
TCD District Courts 30310	RSC-1	16	Port 3	Y
District Court Door 30260	RSC-1	17	Port 5	Y
District Court Doors 30262a & 30262b	RSC-2	18	Port 5	Y
District Court Doors 30316a & 30316b	RSC-2	19	Port 5	Y
District Court Door 30092	RSC-1	20	Port 5	Y
District Court Doors 30094a & 30094b	RSC-2	21	Port 5	Y
District Court Doors 30058a & 30058b	RSC-2	22	Port 5	Y
District Court Doors 30162a & 30162b	RSC-2	23	Port 5	Y

District Court Doors 30196a & 30196b	RSC-2	24	Port 5	Y
Gates Sheriff North	RSC-1	1	Port 2	Y
Gates Service Dock IN/OUT	RSC-2	2	Port 2	Y
Gates Fire Brigade IN/OUT	RSC-2	3	Port 2	Y
Gates Judges IN/OUT	RSC-2	4	Port 2	Y
Gates Sheriffs South IN/OUT	RSC-2	5	Port 2	Y
TCD Evidence Storage	RSC-1	6	Port 2	Y
TCD Sherrif's Break Room	RSC-1	7	Port 2	Y
TCD Homeland Sercurity Monitoring Rm.	RSC-1	8	Port 2	Y
TCD Juvenile Holding	RSC-1	9	Port 3	Y
TCD Judges Parking	RSC-1	10	Port 3	Y
Lower Level Elevator Hall Call	RSC-1	11	Port 3	Y
Lower Level Facilities Workshop	RSC-2	12	Port 3	Y
North East Parking Gate 1	RSC-2	13	Port 3	Y
North East Parking Gates 2	RSC-2	14	Port 3	Y
North West Parking Gate	RSC-2	15	Port 3	Y
PLC Inputs for Gate Control	ISC-16	16	Port 3	Y
Renevation Side OSC-16 #1 (Panic Buttons & 2 OSC-16		17	Port 4	Y
Renevation Side OSC-16 #2 (Door Status)	OSC-16	18	Port 4	Y
TCD District Judges	RSC-1	1	Port 2	Y
TCD District Courts 10122	RSC-1	2	Port 2	Y
TCD District Clerk / Jury Clerks (DEMO)	RSC-1	3	Port 2	Y
TCD District Clerk (DEMO)	RSC-1	4	Port 2	Y
District Court Doors 10156a & 10156b	RSC-2	5	Port 3	Y


District Court Doors 10150a & 10150b	RSC-2	6	Port 2	Y
District Court Doors 10174a & 10174b	RSC-2	7	Port 2	Y
District Court Door 10180	RSC-1	8	Port 2	Y
District Court Doors 10058a & 10058b	RSC-2	9	Port 2	Y
District Court Doors 10094a & 10094b	RSC-2	10	Port 3	Y
District Court Door 10092	RSC-1	11	Port 3	Y
Homeland Security Office 10226	RSC-1	12	Port 3	Y
1st Floor Elevator Hall Call (DEMO)	RSC-1	13	Port 3	Y
1st Floor #2 ISC 16	ISC-16	14	Port 3	Y
1st Floor #2 OSC 16	OSC-16	15	Port 3	Y
1st Floor 10386A	RSC-1	16	Port 5	Y
1st Floor 10366A	RSC-1	17	Port 5	Y
1st Floor Court 4 10332B & 10332E	RSC-2	18	Port 5	Y
1st Floor Court 2 10332J & 10332F	RSC-2	19	Port 5	Y
1st Floor 10390B IN/OUT	RSC-2	20	Port 5	Y
1st Floor 10400B IN/OUT	RSC-2	21	Port 5	Y
1st Floor 10132A & 10222B	RSC-2	22	Port 5	Y
1st Floor 10282A	RSC-1	23	Port 5	Y
1st Floor Court 3 10222E & 10222C	RSC-2	25	Port 5	Y
1st Floor County AUX Court 10222G & 10222F	RSC-2	26	Port 5	Y
1st Floor 10286B IN/OUT	RSC-2	27	Port 5	Y
1st Floor 10296B IN/OUT	RSC-2	28	Port 5	Y
1st Floor 10353A	RSC-1	29	Port 5	Y
1st Floor 12388A & E8	RSC-2	30	Port 5	Y

TCD District Courts	RSC-1	1	Port 2	Y
TCD District Attorney (DEMO)	RSC-1	2	Port 2	Y
District Court Doors 20196a & 20196b	RSC-2	3	Port 2	Y
District Court Doors 20162a & 20162b	RSC-2	4	Port 2	Y
District Court Door 20168	RSC-1	5	Port 2	Y
District Court Door 20222a (DEMO)	RSC-1	6	Port 2	Y
District Court Doors 20058a & 20058b	RSC-2	7	Port 2	Y
District Court Doors 20094a & 20094b	RSC-2	8	Port 2	Y
District Attorney Door 20422a (DEMO)	RSC-2	9	Port 3	Y
ISC-16-1 Securenet to MCS	ISC-16	10	Port 2	Y
DA'S OFFICE NEW DOOR BY ELEVATORS (L	RSC-2	11	Port 3	Y
2nd Floor 20352A	RSC-1	12	Port 3	Y
2nd Floor 20374A	RSC-1	13	Port 3	Y
2nd Floor Court 1 20342D & 20342F	RSC-2	14	Port 3	Y
2nd Floor Court 5 20342A & 20342C	RSC-2	15	Port 3	Y
2nd Floor 20390B IN/OUT	RSC-2	16	Port 3	Y
2nd Floor 20400B IN/OUT	RSC-2	17	Port 3	Y
2nd Floor 20342H & 20238J	RSC-2	18	Port 3	Y
2nd Floor 20004	RSC-1	19	Port 3	Y
2nd Floor 20288	RSC-1	20	Port 3	Y
2nd Floor 20268 & E8	RSC-2	21	Port 3	Y
2nd Floor 20238E & 20238F	RSC-2	22	Port 3	Y
2nd Floor 20238B & 20238D	RSC-2	23	Port 3	Y
2nd Floor 20294A IN/OUT	RSC-2	24	Port 3	Y

2nd Floor 20308A IN/OUT	RSC-2	25	Port 3	Y
2nd Floor 20342J	RSC-1	26	Port 3	Y
2nd Floor 20220A & 20212A	RSC-2	27	Port 3	Y
Door #1126A & 1126B	RSC-2	1	Port 2	Y
Door #1124 & 1123C	RSC-2	2	Port 2	Y
Door #1116 & 1114C	RSC-2	3	Port 2	Y
Door #1108 & 1104	RSC-2	4	Port 2	Y
Door #1120 & 1115	RSC-2	5	Port 2	Y
Door #1128 & 1138	RSC-2	6	Port 2	Y
Door #1170 & 1158	RSC-2	7	Port 2	Y
Door #1148A & 1136B	RSC-2	8	Port 2	Y
Door #1154B & 1152	RSC-2	9	Port 3	Y
Door #1162 & 1164	RSC-2	10	Port 3	Y
Door #1150B & 1100B	RSC-2	11	Port 3	Y
TC1-1	RSC-1	12	Port 3	Y
TC1-2	RSC-1	13	Port 3	Y
TC1-3	RSC-1	14	Port 3	Y
TC1-4	RSC-1	15	Port 3	Y
TC1-5	RSC-1	16	Port 3	Y
Door #2106B & 2116	RSC-2	17	Port 4	Y
Door #2190 & 2184	RSC-2	18	Port 4	Y
Door #2194 & 2312	RSC-2	19	Port 4	Y
Door #2308 & 2310	RSC-2	20	Port 4	Y
Door #2300, 2100B & 2100A	RSC-2	21	Port 5	Y

Door #2326 & 2314	RSC-2	22	Port 4	Y
Door #2332 & 2338	RSC-2	23	Port 4	Y
Door #2200 & 2133	RSC-2	24	Port 4	Y
Door #2372 & 2366	RSC-2	25	Port 5	Y
Door #2350 & 2354	RSC-2	26	Port 5	Y
Door #2301	RSC-2	27	Port 4	Y
TC2-1	RSC-1	28	Port 5	Y
TC2-2	RSC-1	29	Port 5	Y
Door #2188A & 2188B	RSC-2	30	Port 5	Y
Door #2182A & 2182B	RSC-2	31	Port 5	Y
TC2-3	RSC-1	0	Port 5	Y
Door #3122a & 3100	RSC-2	1	Port 2	Y
Door #3136 & 3218	RSC-2	2	Port 2	Y
Door #3139 & 3154	RSC-2	3	Port 2	Y
Door #3160 & 3166B	RSC-2	4	Port 2	Y
Door #3212	RSC-1	5	Port 2	Y
Door #3202 & 3198B	RSC-2	6	Port 2	Y
Door# 2134 County Clerks Store Room	RSC-2	7	Port 2	Y
Conference Room Doors #3206 & 3207	RSC-2	8	Port 2	Y
TC3-1	RSC-1	9	Port 3	Y
TC3-2	RSC-1	10	Port 3	Y
TC3-3	RSC-1	11	Port 3	Y
TC3-4	RSC-1	12	Port 3	Y
TC3-5	RSC-1	13	Port 3	Y

TC3-6	RSC-1	14	Port 3	Y
Door #3208A & 3208B	RSC-2	15	Port 3	Y
Door #2106 & 2104A	RSC-2	16	Port 3	Y
Door #4152B & 4152C	RSC-2	17	Port 4	Y
Door #4152A	RSC-1	18	Port 4	Y
Door #4192 & 4196	RSC-2	19	Port 4	Y
Door #4198 & 4162	RSC-2	20	Port 4	Y
Door #4139 & 4128B	RSC-2	21	Port 4	Y
Door #4178 & 4175	RSC-2	22	Port 4	Y
Door #4170 & 4100	RSC-2	23	Port 4	Y
Door #4172B 4112	RSC-2	24	Port 4	Y
Door #4117 & 4130B	RSC-2	25	Port 5	Y
TC4-1	RSC-1	26	Port 5	Y
TC4-2	RSC-1	27	Port 5	Y
Door #3201	RSC-1	29	Port 2	Y
Conference Room	RSC-2	30	Port 5	Y
Courthouse 3rd Floor JC #2 (Not used)	RSC-D2	0	Port 2	Y
3rd Floor 30344A	RSC-1	2	Port 2	Y
3rd Floor 30364A	RSC-1	3	Port 2	Y
3rd Floor 30380A & 30380B & Court 6 Panic	RSC-2	4	Port 2	Y
3rd Floor Empty Court by Crt 6 30335G & 3033	RSC-2	5	Port 2	Y
3rd Floor 30390A IN/OUT	RSC-2	6	Port 2	Y
3rd Floor 30212A & 30335I	RSC-2	7	Port 2	Y
3rd Floor 30380A IN/OUT	RSC-2	8	Port 2	Y



3rd Floor District Clerks

RSC-2

9

Port 2

Y