


Site Information

Site Map, Traffic Control,
Parking Zones

Site Map

(Festival Area Services)

- **The festival area** is 180,000 sq feet in size with Tiki torches every 15 feet apart from each other. Pending on how many people attend. We'll have 1 Tiki per 10 people.
- **Check In-** When people first arrive they go through our Check in stand. We have 6-8 tables with Volunteers set up with iPads to check in people on arrival.
- **Porta Potties-** 1 per 100 people
- **Trash cans-** 150-200 spaced out through the event and parking area.
- **Food Vendors-** 15-20 per event & Vendors 10-15 per event
- **EMT** with station and Ambulance on site.
- **Light tower-** out by Restrooms and through parking.
- **Stage-** 20 X 24
- **Dumpsters-** 2x30 yard



Traffic Control


Parking- 20 Acres = (2,500 Cars with 2.9 per car average.)

- We will have signs placed off on road 121. Each way, 2 miles out informing people event ahead.
- We will have two squad cars on ROAD- 121 at the intersections off of East Houston Street, helping the participants turn onto East Houston Street
- We will have parking attendance moving all cars up on East Houston Street into the parking lot where we will have more parking attendance parking all cars.

(Traffic Plan- will be provided after approval from county and we work out all details with the local Police department)

Parking Zones

- **20 Acres = 2,500 Cars with a 2.9 per car average.**
- **Parking Area-** We will have 10-15 parking staff working all around in the parking area . Directing people into their spot and helping with post event traffic flow.
- **Time Zones-** Leading up to the event. When people buy their ticket, they will select a time zone. **2** hours before the event starts. Each time zone is 30 min long. This will help with the flow of traffic.



Important Documents

Insurance, MSDS, Testing and Videos



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
11/10/2016

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Foundations Insurance American Fork 76 N 100 E American Fork, UT 84003 Phone: (801) 763-5400 Fax: () -	CONTACT NAME: KATHRYN NELSON PHONE (A/C, No, Ext): (801)763-5400 E-MAIL ADDRESS:	FAX (A/C, No):
	INSURER(S) AFFORDING COVERAGE	
INSURED VIIVE EVENTS LLC 495 E 1000 S Pleasant Grove UT 84062-	INSURER A: Burlington Insurance	
	INSURER B:	
	INSURER C:	
	INSURER D:	
	INSURER E:	
	INSURER F:	


COVERAGES **CERTIFICATE NUMBER:** **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			482B004960	07/28/2016	07/28/2017	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	<input type="checkbox"/> UMBRELLA LIAB <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> DED <input type="checkbox"/> RETENTION \$						OCCUR CLAIMS-MADE EACH OCCURRENCE \$ AGGREGATE \$ \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below						PER STATUTE <input type="checkbox"/> OTH-ER <input type="checkbox"/> E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Policy includes Blanket Additional Insured endorsement and Blanket Waiver of Subrogation

CERTIFICATE HOLDER	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE 

The Lights Fest, LLC
 495 E 1000 S, Pleasant Grove, UT 84062

Financial Statement
Date:6/11/2017

Assets	
Current Assets	
Cash	173,410
Accounts receivable	28,703
Inventory	121,297
Prepaid expenses	42,750
Short-term investments	
	Total current assets
	366,160
Fixed (Long-Term) Assets	
Long-term investments	8,500
Property, plant, and equipment	9,245
(Less accumulated depreciation)	(2,200)
Intangible assets	
	Total fixed assets
	15,545
Other Assets	
Deferred income tax	
Other	
	Total Other Assets
	-
Total Assets	381,705

Liabilities and Owner's Equity	
Current Liabilities	
Accounts payable	61,587
Short-term loans	
Income taxes payable	3,145
Accrued salaries and wages	8,937
Unearned revenue	23,128
Current portion of long-term debt	
	Total current liabilities
	96,797
Long-Term Liabilities	
Long-term debt	7,985
Deferred income tax	
Other	
	Total long-term liabilities
	7,985
Owner's Equity	
Owner's investment	
Retained earnings	
Other	
	Total owner's equity
	-
Total Liabilities and Owner's Equity	104,782

Common Financial Ratios	
Debt Ratio (Total Liabilities / Total Assets)	0.27
Current Ratio (Current Assets / Current Liabilities)	3.78
Working Capital (Current Assets - Current Liabilities)	269,363
Assets-to-Equity Ratio (Total Assets / Owner's Equity)	
Debt-to-Equity Ratio (Total Liabilities / Owner's Equity)	

Sky Lantern

Safety Data Sheet

SECTION 1: Identification

1.1. Identification

Product name : Sky Lantern

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Consumer use

1.3. Details of the supplier of the safety data sheet

IC Group
4060 S. 500 W., Suite 3
Salt Lake City, UT 84123

1.4. Emergency telephone number

Emergency number : 310-579-5062

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified

2.2. Label elements

GHS-US labeling

No labeling applicable

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

This product is comprised of fire-retardant paper and rope, bamboo ring and wax.

Name	Product identifier	%	GHS-US classification
Fire-retardant paper			
Pulp	None	Trade Secret	Not classified
21H,23H-Porphine, 5,10,15,20-tetraphenyl-	(CAS No) 917-23-7	Trade Secret	Not classified
Bamboo ring			
Bamboo cellulose	None	Trade Secret	Not classified
Lignin	None	Trade Secret	Not classified
Pentosan	None	Trade Secret	Not classified
Fire-retardant rope			
Silica, amorphous	(CAS No) 7631-86-9	Trade Secret	Not classified
Wax			
Paraffin waxes and Hydrocarbon waxes	(CAS No) 8002-74-2	Trade Secret	Eye Irrit. 2B, H320
Cotton cloth	None	Trade Secret	Not classified
Biodegradable paper	None	Trade Secret	Not classified

Full text of classification categories and H statements : see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : No specific first aid necessary for this route of exposure.

First-aid measures after skin contact : No specific first aid necessary for this route of exposure.

Sky Lantern

Safety Data Sheet

First-aid measures after eye contact : Flush with plenty of water for at least 15 minutes. Seek medical advice if irritation develops or persists.

First-aid measures after ingestion : If the material is swallowed, get immediate medical attention or advice. DO NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : None under normal use.
 Symptoms/injuries after skin contact : None under normal use.
 Symptoms/injuries after eye contact : None under normal use.
 Symptoms/injuries after ingestion : None under normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
 Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

Fire hazard : None known.
 Explosion hazard : None known.

5.3. Advice for firefighters

Protection during firefighting : Firefighters should wear full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

None.

6.3. Methods and material for containment and cleaning up

For containment : No special measures required.
 Methods for cleaning up : Collect spillage. Attempt to reclaim the product, if this is possible.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : No special handling required.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : No special storage conditions required.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Non Hazardous Ingredients		
Not applicable		
21H,23H-Porphine, 5,10,15,20-tetraphenyl- (917-23-7)		
Not applicable		
Paraffin waxes and Hydrocarbon waxes (8002-74-2)		
ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³ (fume)
NIOSH	NIOSH REL (TWA) (mg/m ³)	2 mg/m ³ (fume)

Sky Lantern

Safety Data Sheet

Silica, amorphous (7631-86-9)		
IDLH	US IDLH (mg/m ³)	3000 mg/m ³
NIOSH	NIOSH REL (TWA) (mg/m ³)	6 mg/m ³

8.2. Exposure controls

Appropriate engineering controls	: None required under normal product handling conditions.
Hand protection	: None required under normal product handling conditions.
Eye protection	: None required under normal product handling conditions.
Skin and body protection	: None required under normal product handling conditions.
Respiratory protection	: None required under normal product handling conditions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Odor	: Odorless
Odor threshold	: No data available
pH	: No data available
Melting point	: 50 - 57 °C (Paraffin wax)
Freezing point	: No data available
Boiling point	: >35°C
Flash point	: 199°C (Paraffin wax)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: No data available
Solubility	: Insoluble.
Log Pow	: No data available
Auto-ignition temperature	: >100°C (Paraffin wax)
Decomposition temperature	: >100°C (Paraffin wax)
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

Heat, flame, and sparks.

10.5. Incompatible materials

Active metal, alcohols, aldehydes, carbon disulfide, carbon, sulfur, phosphorus, boron, reducing agents, metallic acetylenes and metallic carbonates.

10.6. Hazardous decomposition products

Not determined.

Sky Lantern

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Paraffin waxes and Hydrocarbon waxes (8002-74-2)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 3600 mg/kg

Silica, amorphous (7631-86-9)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 2.2 mg/l (Exposure time: 1 h)

Skin corrosion/irritation : Not classified
 Serious eye damage/irritation : Not classified
 Respiratory or skin sensitization : Not classified
 Germ cell mutagenicity : Not classified
 Carcinogenicity : Not classified

Silica, amorphous (7631-86-9)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity : Not classified
 Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Silica, amorphous (7631-86-9)

LC50 fish 1	5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 Daphnia 1	7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Silica, amorphous (7631-86-9)

BCF fish 1	(no bioaccumulation expected)
------------	-------------------------------

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer : No additional information available
 Effect on the global warming : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

Sky Lantern

Safety Data Sheet

SECTION 14: Transport information

Department of Transportation (DOT)
 In accordance with DOT
 Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

21H,23H-Porphine, 5,10,15,20-tetraphenyl- (917-23-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Paraffin waxes and Hydrocarbon waxes (8002-74-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Silica, amorphous (7631-86-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State regulations

Paraffin waxes and Hydrocarbon waxes (8002-74-2)

U.S. - Massachusetts - Right To Know List
 U.S. - Minnesota - Hazardous Substance List
 U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - Pennsylvania - RTK (Right to Know) List

Silica, amorphous (7631-86-9)

U.S. - Massachusetts - Right To Know List
 U.S. - Minnesota - Hazardous Substance List
 U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Full text of H-phrases:

Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
H320	Causes eye irritation

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

ENVIRONMENTAL TEST REPORT

PO #: C.C.
Quote #: ICGR170118LJ
Test #: ICGR170118
REV000

IC Group

February 28, 2017



IC GROUP

Floating Lantern Testing

APPROVALS

Approved By: Todd Patterson Date: 2/28/2017
Supervisor

Written By: Aleisha Spent Date: 2/28/2017
Operations Assistant

*This report shall not be reproduced without the prior
written consent of Rocky Mountain Testing Solutions, LLC*

1.0 PURPOSE

The purpose of this report is to present the test procedures used and the test results obtained during the performance of an environmental test program. The results included in this report relate only to the items tested. The objective of the test was for (50) Lanterns to undergo testing according to RMTS quote # ICGR170118LJ.

2.0 REFERENCES

- 2.1 RMTS Quote No: ICGR170118LJ
- 2.2 Test Parts: 50 Floating Lanterns: 35 cm x 35 cm x 75 cm
- 2.3 The article tested was (50) Lanterns hereafter referred to as "product." The product was tested by Rocky Mountain Testing Solutions, LLC located in Pleasant View, Utah to the requirements listed in References 2.1.
- 2.4 TEST No: ICGR170118

3.0 TEST CONDITIONS AND TEST EQUIPMENT

3.1 TEST CONDITIONS

Unless otherwise specified herein, all tests were performed at room ambient conditions defined as a temperature of $73^{\circ} \pm 18^{\circ} \text{F}$ ($23^{\circ} \pm 10^{\circ} \text{C}$), with a relative humidity of $40\% \pm 30\%$.

3.2 TEST EQUIPMENT

The required test equipment was calibrated in accordance with established standards set by Rocky Mountain Testing Solutions, LLC.

4.0 TEST PROCEDURES AND TEST RESULTS

4.1 Conditioning

- Reference 2.1
- Reference 2.2, (50) Lanterns

Date Commenced: February 28, 2017

Date Completed: February 28, 2017

4.1.1. The test product was placed in an environmental chamber at 18°C (+/-3°) and 20% RH (+/-5%) for the duration of the test. The test set-up photographs are shown in Appendix B.

4.1.2. Refer to Appendix C for the temperature test plot.

4.2 Test Description

- Reference 2.1
- Reference 2.2, (50) Lanterns

Date Commenced: February 28, 2017

Date Completed: February 28, 2017

4.2.1 The test product was removed from packaging, filled with ambient air, then placed on the test fixture with fuel cell side down. The test product was tethered to test fixture to allow approximately 12" of altitude after takeoff.

4.2.2 The test product fuel cell was ignited at each of four corners and a timer was then started.

4.2.3 The test product was observed during start of fuel cell burn, liftoff, flight, descent, flame burn out, and ember burn out.

4.2.4 Event times were recorded for the following:

- 4.2.4.1 Start of burn. (timer started)
- 4.2.4.2 Liftoff.
- 4.2.4.3 Start of descent.
- 4.2.4.4 Flame out.
- 4.2.4.5 Ember out.

4.2.5 Test result averages:

Seconds from ignition to flight	26
Seconds from ignition to start descent	83
Seconds from ignition to flame out	102
Seconds from ignition to ember out	277
Seconds from liftoff to start of descent	57
Seconds from liftoff to ember out	251

4.2.6 Test result data sheets can be found in Appendix D

4.3 This concludes testing of the IC Group product.

APPENDIX LISTING

APPENDIX A (Page 8)	Equipment List
APPENDIX B (Pages 10 - 13)	Photographs
APPENDIX C (Page 15)	Temperature Plot
APPENDIX D (Pages 17, 18)	Test Record Plots

APPENDIX A

EQUIPMENT LIST


ENVIRONMENTAL LAB EQUIPMENT LIST

Instrument	Temperature Humidity Chamber	TL-005
Manufacturer	Blue M	
Model Number	FRC-27F	
Serial Number	FRC-130	
<i>No Calibration Required</i>		


Instrument	Controller	TL-005
Manufacturer	WATLOW	
Model Number	F4	
Serial Number	015282	
Calibration Date	11/7/2016	
Calibration Due Date	11/7/2017	

APPENDIX B


Photographs




Photograph 1. Pre-Ignition




Photograph 2. Fuel Cell Ignition



Photograph 3. Liftoff




Photograph 4. Airborne



Photograph 5. Descent



Photograph 6. Fuel Cell Burnout




Photograph 7. Fuel Cell Ember

APPENDIX C

Temperature Plot

IC Group
Test No: ICGR170118
Floating Lantern Burn Test
February 28, 2017



2755N 1600 W
Pleasant View, Utah 84404
(801)612-9156

APPENDIX D

Test Records

LABORATORY LOG SHEET

TEST:	Lantern Burn Test	Quote #:	ICGR170118			
CUSTOMER:	IC Group	Date:	2/28/2017			
TEST ITEM:	50 Test Units	Photos Taken?	Yes			
SPEC	See Quote	Test Number	ICGR170118			
TIME ELAPSED, RECORDED IN SECONDS						
Time	Sample #	Flight	Descent	Flame Out	Ember Out	Initials
9:08	1	45	94	124	235	KH
9:25	2	17	79	100	322	KH
9:25	3	42	90	124	300	KH
9:29	4	14	68	88	266	KH
9:35	5	35	90	126	290	KH
9:36	6	33	73	128	230	KH
9:37	7	54	76	111	270	KH
9:45	8	12	70	83	306	KH
9:46	9	25	77	84	282	KH
9:47	10	32	100	90	289	KH
9:48	11	31	83	126	283	KH
9:56	12	25	94	124	253	KH
9:57	13	14	64	78	236	KH
10:07	14	20	69	79	235	KH
10:08	15	27	87	113	290	KH
10:08	16	15	78	95	279	KH
10:16	17	25	83	100	315	KH
11:55	18	20	84	103	375	KH
10:17	19	25	80	98	301	KH
10:24	20	20	84	96	295	KH
10:25	21	31	85	113	244	KH
10:26	22	42	89	113	276	KH
10:31	23	32	88	111	300	KH
10:33	24	43	89	112	289	KH
10:33	25	38	97	127	260	KH
Equipment Use	Asset #	Cal Due		Asset #	Cal Due	
	TL-008					
PAGE: 1	OF: 2					

LABORATORY LOG SHEET

TEST:	Lantern Burn Test	Quote #:	ICGR170118
CUSTOMER:	IC Group	Date:	2/28/2017
TEST ITEM:	50 Test Units	Photos Taken?	Yes
SPEC	See Quote	Test Number	ICGR170118

TIME ELAPSED, RECORDED IN SECONDS						
Time	Sample #	Flight	Descent	Flame Out	Ember Out	Initials
10:41	26	29	90	116	233	KH
10:42	27	22	85	95	255	KH
10:43	28	19	98	110	268	KH
10:50	29	22	83	95	243	KH
10:51	30	21	87	94	283	KH
10:52	31	21	70	79	258	KH
10:58	32	25	86	116	218	KH
10:59	33	25	97	118	290	KH
11:00	34	24	82	108	270	KH
11:06	35	22	82	93	257	KH
11:07	36	30	79	115	293	KH
11:08	37	27	91	109	230	KH
11:16	38	28	82	90	288	KH
11:17	39	24	75	85	298	KH
11:18	40	22	69	81	298	KH
11:24	41	23	72	84	275	KH
11:25	42	25	80	96	290	KH
11:26	43	27	76	89	279	KH
11:39	44	20	97	105	297	KH
11:40	45	22	92	105	357	KH
11:41	46	26	89	110	328	KH
11:47	47	34	91	105	330	KH
11:48	48	13	67	80	206	KH
11:49	49	25	93	103	235	KH
11:55	50	20	76	92	274	KH

Equipment Use	Asset #	Cal Due	Asset #	Cal Due
	TL-008			

PAGE: 1	OF: 2
----------------	--------------

ROCKY MOUNTAIN TESTING SOLUTIONS, LLC
2758 N 1600 W
Pleasant View, UT 84404
801-612-9156
877-899-7687

THE

LIGHTS