

Office of the Purchasing Agent 2300 Bloomdale Road Suite 3160 McKinney, Texas 75071 www.collincountytx.gov

ADDENDUM NO. TWO (2)

AUDIO VISUAL UPGRADE FOR COLLIN COUNTY COURTHOUSE

RFP No. 2021-158

Effective: April 12, 2021

Delete Documents:

Addendum No. 1 – Specifications

Addendum No. 1 – Attachment B – Pricing Sheet

Delete Line 1 – State Grand Total from Attachment B – Pricing Sheet

Add Documents:

Addendum No. 2 – Specifications (updates are in red)

Addendum No. 2 – Attachment B – Pricing Sheet – 23 Courtrooms (updates are in red)

Addendum No. 2 – Attachment B-1 – Pricing Sheet – 2 Aux Courtrooms (updates are in red)

Add Line 1 – State Grand Total from Addendum No. 2 – Pricing Sheet – 23 Courtrooms – Line 121

Add Line 2 – Any Additional Equipment Needed for Large Courtroom – Add lines 124 to 128 on

Addendum No. 2 – Attachment B – Pricing Sheet – 23 Courtrooms

All Line 3 – State Grand Total from Addendum No. 2 – Attachment B-1 – Pricing Sheet – Aux Court –

Line 116

Please note all other terms, conditions, specifications drawings, etc. remain unchanged.

Sincerely, Michelle Charnoski, CPPB Purchasing Agent

4.0 EVALUATION CRITERIA AND FACTORS

4.1 The award of the contract shall be made to the responsible contractor, whose proposal is determined to be the best evaluated offer resulting from negotiation, taking into consideration the relative importance of price and other factors set forth in the Request For Proposals in accordance with Vernon's Texas Code Annotated, Local Government 262.030.

The Evaluation Committee will review all proposals received by the Opening date and time as part of a documented evaluation process. For each decision point in the process, the County will evaluate contractors according to specific criteria and will elevate a certain number of contractors to compete against each other. The proposals will be evaluated on the following criteria.

The County will use a competitive process based upon "selection levels." The County recognizes that if a contractor fails to meet expectations during any part of the process, it reserves the right to proceed with the remaining contractors or to elevate a contractor that was not elevated before. The selection levels are described in the following sections.

Level 1 - Conformance with Mandatory Technical Requirements

Criteria assessed during Level 1:

- Conformance with RFP guidelines and submittal requirements outlined in Section 6.0 including response to each item in Section 6.0.
- Submit completed Attachment A Requirements, Attachment B Pricing Sheet and if applicable, Detailed Response to Requirements.

The following items listed below are Collin County equipment manufacturer standards per Court Order No. 2020-1104-11-02. No substitutions allowed.

- The video processing/switching/control equipment shall be Crestron with no substitutions allowed.
- The audio digital signal processor shall be by Biamp Systems Corporation with no substitutions allowed.
- The network cabling system shall comply with Collin County's Panduit requirements and manufacturer shall be Panduit Corporation with no substitutions allowed.
- The assisted listening system shall be Williams Sound with no substitutions allowed.
- Data room switching and routing shall be Cisco Equipment with no substitutions allowed.

Level 2 – Detailed Proposal Assessment (Maximum 100 Points)

The Evaluation Committee will conduct a detailed assessment of all proposals elevated to this Level. Proposals may earn up to 100 Points based on evaluated criteria. Criteria evaluated in Level 2 include:

Points	Description
	Response and compliance with Attachment A-Requirements
65	(Proposal Format Item 6.8) (Maximum of 65 Points)
	General Requirements (Maximum of 10 Points)

	T : 1D : (00) (00 D : (1)	
	• Functional Requirements (Maximum of 20 Points)	
	• Technical Requirements (Maximum of 25 Points)	
	• Warranty Requirements (Maximum 5 Points)	
	• Training Requirements (Maximum 5 Points)	
20	Qualifications of Firm (Proposal Format Item 6.2; 6.3)	
	References/Comparable Experience (Proposal Format Item 6.5; 6.6)	
15	Project Plan/Timeline (Proposal Format Item 6.4; 6.7)	

It is anticipated that Collin County will elevate proposals scoring at least 70 points (70%) to Level 3.

Level 3 – Cost (Maximum 25 Points)

Points	Description
25	Total Cost including 1 year warranty (Proposal Format Item 6.9)

Level 4-Best and Final Offer

Contractors who are susceptible of receiving award will be elevated to Level 4 for Best and Final Offer. Contractor will be asked to respond in writing to issues and questions raised by the County as well as any other cost and implementation planning considerations in the proposal, and may be invited to present their responses on-site. Proposals may be re-evaluated based upon Criteria in level 2 and level 3.

Based on the result of the Best and Final Offer evaluation, a single contractor will be identified as the finalist for contract negotiations. If a contract cannot be reached after a period of time deemed reasonable by the County, it reserves the right to contact any of the other contractors that have submitted bids and enter into negotiations with them.

5.0 SPECIAL CONDITIONS AND SCOPE OF SERVICES

- 5.1 Authorization: By order of the Commissioners' Court of Collin County, Texas sealed proposals will be received for **Audio Visual Upgrade for Collin County Courtrooms.**
- 5.2 Intent of Request for Proposal: Collin County's intent of this Cooperative Request for Proposal (RFP) and resulting contract is to provide contractors with sufficient information to prepare a proposal for equipment and installation for **Audio Visual Upgrade for Collin County Courtrooms.**
- 5.3 Term: Provide for a term contract commencing on the date of the award and continuing until project is complete. County will enter into an annual warranty/maintenance agreement for the period of one (1) year after project acceptance.
- 5.4 Pre-Proposal Conference: A mandatory pre-proposal conference will be conducted by Collin County on Friday, March 26, 2021 at 2:00 pm or Wednesday, March 31, 2021 at 2:00 pm meet between the escalators (you will need to go through security) 2100 Bloomdale Road, McKinney, TX 75071. The group will then visit sample courtrooms to see the equipment layout. This is to provide an opportunity for all interested companies to ask questions, receive clarification and additional documentation providing statistical information, and to tour the facilities. Participation in the conference is

mandatory for any Contractor intending to submit a proposal. The site tours are also **MANDATORY** to avoid the situation of a proposal being submitted without the Contractor having seen the facilities. While the conference and site tours are mandatory, it is not mandatory that the same company representatives participate in both activities. Delegation of each task assignment is at the discretion of the Contractor; however, at least one company representative shall represent the Contractor at each activity.

Those interested in attending the pre-proposal conference shall RSVP to purchasing@co.collin.tx.us with "2021-158, Audio Visual Upgrade for Collin County Courtrooms" in the subject line, no later than Thursday, March 25, 2021 at 12:00 PM. RSVP response shall include company name, name of individual that will be attending and the preferred session time. Attendees for each session will be scheduled in the order received.

- Point of Contact: Information regarding the purchasing process and the contents of this RFP may be obtained from the Collin County Department or email shoglund@co.collin.tx.us, Sara Hoglund, Senior Buyer.
- 5.6 Funding: Funds for payment have been provided through the Collin County budget approved by the Commissioners' Court for this fiscal year only. State of Texas statutes prohibit the County from any obligation of public funds beyond the fiscal year for which a budget has been approved. Therefore, anticipated orders or other obligations that arise past the end of the current Collin County fiscal year shall be subject to budget approval.
- 5.7 Completion/Response Time: Contractor shall place product(s) and/or complete services at the County's designated location according to the schedule proposed by contractor in Section 6.8.
- 5.8 Delivery/Setup/Installation Location: Locations for delivery and installation will be stated on the Collin County Purchase Order(s). Delivery shall include assembly, setup and installation and shall be included in proposal. Below is the address for work to be completed.

Russell A. Steindam Courts Building 2100 Bloomdale Road McKinney, TX 75071

- 5.9 Freight/Delivery charges: shall be included in the submitted pricing. No additional fees for delivery/freight/fuel surcharge or other fees shall be invoiced or paid by Collin County.
- 5.10 Testing: Testing may be performed at the request of Collin County, by an agent so designated, without expense to Collin County.
- 5.11 Samples/Demos: When requested, samples/demos shall be furnished free of expense to Collin County.
- 5.12 Approximate Value/Usage: Approximate usage does not constitute an order, but only implies the probable quantity the County will use. Estimated expenditure is \$1,500,000.
- 5.13 Background Check: All Contractor employees that will be working on site or by remote access shall pass a criminal background check performed by Collin County before any work may be performed. The selected contractor shall be provided the required documents to submit required information for background checks.

5.14 Subcontractors: Contractor shall state names of all subcontractors and the type of work they will be performing. If an contractor fails to specify a subcontractor, then he shall be deemed to have agreed that he is fully qualified to perform the contract himself, and that he will fully perform the contract himself. No proposer whose proposal is accepted shall (a) substitute any subcontractor, or (b) permit a subcontract to be voluntarily assigned or transferred or allow it to be performed by anyone other than the original subcontractor listed in the original proposal without approval in writing from the Collin County Purchasing Department.

The successful proposer further agrees that Collin County and its agents, servants and employees shall not be liable for any loss or damage resulting from personal injury, physical loss, harassment of or discrimination against employee or other violations of the provisions of this contract occasioned by the acts or omissions of the successful proposer's sub-contractors, their agents or employees. The indemnification provisions of this contract shall apply to all sub-contractors.

- 5.15 Confidential or Proprietary Information: Collin County is subject to the Texas "Public Information Act", Texas Government Code Chapter 552. Contractors shall identify those portions of their proposals that they deem to be confidential, proprietary information or trade secrets. Contractors shall clearly indicate each and every section to which this applies. It is not sufficient to preface the entire proposal with a proprietary statement. State of Texas Attorney General retains the final authority as to the extent of material that is considered proprietary or confidential.
- 5.16 Payment and Performance Bonds: In accordance with V.T.C.A. 2253.021, a governmental agency that makes a public work contract with a prime contractor shall require the contractor, before beginning work, to execute to the governmental entity a Payment Bond if the contract is in excess of \$25,000.00 and a Performance Bond if the contract is in excess of \$100,000. Such bond shall be in the amount of the contract payable to the governmental entity and must be executed by a corporate surety in accordance with Section 1, Chapter 87, Acts of the 56th Legislature, Regular Session, 1959 (Article 7.19-1 Vernon's Texas Insurance Code).
- 5.17 Wage Scale: In accordance with The Texas Government Code, Title 10, Chapter 2258, Prevailing Wage Rates, the general prevailing wage rate has been determined for this locality for the craft or type of workman needed to execute work of a similar character of the project listed herein. The Contractor shall pay the prevailing wage rate in this locality to all his/her employees and subcontractors performing work on this project, and in no event shall the Contractor pay less than the rate shown in the following schedule. Refer to Exhibit B for current prevailing wage rates.

5.18 PROPOSAL SCHEDULE

Collin County reserves the right to change the schedule of events as it deems necessary.

RFP Released	Tuesday, March 15, 2021
Mandatory Pre-Proposal Conference	Friday, March 26, 2021 at 2:00 pm (CST) or
	Wednesday, March 31, 2021 at 2:00 pm (CST)
Deadline for submission of questions	Friday, April 9, 2021 at 5:00pm CST
Proposals Due:	Thursday, April 15, 2021 at 2:00pm CST
Award of RFP:	June 2021

5.19 PURPOSE/SCOPE OF WORK

Collin County has 26 courtrooms (the project will be upgrading 25 of the 26 Courtrooms), which are used to hear District Court and County Court cases, overflow cases, attorney general cases and other special ad-hoc court dockets. Currently, there is existing HDBaseT A/V and we are upgrading to an A/V over IP system. The county is seeking a turn-key solution to procure, deliver, install, configure, program, test, and document the standard county build out to provide the AV services for these courts.

The attached Requirements (Refer to Attachment A) and pricing sheet (Refer to Attachment B), along with any additional cables, boxes, connectors, faceplates or other materials required to provide a turn-key AV solution, will be required for this RFP. This pricing sheet is for procurement, installation and configuration of an audio/visual A/V over IP upgrade solution in twenty-six five (26 25) courtrooms.

5.20–5.22 – See Attachment A – Requirements. Complete and submit in accordance with section 6.8.

Attachment References: Exhibit References:

Attachment A – Requirements Exhibit A – Network Cabling Requirements

Attachment B Pricing Sheet Exhibit B – Wage Rates

Addendum No. 2 – Attachment B - Pricing Exhibit C – Pre-Proposal Attendance Sheet

Sheet – 23 Courtrooms

Addendum No. 2 - Attachment B-1 -

Pricing Sheet – Aux Court

6.0 PROPOSAL FORMAT

In accordance with the directions below, contractor shall provide a response for each item in Section 6.2-6.9 in order and include item numbers in response. Answer all questions fully, clearly, and concisely, giving complete information. Do not skip items. Do not refer to other parts of your proposal for the answers. You may not modify either the order or language of the question. **Responses shall include a statement of "agree", "confirmed", "will provide", "not applicable", or "exception taken" along with any additional information.** If an item is "not applicable" or "exception taken", contractor shall state that and refer to Section 7.0 Exceptions, with explanation.

Contractor shall adhere to the instructions in this request for proposals on preparing and submitting the proposal. If contractor does not follow instructions regarding proposal format, points will be deducted during the evaluation process.

- 6.1 **PROPOSAL DOCUMENTS:** To achieve a uniform review process and to obtain a maximum degree of comparability, the proposal shall, at a minimum include a Table of Contents detailing sections and corresponding page numbers.
 - 6.1.1 Proposals may be submitted online via http://collincountytx.ionwave.net or submitted via CD-ROM or Flash Drive. Electronic submissions are preferred.
 - 6.1.2 If submitting manually, proposal shall be submitted in a sealed envelope or box with RFP name, number, and name of firm printed on the outside of the envelope or box. Manual submittals shall be sent/delivered to the following address and shall be received prior to the date/time for opening:

Collin County Purchasing 2300 Bloomdale, Suite 3160 McKinney, TX 75071

Paper copies shall be printed on letter size ($8 \frac{1}{2} \times 11$) paper and assembled using spiral type bindings, staples, or binder clips. Do not use metal-ring hard cover binders. Manual submittals shall include an electronic copy in a searchable format.

It shall be the responsibility of the contractor to insure that their proposal reaches Collin County Purchasing prior to the date/time for the opening no matter which submission method is used.

Proposal shall include but not be limited to information on each of the following:

6.2 FIRM OVERVIEW

Contractor shall define the overall structure of the firm to include the following:

- 6.2.1 A descriptive background of your company's history.
- 6.2.2 State your principal business location and any other service locations.
- 6.2.3 State the address and normal business hours of your local service location and list the number of technical support personnel assigned to this work location. Should a service location not exist in the Collin County region please list your nearest service location to the county.
- 6.2.4 What is your primary line of business?
- 6.2.5 How long have you been selling product(s) and/or providing service(s)?
- 6.2.6 State the number and location of installations where your services are in use.
- 6.2.7 Identify any terminated public sector projects. Disclose the jurisdiction and explain the termination.
- 6.2.8 Is your company currently for sale or involved in any transaction to expand or to become acquired by another business entity? If yes, please explain the impact both in organizational and directional terms.
- 6.2.9 List of all lawsuits resulting in award (in or outside of court) to a client and provide basis and finding of any settlement.

6.3 PROPOSED PROJECT TEAM/STAFF QUALIFICATIONS/EXPERIENCE/CREDENTIALS

- 6.3.1 Provide credentials, qualifications as well as experience for each team member or key personnel on the project.
- 6.3.2 Provide name, job title, responsibilities, project management practices, role on the project, and number of years they have been in the role.

6.4 **PROPOSED PROJECT**

- 6.4.1 Contractor is requested to provide an implementation plan for the proposed product(s)/service(s) to include but not limited to the following areas:
 - 6.4.1.1 Project to include all necessary components to render it complete and operational;

- Proposed Project Plan showing, at a minimum, the following key areas:
 - 6.4.1.2.1 Installation
 - 6.4.1.2.2 Education and Training
 - 6.4.1.2.3 Testing and Support
- Documentation samples showing the work product the county may expect to receive covering:
 - 6.4.1.3.1 Warranty/Maintenance
 - 6.4.1.3.2 Configuration and programing details
 - 6.4.1.3.3 As-Built Diagrams

6.5 **REFERENCES**

- 6.5.1 Provide a minimum of three (3) references. Include the following information for each reference; the name and address of the organization, as well as the name, position, email and telephone number of the contact in the referred organization. References with similar projects and users are preferred.
 - 6.5.1.1 Describe the services provided, the start date, months to complete and the total cost of project. Include organizations that have completed similar in scope projects in the last 2 years.

6.6 SIMILAR PROJECTS INVOLVED WITH

6.6.1 Provide a list of other similar projects that you are involved with currently or will be involved with during the duration of this project.

6.7 TIME SCHEDULE

6.7.1 Provide a schedule for each phase of the proposed project beginning with program development and ending with the date of operation to minimize the duration of the implementation. The schedule shall include all tasks that will require time in the process, such as County review (identify amount of time assumed for each task). All Most work shall be performed during normal business hours (Monday – Friday, 8am – 5pm). Weekend and after hours work will not be permitted. Early morning and evening hours may be available.

6.8 REQUIREMENTS & DETAILED RESPONSE TO REQUIREMENTS

- 6.8.1 Contractor shall respond to all requirements in Attachment A Requirements.
 - 6.8.1.1 Requirements that require a detailed response shall be submitted as an attachment titled "Detailed Response to Requirements". The responses shall be in order and include the reference numbers within this document. Acknowledgement of response on this sheet is required and reference of location of response shall be referenced in the comment section of this document.
 - Any responses that are answered as a yes mean that the system will fully comply with no setup required, configurable with no changes to source code, or are provided with reporting tool. If the functionality is not available at this time the response shall be answered as no and shall be included in your

proposal as "exceptions" with further explanation. Refer to Section 7.0 of the specifications for more details on Exceptions.

6.9 **PRICING/FEES**

- 6.9.1 See Attachment B Pricing Sheet Addendum No. 2 Attachment B Pricing Sheet 23 Courtrooms and Addendum No. 2 Attachment B-1 Pricing Sheet Aux Court. Be sure to include all items necessary to render project complete and operational.
- 6.9.2 State Cost for Maintenance/Warranty for 1 Year. Note this is included in Pricing Sheets referenced in 6.9.1
- 6.9.3 Pricing shall be valid through September 30, 2022. If there are not enough funds to complete all Courtrooms in the project with the current budget, additional funding may be requested in the 2022 budget.

7.0 EXCEPTIONS

Instructions for completing section:

The exception table shall be completed for any exception from requirements identified in this RFP. Please complete the following worksheet listing any and all exceptions from the information requested in the Request for Proposal. Attach additional pages as needed. If no exceptions are listed in Section 7.0 it is understood that the contractor has agreed to all RFP requirements, the response will be considered as confirmed even if it is listed elsewhere as an exception.

Section Number/ Question Number	Required Service Contractor is Unable to Perform	Steps Taken to Meet Requirement

Qty	•	Manufacturer	Part/Model No.	Each Price	Total Price
	Rack Vertical Power Strip	Middle Atlantic	DD 241ECC NC		\$ -
	ATS	APC	AP4450		\$ -
	troom Main Display	<u> </u>	1	<u> </u>	<u>. T</u>
1	98"LED HDTV,1080p,120Hz,4-HDMI,RS-232c	NEC	C981Q		\$ -
	98" Display Wall Mount	Chief	XTM1U		\$ -
Cour	troom Gallery Displays 55"	NEC	FFF70	l	č
	Fusion pole Mount	Chief	E557Q LCM1U		\$ -
	Ceiling Plate and Column	Chief	CMA100		\$ -
	troom Touch Displays for Attorney's, Witness, Court Reporter and				
4	24" Touchscreen Display for Annotation	Dell	P2418HT		\$ -
	16" Touchscreen Display	Viewsonic	TD1655		\$ -
	troom Wall Plate	Constant	AAD 14/D402 D		<u> </u>
	Ethernet Wall Plate troom Source Device	Crestron	MP-WP183-B		\$ -
	Document Camera	Elmo	PX-30 E		\$ -
	Rack Courtroom Source Device	1	j	L	
1	Annotator Pro Plus	Williams AV	AN C5P		\$ -
Cour	troom Network Encoder/Decoder			,	
			DM-NVX-350		
	DM NVX Encoder and Decoder	Crestron	DM-NVX-360		\$ -
A/V I	Rack Courtroom Network Encoder/Decoder	1	DM-NVX-350C		
7	DM NVX Encoder and Decoder Card	Crestron	DM-NVX-360C		\$ -
	DM NVX Encoder and Decoder Card with Downmixing	Crestron	DM-NVX-351C		\$ -
	DM Card Chassis	Crestron	DMF-CI-8		\$ -
	ata room Switching and Routing				
1	Cisco Catalyst 9300 48 port UPOE Network Essentials	Cisco	C9300-48U-E		\$ -
	SNTC-8X5XNBD Cisco Catalyst 3850 48 port Mini, 4x10G Uplink	Cisco	C9300-NM-8x		\$ -
	1100W AC 80+ Platinum power supply	Cisco	PWR-C1-1100WAC-P		\$ -
	1100W AC 80+ Platinum Secondary Power Supply	Cisco	PWR-C1-1100WAC-P		\$ -
	Cisco StackWise-480 50cm stacking cable Cat 9300 Stack power cable 30cm	Cisco Cisco	STACK-T1-50CM= CAB-SPWR-30CM		\$ -
	C3300 Stack power cable 30cm C9300 Cisco DNA Essentials-48 port-3 year	Cisco	C9300-DNA-E-48-3Y		\$ -
	North America AC Type A Power Cable	Cisco	CAB-TA-NA		\$ -
	UNIVERSAL	Cisco	S9300UK9-169		\$ -
	SOLN SUPP 8X5XNBD Catalyst 9300 48-port UPOE, Network				
	Essentials	Cisco	CON-SSSNT-C93004UE		\$ -
	*	Panduit	CPPLA48WBLY		\$ -
Cour	troom Control TouchPanels	1	TSW-1070-GV-B-S	T T	
,	10.1" Touch Screen, Black Smooth	Crestron	TS-1070-B-S		\$ -
	10.1 Touch screen, black smooth	Crestion	TSW-770-GV-B-S		· -
1	7" Touch Screen, Black Smooth	Crestron	TS-770-B-S		\$ -
	Rack Courtroom Control Processor				·
	4-Series Control System	Crestron	CP4N		\$ -
	troom Council tables Cubbies		•		
2	Flip Top Cubby, 4 open slots w/1 AC outlet included	Crestron	FT2-202-MECH-AC-B KIT		\$ -
	Gravity Cable Retractor for FT2	Crestron	FT2A-CBLR-GR-4K-HD		\$ -
	nbers Office area Court Coordinator Audio	•	ı	T	
_	Powered Monitor Speaker	Yamaha	MSP3		\$ -
	troom Audio Speakers	_			
	Pair 6.5" Ceiling Speaker (14 speakers)	JBL	Control 26 C/T		\$ -
	troom Gallery Audio Mics	Audix	M55W		\$ -
	Hanging Microphones troom Audio Table Mics	Audix	INIDOM		ş -
	18" Desktop Gooseneck Condenser Microphone	Shure	MX 418 D/C		\$ -
	troom Audio Floorbox Mics and stands	Silure	IVIX 410 D/C		<u>-</u>
	60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062	Sennhieser	500652		\$ -
1	Cardioid condenser microphone	Sennhieser	ME34		\$ -
1		Sennhieser	500892 500651		\$ -
	Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and	Chara	CNAAGC LC		ć
	mic stand Rack Audio Server	Shure	SM48S-LC		\$ -
	Tesira DSP server with up to 48 channels of I/O	Biamp	Tesira SERVER-IO AVB		\$ -
	4 Channel Echo Cancelling Input Card	Biamp	Tesira SEC-4		\$ -
3	4 Channel Line Output Card	Biamp	Tesira SOC-4		\$ -
	2 Channel Telephone Interface Card	Biamp	Tesira STC-2		\$ -
1	8 Channel 175W digital networked Amplifier	Biamp	Tesira AMP-8175R		\$ -
_	4 Channel mic/line input	Piame	Tesira EIC-4		\$ -
	4 Channel mic/line input card Rack Wireless System	Biamp	Tesira SIC-4		\$ -
	Combo Wireless System (SM58 & WL185)	Shure	QLXD124/85-H50		\$ -
	Passive Antenna Splitter/Combiner Kit and hardware	Shure	UA221		\$ -
	100' UHF Remote Antenna Extension cable BNC-BNC, RG213/U				
2	type	Shure	UA8100		\$ -
١,	In Line Antonna amplifier for remate mounting (470,003,541)	Shura	114034WD		٤
	In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line adapter. Supplies 12V DC bias power over caoxial BNC	Shure	UA834WB		\$ -
,	cable, includes PS23US	Shure	UABIAST-US		\$ -
	ALS Infrared		IR SY5		\$ -
	Deliberation area	- vimuitis Jourid	j 313		· ·
July	Sensor attori area		UN65NU6900FXZA		
1		1	QN65QN90AAFXZA		
	65" TV	Samsung	QM65R		\$ -
	TV wall mount	Sanus	BLL2-B1		\$ -
	A/V wall shelving	Peerless-AV	ESHV30		\$ -
	BenQ Instashow	Ben Q	WDC20	L	\$ -
	troom Cameras Video Teleconference System	Danasaria	AW HEADUNADIO		ė
	PTZ HD Camera POE 30X Optical Zoom, HDMI out	Panasonic	AW-HE40HWPJ9		\$ -
	Ceiling/Wall Mount	Vaddio	535-2000-246	I	\$ -
	Pack Video Teleconference System				
A/V F	Rack Video Teleconference System AV Bridge Mini	Vaddio	999-8240-000		\$ -

Qty	Description	Manufacturer	Part/Model No.	Each Price	Total Price
1	Bracket Mounts 1/2 Rack	Vaddio	998-6000-005		\$ -
4	HD Streaming Receiver Controller	Crestron	DM-RMC-100-STR		
1	Multi-Windows Video Processor HDMI Output	Crestron	HD-WP-4K-401-C		\$ -
_	room Bailiff area Video Teleconference Equipment	10.000.00			1.7
	Digital Graphics Engine 100	Crestron	DGE-100		\$ -
	Touch Monitor	Dell	P2418HT		\$ -
Misc	ellaneous	•			•
6	HDMI Cable	Crestron	CBL-HD-3		\$ -
12	HDMI Cables	Crestron	CBL-HD-6		\$ -
1	HDMI Cable for TV	Crestron	CBL-HD-20		\$ -
1	HDMI Cable for Owner Provided Benq	Creston	CBL-HD-20		\$ -
4	USB Extenders	Liberty	DIGI-USB2		\$ -
4	USB Cables	Liberty	E-USBAB-3		\$ -
5	USB Cables	C2G	54174		\$ -
1	Plenum rated Cat 6 Cabling				\$ -
1	Speaker Cable				\$ -
3	3 sets of HDMI adapter rings for laptops, tablets, and Ipads				\$ -
	Panduit Green Cat6 -7' Patch cable	Panduit	UTPSP7GRY		\$ -
	Cat6 RJ45 data jacks	Panduit	CJ688TGBU		\$ -
	Cat6 RJ45 data jacks	Panduit	CJ688TGWH		\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
Court	room Audio Judge and Court Reporter Under Counter Wall Mou	nt Speakers			
	Wall Mount Loudspeaker	JBL	CSS-1S/T		\$ -
LABO			,		,
1	INSTALLATION				\$ -
WAR	RANTY				
					\$ -
1	1 YEAR WARRANTY				
BONE	OS .				\$ -
1	Performance and Payment Bond per Courtroom				\$ -
Total	for One (1) Courtroom				\$ -
GRAN	ID TOTAL				
	Total for All Courtrooms				\$ -
	Add any additional equipment needed for large Courtroom her	e:			
	[Use for micscellaneous equipment not listed above]				\$ -
1	[Use for micscellaneous equipment not listed above]				\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
1	[Use for micscellaneous equipment not listed above]				\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
	Total for Additional Equipment for Large Courtroom				\$ -

Qty	Description	Manufacturer	Part/Model No.	Each Price	Total Price
	Rack	Manufacturer	Part/Model No.	Each Price	Total Price
	Vertical Power Strip	Middle Atlantic	PD-2415SC-NS	\$	
	ATS	APC	AP4450	\$	
	troom Main Display	luco	Inna. a	T	
	98"LED HDTV,1080p,120Hz,4-HDMI,RS-232c 98" Display Wall Mount	NEC Chief	C981Q XTM1U	\$	
	troom Gallery Displays	Cniei	XIINITO	Ş	
	55"	NEC	E557Q	İ	
	Fusion pole Mount	Chief	LCM1U	\$	
	Ceiling Plate and Column	Chief	CMA100	\$	
	troom Touch Displays for Attorney's, Witness, Court Reporter and		Ing as our	T	
	24" Touchscreen Display for Annotation 16" Touchscreen Display	Dell Viewsonic	P2418HT	\$	
	rtroom Wall Plate	viewsonic	TD1655	Ş	
	Ethernet Wall Plate	Crestron	MP-WP183-B	\$	
	rtroom Source Device		•		
_	Document Camera	Elmo	PX-30 E	\$	
_	Rack Courtroom Source Device	ı	1		
_	Annotator Pro Plus	Williams AV	AN C5P	\$	
our	troom Network Encoder/Decoder	I	DM-NVX-350		
13	DM NVX Encoder and Decoder	Crestron	DM-NVX-360	\$	
	Rack Courtroom Network Encoder/Decoder	er estron	DIN ITTX 500	<u> </u>	
			DM-NVX-350C		
	DM NVX Encoder and Decoder Card	Crestron	DM-NVX-360C	\$	
1	DM NVX Encoder and Decoder Card with Downmixing	Crestron	DM-NVX-351C	\$	
1	DM Card Chassis	Crestron	DMF-CI-8	\$	
	Data room Switching and Routing Cisco Catalyst 9300 48 port UPOE Network Essentials	Cisco	C0300-4811 E	I A	
	SNTC-8X5XNBD Cisco Catalyst 3850 48 port Mini, 4x10G Uplink	Cisco Cisco	C9300-48U-E C9300-NM-8x	\$	
	, , , , , ,	Cisco	PWR-C1-1100WAC-P	\$	
	1100W AC 80+ Platinum Power Supply 1100W AC 80+ Platinum Secondary Power Supply	Cisco	PWR-C1-1100WAC-P	\$	
	Cisco StackWise-480 50cm stacking cable	Cisco	STACK-T1-50CM=	\$	
1	Š	Cisco	CAB-SPWR-30CM	\$	
1		Cisco	C9300-DNA-E-48-3Y	\$	
1	North America AC Type A Power Cable	Cisco	CAB-TA-NA	\$	
1	UNIVERSAL	Cisco	S9300UK9-169	\$	
	SOLN SUPP 8X5XNBD Catalyst 9300 48-port UPOE, Network			_	
	Essentials	Cisco	CON-SSSNT-C93004UE	\$	
	Panduit angled 48 port patch panel	Panduit	CPPLA48WBLY	\$	
our	troom Control TouchPanels	I	TSW-1070-GV-B-S		
2	10.1" Touch Screen, Black Smooth	Crestron	TS-1070-B-S	\$	
	10.1 Toddi Screen, Black Sillootii	Crestion	TSW-770-GV-B-S	Ş	
1	7" Touch Screen, Black Smooth	Crestron	TS-770-B-S	\$	
_	Rack Courtroom Control Processor	10.000.00	1.0		
_	4-Series Control System	Crestron	CP4N	\$	
	rtroom Council tables Cubbies	er estron			
	Flip Top Cubby, 4 open slots w/1 AC outlet included	Crestron	FT2-202-MECH-AC-B KIT	\$	
2		Crestron	FT2A-CBLR-GR-4K-HD	Ś	
ham	nbers Office area Court Coordinator Audio		•		
1	Powered Monitor Speaker	Yamaha	MSP3	\$	
ourt	troom Audio Speakers				
5	Pair 6.5" Ceiling Speaker (14 speakers)	JBL	Control 26 C/T	\$	
our	troom Gallery Audio Mics				
_	Hanging Microphones	Audix	M55W	\$	
6				Ş	
-	troom Audio Table Mics			1 13	
our	troom Audio Table Mics 18" Desktop Gooseneck Condenser Microphone	Shure	MX 418 D/C	\$	
ouri 7	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands	Shure			
7 ouri	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062	Shure Sennhieser	500652		
7 ourt 1	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone	Shure Sennhieser Sennhieser	500652 ME34		
ourt 7 ourt 1	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX	Shure Sennhieser	500652		
ourt 7 ourt 1	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and	Shure Sennhieser Sennhieser Sennhieser	500652 ME34 500892 500651	\$ \$ \$ \$ \$	
0urt	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand	Shure Sennhieser Sennhieser	500652 ME34		
7 ourt 1 1 1	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and	Shure Sennhieser Sennhieser Sennhieser	500652 ME34 500892 500651	\$ \$ \$ \$ \$	
7 0uri 1 1 1 1 /V F 1	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand ack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card	Shure Sennhieser Sennhieser Sennhieser Shure	500652 ME34 500892 500651 SM48S-LC	S S S S S S S S S S	
7 ourt 1 1 1 /V F 1 5	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand Rack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card	Shure Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira SOC-4	S S S S S S S S S S	
7	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand ack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp Biamp	500652 ME34 500892.500651 SM48S-LC Tesira SERVER-IO AVB Tesira SC-4 Tesira SOC-4 Tesira STC-2	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 our 1 1 1 1 1 5 3 1 1	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand Rack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card	Shure Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira SOC-4 Tesira STC-2 Tesira AMP-8175R	S S S S S S S S S S	
7 0urt 1 1 1 1 5 3 1 1	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand Rack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel 175W digital networked Amplifier	Sennhieser Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp Biamp Biamp Biamp	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira STC-2 Tesira AMP-8175R Tesira AMP-8175R	S S S S S S S S S S	
0uri 7 0uri 1 1 1 1 5 3 1 1 2	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand Tack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel 175W digital networked Amplifier 4 Channel mic/line input card	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp Biamp	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira SOC-4 Tesira STC-2 Tesira AMP-8175R	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 2 /V F 1 1 2 /V F	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand ack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel Telephone Interface Card 8 Channel mic/line input card 4 Channel mic/line input card 4 Channel mic/line input card 8 Channel mic/line input card	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp Biamp Biamp Biamp Biamp Biamp	S00652 ME34 S00892-S00651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira SOC-4 Tesira SOC-4 Tesira AMP-8175R Tesira EIC-4 Tesira SIC-4	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 0 0 0 1 1 1 1 1 1 5 3 1 1 1 2 2 // V F 2	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand Tack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel 175W digital networked Amplifier 4 Channel mic/line input card	Sennhieser Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp Biamp Biamp Biamp	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira STC-2 Tesira AMP-8175R Tesira AMP-8175R	S S S S S S S S S S	
7 0 0 0 1 1 1 1 1 1 5 3 1 1 1 2 2 // V F 2	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand Rack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel Tisy Migital networked Amplifier 4 Channel mic/line input card 4 Channel mic/line input card 8 Channel Micropage Card 8 Channel Micropage Card 9 Channel Micropage Card 9 Channel mic/line input card 8 Channel Micropage Card 9 Cha	Shure Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp Biamp Biamp Biamp Biamp Biamp Biamp Shure	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira STC-2 Tesira AMP-8175R Tesira EIC-4 Tesira SIC-4 QLXD124/85-H50	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 7 0 our 1 1 1 1 1 1 5 3 1 1 1 2 // V F 2 1 1	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand Rack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel 175W digital networked Amplifier 4 Channel mic/line input card ack Wireless System Combo Wireless System Combo Wireless System (SM58 & WL185) Passive Antenna Splitter/Combiner Kit and hardware	Shure Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp Biamp Biamp Biamp Biamp Biamp Biamp Shure	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira STC-2 Tesira AMP-8175R Tesira EIC-4 Tesira SIC-4 QLXD124/85-H50	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 our 1 1 1 1 1 1 5 3 1 1 1 2 /V F 2 1 1 2	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XIR MZH 3062 Cardioid condenser microphone Floor Stand with XIR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand Rack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel Telephone Interface Card 8 Channel mic/line input card 4 Channel mic/line input card Cack Wireless System Combo Wireless System Combo Wireless System (SMS8 & WL185) Passive Antenna Splitter/Combiner Kit and hardware 100" UHF Remote Antenna Extension cable BNC-BNC, RG213/U type	Shure Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp Biamp Biamp Biamp Biamp Biamp Biamp Shure Shure	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira STC-2 Tesira AMP-8175R Tesira EIC-4 Tesira SIC-4 QUXD124/85-H50 UA221 UA8100	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 our 1 1 1 1 1 1 5 3 1 1 1 2 /V F 2 1 1 2	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand ack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel Telephone Interface Card 8 Channel mic/line input card 4 Channel mic/line input card 3 Channel Microphy Microphy Microphy Microphy Microphy 8 Passive Antenna Fyltter/Combiner Kit and hardware 100" UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz)	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp Biamp Biamp Biamp Biamp Biamp Biamp	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SUC-4 Tesira SUC-4 Tesira STC-2 Tesira AMP-8175R Tesira-EIC-4 Tesira SIC-4 QLXD124/85-H50 UA221	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 our 1 1 1 1 1 5 3 1 1 1 2 /V F 2 1 1 2 2 2	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand and Stand Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel Tielephone Interface Card 8 Channel mic/line input card ack Wircless System Combo Wireless System Combo Wireless System (SMS8 & WL185) Passive Antenna Splitter/Combiner Kit and hardware 100' UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line adapter. Supplies 12V DC bias power over caoxial BNC	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Shure Shure Shure	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira STC-2 Tesira STC-2 Tesira STC-2 Tesira SIC-4 Tesira SIC-4 Tesira SIC-4 UAZ21 UA8100 UA834WB	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 puri 1 1 1 1 1 5 3 1 1 1 2 /V F 2 1 1 2 2 2 2 2	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand Rack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel Tisy W digital networked Amplifier 4 Channel mic/line input card ack Wireless System Combo Wireless System (SM58 & WL185) Passive Antenna Splitter/Combiner Kit and hardware 10 UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line adapter. Supplies 12V DC bias power over caoxial BNC cable, includes PS23US	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp Biamp Biamp Biamp Biamp Shure Shure Shure Shure	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira STC-2 Tesira STC-2 Tesira AMP-8175R Tesira SIC-4 QLXD124/85-H50 UA221 UA8100 UA834WB UABIAST-US	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 pour 1 1 1 1 1 1 1 2 /V F 2 1 1 2 2 2 1 1	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand Rack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel 175W digital networked Amplifier 4 Channel mic/line input card 3ack Wireless System Combo Wireless System (SMS8 & WL185) Passive Antenna Splitter/Combiner Kit and hardware 100" UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line Adapter. Supplies 12V DC bias power over caoxial BNC cable, includes PS23US ALS Infrared	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biamp Biamp Biamp Biamp Biamp Biamp Shure Shure Shure Shure	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira STC-2 Tesira STC-2 Tesira STC-2 Tesira SIC-4 Tesira SIC-4 Tesira SIC-4 UAZ21 UA8100 UA834WB	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0urr 7	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand and Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel Toy Wigital networked Amplifier 4 Channel mic/line input card 3ack Wireless System Combo Wireless System (SM58 & WL185) Passive Antenna Splitter/Combiner Kit and hardware 100' UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line adapter. Supplies 12V DC bias power over caoxial BNC cable, includes PS23US ALS Infrared	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biam	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SCC-4 Tesira SCC-4 Tesira STC-2 Tesira STC-2 Tesira SIC-4 Tesira SIC-4 UAURIANE-8175R QLXD124/85-H50 UA221 UA8100 UA834WB UABIAST-US IR SY5	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0uri 7 7 0uri 1 1 1 1 1 5 3 1 1 1 2 /V F 2 1 2 2 1 0uri 4	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand and Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel Tielephone Interface Card 8 Channel mic/line input card ack Wireless System Combo Wireless System Combo Wireless System (SMS8 & WL185) Passive Antenna Splitter/Combiner Kit and hardware 100' UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line adapter. Supplies 12V DC bias power over caoxial BNC cable, includes PS23US ALS Infrared troom Cameras Video Teleconference System PTZ HD Camera POE 30X Optical Zoom, HDMI out	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biam	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira STC-2 Tesira STC-2 Tesira STC-2 Tesira SIC-4 Tesira SIC-4 UAS100 UA814WB UABIAST-US IR SYS	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0uri 7 7 0uri 1 1 1 1 1 1 1 1 1 2 2 1 1 2 2 1 1 0uri 4 4 4	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand Rack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel TisW digital networked Amplifier 4 Channel mic/line input card ack Wireless System Combo Wireless System (SMS8 & WL185) Passive Antenna Splitter/Combiner Kit and hardware 100' UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line adapter. Supplies 12V DC bias power over caoxial BNC cable, includes PS23US ALS Infrared troom Cameras Video Teleconference System PTZ HD Camera POE 30X Optical Zoom, HDMI out Ceiling/Wall Mount	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biam	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SCC-4 Tesira SCC-4 Tesira STC-2 Tesira STC-2 Tesira SIC-4 Tesira SIC-4 UAURIANE-8175R QLXD124/85-H50 UA221 UA8100 UA834WB UABIAST-US IR SY5	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 7 OUIT 1 1 1 1 1 5 3 1 1 1 2 2 1 1 2 2 1 1 OUIT 4 4 4 // V F	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand ack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel TySW digital networked Amplifier 4 Channel mic/line input card ack Wireless System Combo Wireless System (SMS8 & WL185) Passive Antenna Splitter/Combiner Kit and hardware 100" UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line adapter. Supplies 12V DC bias power over caoxial BNC cable, includes PS23US ALS Infrared troom Cameras Video Teleconference System PTZ HD Camera POE 30X Optical Zoom, HDMI out Ceiling/Wall Mount ack Video Teleconference System	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biam	S00652 ME34 S00892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira SCC-4 Tesira STC-2 Tesira AMP-8175R Tesira SIC-4 Tesira SIC-4 UA221 UA8100 UA834WB UABIAST-US IR SY5 AW-HE40HWPJ9 S35-2000-246	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 7 OUIT 1 1 1 1 1 5 3 1 1 1 2 2 1 1 2 2 1 1 OUIT 4 4 4 // V F	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand and Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel TysW digital networked Amplifier 4 Channel mic/line input card ack Wireless System Combo Wireless System (SMS8 & WL185) Passive Antenna Spitter/Combiner Kit and hardware 100' UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line adapter. Supplies 12V DC bias power over caoxial BNC cable, includes PS23US ALS Infrared troom Cameras Video Teleconference System PTZ HD Camera POE 30X Optical Zoom, HDMI out Ceiling/Wall Mount Sack Video Teleconference System AV Bridge Mini	Shure Sennhieser Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira STC-2 Tesira STC-2 Tesira SIC-4 Tesira SIC-4 Tesira SIC-4 UA211 UA8100 UA834WB UABIAST-US IR SY5 AW-HE40HWPJ9 535-2000-246 999-8240-000	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 our 1 1 1 1 1 1 5 3 1 1 1 2 2 1 1 2 2 1 1 0 0 0 0 0 0 0 0 0	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand Rack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel Tisy W digital networked Amplifier 4 Channel mic/line input card ack Audio Server Combo Wireless System Combo Wireless System (SM58 & WL185) Passive Antenna Splitter/Combiner Kit and hardware 10 UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line adapter. Supplies 12V DC bias power over caoxial BNC cable, includes PS23US ALS Infrared troom Cameras Video Teleconference System PTZ HD Camera POE 30X Optical Zoom, HDMI out Ceiling/Wall Mount ack Video Teleconference System AV Bridge Mini Bracket Mounts 1/2 Rack	Shure Sennhieser Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira SCC-4 Tesira STC-2 Tesira AMP-8175R Tesira EIC-4 Tesira SIC-1 UA8100 UA834WB UABIAST-US IR SY5 AW-HE40HWPJ9 535-2000-246 9998-6000-005	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0uri 7	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand ack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel TySW digital networked Amplifier 4 Channel mic/line input card ack Wireless System Combo Wireless System (SMS8 & WL185) Passive Antenna Splitter/Combiner Kit and hardware 100' UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line adapter. Supplies 12V DC bias power over caoxial BNC cable, includes PS23US ALS Infrared troom Cameras Video Teleconference System PTZ HD Camera POE 30X Optical Zoom, HDMI out Ceiling/Wall Mount lack Video Teleconference System AV Bridge Minia Bracket Mounts 1/2 Rack HD Streaming Receiver Controller	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biam	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira STC-2 Tesira STC-2 Tesira AMP-8175R Tesira SIC-4 QLXD124/85-H50 UA221 UA8100 UA834WB UABIAST-US IR SY5 AW-HE40HWPJ9 535-2000-246 999-8240-000 998-6000-005 DM-RMC-100-STR	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 1 1 1 1 1 1 1 1 1	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand ack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel Tiphone Interface Card 8 Channel Microphone Interface Card 10" UHF Remote Ambifier 10" UHF Remote Amenia System (SM58 & WL185) Passive Antenna Splitter/Combiner Kit and hardware 100" UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line adapter. Supplies 12V DC bias power over caoxial BNC cable, includes PS23US ALS Infrared toom Cameras Video Teleconference System PTZ HD Camera POE 30X Optical Zoom, HDMI out Celling/Wall Mount ack Video Teleconference System AV Bridge Mini Bracket Mounts 1/2 Rack HD Streaming Receiver Controller Multi-Windows Video Processor HDMI Output	Shure Sennhieser Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira SCC-4 Tesira STC-2 Tesira AMP-8175R Tesira EIC-4 Tesira SIC-1 UA8100 UA834WB UABIAST-US IR SY5 AW-HE40HWPJ9 535-2000-246 9998-6000-005	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
7 our 1 1 1 1 1 2 /V F 2 1 1 2 2 2 1 1 0 0 0 1 1 1 1 1 1 1 1 1	18" Desktop Gooseneck Condenser Microphone troom Audio Floorbox Mics and stands 60cm Dual Flex Gooseneck with 3-Pin XLR MZH 3062 Cardioid condenser microphone Floor Stand with XLR connection MZFS80NX Cardioid Dynamic, On-Off Switch mic and kit with xlr cable and mic stand ack Audio Server Tesira DSP server with up to 48 channels of I/O 4 Channel Echo Cancelling Input Card 4 Channel Line Output Card 2 Channel Telephone Interface Card 8 Channel TySW digital networked Amplifier 4 Channel mic/line input card ack Wireless System Combo Wireless System (SMS8 & WL185) Passive Antenna Splitter/Combiner Kit and hardware 100' UHF Remote Antenna Extension cable BNC-BNC, RG213/U type In-Line Antenna amplifier for remote mounting. (470-902 MHz) In-Line adapter. Supplies 12V DC bias power over caoxial BNC cable, includes PS23US ALS Infrared troom Cameras Video Teleconference System PTZ HD Camera POE 30X Optical Zoom, HDMI out Ceiling/Wall Mount lack Video Teleconference System AV Bridge Minia Bracket Mounts 1/2 Rack HD Streaming Receiver Controller	Shure Sennhieser Sennhieser Sennhieser Sennhieser Shure Biamp Biam	500652 ME34 500892 500651 SM48S-LC Tesira SERVER-IO AVB Tesira SEC-4 Tesira STC-2 Tesira STC-2 Tesira AMP-8175R Tesira SIC-4 QLXD124/85-H50 UA221 UA8100 UA834WB UABIAST-US IR SY5 AW-HE40HWPJ9 535-2000-246 999-8240-000 998-6000-005 DM-RMC-100-STR	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	

Qty	Description	Manufacturer	Part/Model No.	Each Price	Total Price
6	HDMI Cable	Crestron	CBL-HD-3		\$ -
	HDMI Cables	Crestron	CBL-HD-6		\$ -
1	HDMI Cable for TV	Crestron	CBL-HD-20		\$ -
1	HDMI Cable for Owner Provided BenQ	Creston	CBL-HD-20		\$ -
4	USB Extenders	Liberty	DIGI-USB2		\$ -
4	USB Cables	Liberty	E-USBAB-3		\$ -
5	USB Cables	C2G	54174		\$ -
1	Plenum rated Cat 6 Cabling				\$ -
1	Speaker Cable				\$ -
3	3 sets of HDMI adapter rings for laptops, tablets, and Ipads				\$ -
40	Panduit Green Cat6 -7' Patch cable	Panduit	UTPSP7GRY		\$ -
20	Cat6 RJ45 data jacks	Panduit	CJ688TGBU		\$ -
20	Cat6 RJ45 data jacks	Panduit	CJ688TGWH		\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
	[Use for micscellaneous equipment not listed above]				\$ -
Cour	troom Audio Judge and Court Reporter Under Counter Wall Mou	nt Speakers			
2	Wall Mount Loudspeaker	JBL	CSS-1S/T		\$ -
LABO	OR .				
1	INSTALLATION				\$ -
	RANTY				
1	1 YEAR WARRANTY				\$ -
BON				•	
1	Performance and Payment Bond per Courtroom				\$ -
Tota	I for One Aux (1) Courtroom				\$ -
GRA	ND TOTAL				
2	Total for All Aux Courtrooms				\$ -