



COLLIN COUNTY

Office of the Purchasing Agent
2300 Bloomdale Road
Suite 3160
McKinney, Texas 75071
www.collincountytx.gov

COLLIN COUNTY, TEXAS

ADDENDUM No. Two (2)

IFB No. 2022-198

INVITATION FOR BID

FOR

CONSTRUCTION, EXTERIOR REPAIRS TO SECOND FLOOR WALKWAY & FIRST FLOOR SOFFIT,
900 E. PARK BLVD., PLANO

DATE: MAY 18, 2022

NOTICE TO ALL PROSPECTIVE BIDDERS:

PLEASE MAKE THE FOLLOWING CHANGES TO THE INVITATION FOR BID:

ADD DOCUMENT: WJE ADDENDUM 2

DELETE: SECTION 01 50 00
REPLACE WITH: SECTION 01 50 00 ADDENDUM 2

DELETE: DRAWING S2.0
REPLACE WITH: DRAWING S2.0 ADDENDUM 2

DELETE: DRAWING S2.1
REPLACE WITH: DRAWING S2.1 ADDENDUM 2

ADD ATTRIBUTE: #24-ADDENDUM No. 2 ACKNOWLEDGEMENT

DELETE DOCUMENT: SECTION 004100-BID FORM ADDENDUM 1

REPLACE WITH: SECTION 004100-BID FORM ADDENDUM 2

ALL OTHER TERMS AND CONDITIONS OF THE BID AND SPECIFICATIONS REMAIN THE SAME.

SINCERELY,
MICHELLE CHARNOSKI, CPPB
PURCHASING AGENT

JDG



ADDENDUM NO. 2

May 18, 2022

Project: 900 E Park – Structural & Waterproofing Repairs to Exterior Walkway

Owner: Collin County, Texas

Engineer: Wiss, Janney, Elstner Associates, Inc.

To: Prospective Bidders

This Addendum forms a part of the Contract Documents and modifies the Bidding Documents dated February 21, 2022. Receipt of this Addendum shall be acknowledged in the space provided on the Bid Form. Failure to do so may subject the Bidder to disqualification.

Changes to Drawings

<i>Item</i>	<i>Sheet</i>	<i>Description</i>
1.	S2.0	Added requirement to provide temporary walkway at northeast, southeast, and northwest entrances at Level 2 to allow defined areas of Level 2 to remain open to traffic during normal business hours.
2.	S2.1	Added requirement to sequence traffic coating application at northeast, southeast, and northwest entrances to allow defined areas of Level 2 to remain open to traffic during normal business hours.

Changes to Specifications

<i>Section</i>	<i>Description</i>
01 50 00	Added requirements for delegated design of Level 2 temporary walkway, and requirement for submittal of walkway drawings prepared by a licensed engineer.

END OF ADDENDUM

SECTION 01 50 00

TEMPORARY FACILITIES AND CONTROLS

PART 1 GENERAL

1.1 SUMMARY

- A. Section Includes: Requirements for temporary utilities, support facilities, and protection and controls.
- B. Pay for temporary utilities, support facilities, and protection and control measures unless otherwise indicated. Allow other entities to use temporary utilities and facilities without cost, including Owner's Representative, Engineer, subcontractors, testing agencies, and public authorities having jurisdiction.

1.2 REFERENCES

- A. Reference Standards: Latest edition as of Specification date.
 - 1. Associated General Contractors of America (AGC).
 - a. Manual of Accident Prevention for Construction.
 - 2. National Electrical Contractors Association (NECA).
 - a. 200 - Recommended Practice for Installing and Maintaining Temporary Electric Power at Construction Sites.
 - 3. National Fire Protection Association (NFPA).
 - a. 70 - National Electric Code.
 - b. 241 - Standard for Safeguarding Construction, Alteration, and Demolition Operations.

1.3 SUBMITTALS

- A. Site Plan: Show temporary facilities, utility hookups, staging and storage areas, and parking areas for construction personnel.
- B. Dust Control Plan: Submit coordination drawing and narrative that describes dust control measures proposed for use, proposed locations, and proposed time frame for their operation. Identify further options if proposed measures are later determined to be inadequate. Include the following:
 - 1. Locations of dust control partitions at each phase of Work.
 - 2. Location of proposed air filtration system discharge.
 - 3. Other dust control measures.
- C. Engineering Drawings for Temporary Walkway: Submit sealed engineering drawings for temporary walkway and, if required, guardrails.

PART 2 PRODUCTS Not Used

PART 3 EXECUTION

3.1 GENERAL

- A. Comply with AGC Manual of Accident Prevention for Construction; applicable laws and governmental rules and regulations; and public authorities having jurisdiction.
- B. Conditions of Use:
 - 1. Locate temporary services and facilities where they will serve Project adequately and result in minimum interference with performance of Work. Coordinate locations with Owner's Representative.
 - 2. Provide temporary services and facilities ready for use when needed to avoid delay.
 - 3. Maintain temporary and existing services and facilities clean and neat, in good operating condition, and in condition acceptable to Owner's Representative.
 - 4. Relocate and modify temporary services and facilities as required by progress of Work.
 - 5. Enforce strict discipline in use of temporary services and facilities. To minimize waste and abuse, limit availability of temporary services and facilities to essential and intended uses.
 - 6. Remove temporary services and facilities when no longer needed, but no later than Substantial Completion.
 - a. Personnel remaining after Substantial Completion will be permitted to use permanent facilities under conditions acceptable to Owner's Representative.
 - b. Restore Site to condition existing before Project commencement.
 - c. Materials and facilities that constitute temporary facilities are property of Contractor.
- C. Provide temporary ladders, ramps, runways, stairs, scaffolding, staging, enclosures, hoists, rubbish chutes, and other construction aids as may be required for Work.

3.2 TEMPORARY UTILITIES

- A. General: Install temporary service or connect to existing service.
 - 1. Coordinate with utility company.
 - 2. Arrange with utility company, Owner, and existing users for time when service can be interrupted, if necessary, to make connections for temporary services.
 - 3. Arrange for public authorities having jurisdiction to test and inspect each temporary utility before use. Obtain required certifications and permits.
- B. Water Service: Use of Owner's existing water service will be permitted if obtained from the exterior of the building. Obtaining water from inside the building shall not be permitted unless specifically approved by Owner.
 - 1. Provide connections and extensions of service as required for construction operations.
 - 2. Provide additional water as necessary.
- C. Electric Power Service: Use of Owner's existing electric power service will be permitted if obtained from the exterior of the building. Obtaining electric power from inside the building shall not be permitted unless specifically approved by Owner.
 - 1. Provide connections, extensions of service, and receptacle outlets as required for construction operations.
 - 2. As necessary, provide additional electric power service and distribution system of sufficient size, capacity, and power characteristics required for construction operations. Do not overload Owner's service.

3. Comply with NECA 200 and NFPA 70.
 4. Maintain temporary service in safe condition and utilize in safe manner.
- D. Lighting: Provide temporary lighting as required.
1. Provide lighting, as necessary, with local switching that provides adequate illumination for construction operations, observations, inspections, and traffic conditions.
 2. Install and operate temporary lighting that fulfills security and protection requirements without operating entire system.

3.3 TEMPORARY FACILITIES

- A. General: Provide incombustible construction for offices, shops, and sheds located within construction area or within 30 feet of building lines. Comply with NFPA 241.
- B. Parking: Construction personnel shall park in areas designated on Drawings or off-site unless other arrangements are made in advance in writing with Owner.
- C. Sanitary Facilities: Provide temporary toilets, wash facilities, and drinking water for use of construction personnel at location designated by Owner.
1. Provide disposable supplies, including toilet tissue, paper towels, and paper cups. Maintain adequate supply. Provide covered waste containers for disposal of used material.
 2. Service toilets at least twice weekly.
 3. Provide wash facilities supplied with potable water at convenient locations for personnel who handle materials that require clean up. Supply cleaning compounds appropriate for each type of material handled. Dispose of drainage properly.
 - a. Provide safety showers, eyewash fountains, and similar facilities for convenience, safety, and sanitation of personnel.
 4. Comply with public authorities having jurisdiction for type, number, location, operation, and maintenance of fixtures and facilities.
 5. Use of Owner's existing toilet facilities will not be permitted.
- D. Sanitary Facilities: Use of Owner's existing toilet facilities will be permitted.
- E. Storage Sheds: Provide sheds sized, furnished, and equipped to accommodate materials and equipment for construction operations.
- F. Waste Disposal Facilities: Provide waste-collection containers in sizes adequate to handle waste from construction operations. Comply with requirements of public authorities having jurisdiction.
- G. Use of Existing Stairs and Elevators: Use of Owner's existing stairs and elevators will be permitted, as long as stairs and elevators are cleaned and maintained in condition acceptable to Owner.
1. Provide protective coverings, barriers, devices, signs, or other procedures to protect stairs, elevator cars, and entrance doors and frame, and to maintain means of egress.
 2. At Substantial Completion, restore stairs and elevators to condition existing before initial use, including replacing worn cables, guide shoes, and similar items of limited life.
- H. Lifts and Hoists: Provide facilities necessary for hoisting materials and personnel.
1. Construction maintenance and operation shall be in accordance with public authorities having jurisdiction.

2. Locate sufficient distance from exterior walls and protect walls to prevent damage.

I. Temporary Rubbish Chutes:

1. Construct dustproof rubbish chutes on outside of structure, as required.
2. Maintain chutes and remove when no longer needed or when directed by Owner's Representative.
3. Discharge chutes into trucks or suitable containers to avoid re-handling of rubbish. Spray rubbish as required to prevent dust nuisance. Remove rubbish from Site.

3.4 TEMPORARY PROTECTION AND CONTROLS

- A. Environmental Protection: Provide protection, operate temporary facilities, and conduct construction in ways and by methods that comply with environmental regulations and that minimize possible air, waterway, and subsoil contamination or pollution or other undesirable effects.
1. Comply with applicable laws, governmental rules and regulations, and public authorities having jurisdiction with regard to noise, dust, pest, and pollution control.
- B. Temporary Fencing:
1. Tree and Plant Protection: Install temporary fencing located as indicated or outside drip line of trees to protect vegetation from damage from construction operations. Protect tree root systems from damage, flooding, and erosion.
 2. Site Enclosure Fence: Before construction operations begin, provide Site enclosure fence in manner that will prevent people and animals from easily entering Work areas except by entrance gates.
 - a. Provide lockable entrances to prevent unauthorized entrances. Lock entrances during non-working hours. Maintain security by limiting number of keys and restricting distribution to authorized personnel. Provide Owner's Representative with one set of keys.
- C. Barricades, Warning Signs and Lights, and Traffic Controls: Provide and maintain barricades, warning signs and lights, and traffic controls. Provide traffic control as necessary for construction vehicles entering and leaving Site, and for non-construction vehicles on or near Site. Comply with requirements of public authorities having jurisdiction for erecting structurally adequate barricades, including warning signs and lighting.
- D. Project Identification and Temporary Signs: Provide Project identification and other signs at locations indicated to inform public and individuals seeking entrance to Project. Unauthorized signs are not permitted.
1. Provide temporary directional signs for construction personnel and visitors.
 2. Maintain signs so they are legible at all times.
- E. Covered Walkway: Erect protective covered walkways for passage of individuals at ground level below elevated Work area. Coordinate with entrance gates, other facilities, and obstructions. Comply with regulations of public authorities having jurisdiction and requirements indicated on Drawings.
1. Construct covered walkways using scaffold or shoring framing.
 2. Provide overhead decking, protective enclosure walls, handrails, barricades, warning signs, exit signs, vandal-resistant lights, safe and well-drained walkways, and similar provisions for protection and safe passage.
 3. If covered walkway structure is to be used as a work platform, construct platform according scaffolding requirement of public authorities having jurisdiction.

4. Provide netting to catch or contain falling debris at all locations where the public may enter or exit from below the covered walkway.
 5. Maintain appearance of walkway for duration of Work.
- F. Temporary Fire Protection: Install and maintain temporary fire-protection facilities of types needed to protect against reasonably predictable and controllable fire losses. Comply with NFPA 241.
1. Provide portable, UL-rated fire extinguishers with class and extinguishing agent as required by locations and classes of fire exposures.
 2. Prohibit smoking on Site.
 3. Supervise welding operations, combustion-type temporary heating units, and similar sources of fire ignition according to requirements of public authorities having jurisdiction.
 4. Store combustible materials in approved safety containers and enclosures, away from building if possible.
 5. Develop and supervise overall fire-prevention and -protection program for personnel at Site. Review needs with local fire department and establish procedures to be followed. Instruct personnel in methods and procedures. Post warnings and information.
- G. Dust and Fume Control: Prevent dust, dirt, fumes, and odors from entering occupied areas.
1. Provide and maintain dustproof partitions to limit dust, dirt, fumes, and noise migration to occupied indoor areas and outdoor areas that the public can access.
 2. Filter supply air or disconnect HVAC systems in or near Work area that service occupied areas.
- H. Noise Control: Perform Work in manner to minimize noise, during hours authorized by Owner's Representative.
1. Abrasive blasting and shot blasting may be performed on weekends only.
 2. Concrete demolition and sawcutting can be performed during normal business hours if minimum 24 hour notice is provided to Owner.
- I. Temporary Construction Protection:
1. Provide and secure temporary weathertight protection for in-progress exterior construction, as needed, including unfinished Work on walls and roofs.
 2. Provide insulation or temporary heating as necessary for curing, drying, and protection of installed construction.
 - a. Select equipment that will not have harmful effect on completed installations or elements being installed.
 - b. Maintain temporary heating on twenty-four hour basis until no longer needed.
 - c. Unless noted otherwise, insulation is considered incidental to construction and will not be paid for separately.
 - d. Unless otherwise specified, temporary heating will not be considered part of Work and will be paid as additional Work item. Notify Owner in advance of need for temporary heating and estimated added cost. Do not proceed with temporary heating until authorized in writing by Owner.
 3. Protect finished surfaces against damage. Minimize traffic on finished walkway surfaces and do not use for material storage.
- J. Temporary Walkway at Level 2:
1. At locations indicated on Drawings, provide a temporary platform at Level 2 to allow for the indicated areas to remain open during normal business hours.

2. Design of the platform is delegated to a licensed engineer retained by the Contractor and shall be provided on sealed drawings prior to erection of the platform.
3. The platform shall be designed such that it can be removed during non-business hours and replaced in the same shift prior to the start of business hours.
4. The platform shall be designed for a service live load of 100 pounds per square foot.
5. The walking surface of the platform shall be textured to prevent slippery conditions from developing when the surface is wet.
6. Where required, provide temporary guardrails at the perimeter of walkways where unprotected.
 - a. Guardrails shall be at least 42 inches high and shall not have openings that allow passage of a sphere 4 inches in diameter.
 - b. Guardrails shall be capable of resisting a service live load of 50 pounds per linear foot and 200 pounds concentrated.
 - c. Guardrail infill shall be capable of resisting a service live load of 50 pounds concentrated.

END OF SECTION



Collin County Purchasing

2022-198 Addendum 2

Construction, Exterior Repairs to Second Floor Walkway & First Floor Soffit, 900E. Park Blvd., Plano

Issue Date: 4/26/2022

Questions Deadline: 5/19/2022 05:00 PM (CT)

Response Deadline: 5/26/2022 02:00 PM (CT)

Collin County Purchasing

Contact Information

Contact: JD Griffin, CPPB Senior Buyer

Address: Purchasing

Admin. Building

Ste. 3160

2300 Bloomdale Rd.

Ste. 3160

McKinney, TX 75071

Phone: (972) 548-4116

Fax: (972) 548-4694

Email: jgriffin@co.collin.tx.us

Event Information

Number: 2022-198 Addendum 2
Title: Construction, Exterior Repairs to Second Floor Walkway & First Floor Soffit, 900E. Park Blvd., Plano
Type: Invitation for Bid - Construction
Issue Date: 4/26/2022
Question Deadline: 5/19/2022 05:00 PM (CT)
Response Deadline: 5/26/2022 02:00 PM (CT)
Notes: SCOPE OF WORK INCLUDES all materials, labor, equipment and services to produce or be incorporated in such construction. Contract will be a general contract for (1) structural and waterproofing repairs to the exterior second floor walkway and (2) installation of new flush metal soffit panels of the first floor soffit, installation of galvanized metal framing for soffit panel support, replacing select floor drains and piping in the second floor balcony structure, and installing new recessed LED soffit lighting in the new soffit panels and connecting new lights to existing lighting circuits of the metal soffit panels on the lower level soffits at the 900 Building at 900 E. Park Boulevard, Plano, Texas.

Ship To Information

Address: 900 Building
900 E. Park Blvd.
Plano, TX 75074

Billing Information

Address: Auditor
Admin. Building
Ste. 3100
2300 Bloomdale Rd.
Ste. 3100
McKinney, TX 75071

Bid Activities

Pre-Bid Conference

5/10/2022 2:00:00 PM (CT)

A PRE-BID CONFERENCE will be held by Collin County at **920 Building, 920 E. Park Blvd., Plano, TX 75074** (meet in lobby) on **Tuesday, May 10, 2022 at 2:00 PM** in order for bidders to ask questions regarding the proposed work. It is the bidder's responsibility to review the site and documents to gain a full understanding of the requirements of the bid.

Bid Attachments

Addendum_2_2022-198.doc

Addendum 2

[View Online](#)

WJE Addendum 2.pdf

WJE Addendum 2

[View Online](#)

01 50 00 - Temporary Facilities and Controls_ADD2.pdf

Section 01 50 00 Addendum 2

[View Online](#)

Drawing S2.0_Addendum 2_2022-05-18.pdf

Drawing S2.0 Addendum 2

[View Online](#)

Drawing S2.1_Addendum 2_2022-05-18.pdf

Drawing S2.1 Addendum 2

[View Online](#)**Addendum_1_2022-198.doc**

Addendum 1

[View Online](#)**Pre-Bid Sign-In Sheet_5-11-22.pdf**

Pre-Bid Conference Sign-In Sheet

[View Online](#)**WJE Addendum_1.pdf**

WJE Addendum 1

[View Online](#)**Drawing S1.0_Addendum 1.pdf**

Drawing S1.0 Addendum 1

[View Online](#)**004100-Bid Form Addendum 1.pdf**

Section 004100-Bid Form Addendum 1

[View Online](#)**LEGAL NOTICE-2022-198.doc**

Legal Notice

[Download](#)**Project Manual_2022-198.pdf**

Specifications

[View Online](#)**Drawings-First Floor Soffit Repairs.pdf**

Drawings-First Floor Soffit Repairs

[View Online](#)**Drawings-Second Floor Exterior Walkway Repairs.pdf**

Drawings-Second Floor Exterior Walkway Repairs

[View Online](#)**Requested Attachments**

Bid Bond*(Attachment required)*

BID SECURITY: All Bidders must submit, prior to the bid opening time, a Certified Check, Cashier's Check or acceptable Bid Bond payable without recourse to Collin County in the amount of not less than five percent (5%) of the total bid plus alternates as submitted. 1. Bid Bond, certified check or Cashier's Check may be mailed or hand delivered to the Office of the Collin County Purchasing Agent, Collin County Administration Building, 2300 Bloomdale Road, Ste 3160, McKinney, TX 75071 and shall be delivered in an envelope, marked plainly on the outside with the Bid Name and Number. 2. Bidders submitting a bid via Collin County eBid shall upload a Bid Bond at <https://collincountytx.ionwave.net> Regardless of delivery method, all Bid Bonds shall be received prior to the bid opening time to be considered. Failure to submit a copy of bid security prior to bid opening shall be cause for rejection of bid.

W-9*(Attachment required)***Conflict of Interest Questionnaire**

Bid Attributes

1 eBid Notice

Collin County exclusively uses IonWave Technologies, Inc. (Collin County eBid) for the notification and dissemination of all solicitations. The receipt of solicitations through any other means may result in your receipt of incomplete specifications and/or addendums which could ultimately render your bid/proposal non-compliant. Collin County accepts no responsibility for the receipt and/or notification of solicitations through any other means. Please initial.

(Required: Maximum 1000 characters allowed)

2 Contact Information

List the contact name, email address and phone number of the main person(s) Collin County should contact in reference to this solicitation. Contact(s) shall be duly authorized by the company, corporation, firm, partnership or individual to respond to any questions, clarification, and or offers in response to this solicitation.

(Required: Maximum 4000 characters allowed)

3 Calendar Days Bid

Please state the consecutive calendar days bid from notice to proceed through completion of project.

(Required: Numbers only)

4 Exceptions

Do you take exception to the specifications? If so, by separate attachment, please state your exceptions.

Yes No

(Required: Check only one)

5 Insurance Acknowledgement – Construction/Public Works

I understand that the insurance requirements of this solicitation are required and are included in the submitted pricing. The Contractor shall furnish certificates of insurance for both the Contractor and any subcontractor to the Purchasing department if awarded all or a portion of the resulting contract. Please initial.

(Required: Maximum 1000 characters allowed)

6 Bonding Requirement Acknowledgement

I understand that the bonding requirements of this solicitation are required and are included in the submitted pricing. A bond certificate (payment, performance, and/or maintenance) as stated in the specification document shall be submitted to the Purchasing department if I am awarded all or a portion of the resulting contract. Please initial.

(Required: Maximum 1000 characters allowed)

7 Subcontractors

State the business name of all subcontractors and the type of work they will be performing under this contract. If you are fully qualified to self-perform the entire contract, please respond with "Not Applicable-Self Perform".

(Required: Maximum 4000 characters allowed)

8 Reference No. 1

List a company or governmental agency, other than Collin County, where these same/like products/services, as stated herein, have been provided. Texas references are preferred. Include the following: Company/Entity, Contact, Address, City/State/Zip, Phone, and E-Mail. It is the responsibility of the Bidder/Proposer to ensure submitted references will be responsive to the County's requests. The County reserves the right to contact references other than those listed, and to consider any information acquired from all references during the evaluation process.

(Required: Maximum 4000 characters allowed)

9 Reference No. 2

List a company or governmental agency, other than Collin County, where these same/like products/services, as stated herein, have been provided. Texas references are preferred. Include the following: Company/Entity, Contact, Address, City/State/Zip, Phone, and E-Mail. It is the responsibility of the Bidder/Proposer to ensure submitted references will be responsive to the County's requests. The County reserves the right to contact references other than those listed, and to consider any information acquired from all references during the evaluation process.

(Required: Maximum 4000 characters allowed)

**1
0** **Reference No. 3**

List a company or governmental agency, other than Collin County, where these same/like products/services, as stated herein, have been provided. Texas references are preferred. Include the following: Company/Entity, Contact, Address, City/State/Zip, Phone, and E-Mail. It is the responsibility of the Bidder/Proposer to ensure submitted references will be responsive to the County's requests. The County reserves the right to contact references other than those listed, and to consider any information acquired from all references during the evaluation process.

(Required: Maximum 4000 characters allowed)

**1
1** **Preferential Treatment**

The County of Collin, as a governmental agency of the State of Texas, may not award a contract to a nonresident bidder unless the nonresident's bid is lower than the lowest bid submitted by a responsible Texas resident bidder by the same amount that a Texas resident bidder would be required to underbid a nonresident bidder to obtain a comparable contract in the state in which the nonresident's principal place of business is located (Government Code, Title 10, V.T.C.A., Chapter 2252, Subchapter A).

1. Is your principal place of business in the State of Texas?
2. If your principal place of business is not in Texas, in which State is your principal place of business?
3. If your principal place of business is not in Texas, does your state favor resident bidders (bidders in your state) by some dollar increment or percentage?
4. If your state favors resident bidders, state by what dollar amount or percentage.

(Required: Maximum 4000 characters allowed)

**1
2** **Debarment Certification**

I certify that neither my company nor an owner or principal of my company has been debarred, suspended or otherwise made ineligible for participation in Federal Assistance programs under Executive Order 12549, "Debarment and Suspension," as described in the Federal Register and Rules and Regulations. Please initial.

(Required: Maximum 1000 characters allowed)

1
3 **Immigration and Reform Act**

I declare and affirm that my company is in compliance with the Immigration and Reform Act of 1986 and all employees are legally eligible to work in the United States of America. I further understand and acknowledge that any non-compliance with the Immigration and Reform Act of 1986 at any time during the term of this contract will render the contract voidable by Collin County. Please initial.

(Required: Maximum 1000 characters allowed)

1
4 **Disclosure of Certain Relationships**

Chapter 176 of the Texas Local Government Code requires that any vendor considering doing business with a local government entity disclose the vendor's affiliation or business relationship that might cause a conflict of interest with a local government entity. Subchapter 6 of the code requires a vendor to file a conflict of interest questionnaire (CIQ) if a conflict exists. By law this questionnaire must be filed with the records administrator of Collin County no later than the 7th business day after the date the vendor becomes aware of an event that requires the statement to be filed. A vendor commits an offense if the vendor knowingly violates the code. An offense under this section is a misdemeanor. By submitting a response to this request, the vendor represents that it is in compliance with the requirements of Chapter 176 of the Texas Local Government Code. Please send completed forms to the Collin County County Clerk's Office located at 2300 Bloomdale Rd., Suite 2104, McKinney, TX 75071. Please initial.

(Required: Maximum 1000 characters allowed)

1
5 **Anti-Collusion Statement**

Bidder certifies that its Bid/Proposal is made without prior understanding, agreement, or connection with any corporation, firm, or person submitting a Bid/Proposal for the same materials, services, supplies, or equipment and is in all respects fair and without collusion or fraud. No premiums, rebates or gratuities permitted; either with, prior to, or after any delivery of material or provision of services. Any such violation may result in Agreement cancellation, return of materials or discontinuation of services and the possible removal from bidders list. Please initial.

(Required: Maximum 1000 characters allowed)

1
6 **Disclosure of Interested Parties**

Section 2252.908 of the Texas Government Code requires a business entity entering into certain contracts with a governmental entity to file with the governmental entity a disclosure of interested parties at the time the business entity submits the signed contract to the governmental entity. Section 2252.908 requires the disclosure form (Form 1295) to be signed by the authorized agent of the contracting business entity, acknowledging that the disclosure is made under oath and under penalty of perjury. Section 2252.908 applies only to a contract that requires an action or vote by the governing body of the governmental entity before the contract may be signed or has a value of at least \$1 million. Section 2252.908 provides definitions of certain terms occurring in the section. Section 2252.908 applies only to a contract entered into on or after January 1, 2016. Please initial.

(Required: Maximum 1000 characters allowed)

1
7

Critical Infrastructure Affirmation

Pursuant to section 2274.0102 of the Texas Government Code, Respondent certifies that neither it nor its parent company, nor any affiliate of Respondent or its parent company, is: (1) majority owned or controlled by citizens or governmental entities of China, Iran, North Korea, Russia, or any other country designated by the Governor under Government Code Section 2274.0103, or (2) headquartered in any of those countries. Please initial.

(Required: Maximum 1000 characters allowed)

1
8

Energy Company Boycotts

Pursuant to Section 2274.002 of the Texas Government Code, should the contract have a value of \$100,000 or more and the company employs 10 or more full-time employees, Respondent represents and warrants that: (1) it does not, and will not for the duration of the contract, boycott energy companies, and (2) will not boycott energy companies during the term of the contract. If circumstances relevant to this provision change during the course of the contract, Respondent shall promptly notify Agency. Please initial.

(Required: Maximum 1000 characters allowed)

1
9

Firearm Entities and Trade Associations Discrimination

Pursuant to section 2274.002 of the Texas Government Code, should the contract have a value of \$100,000 or more and the company employs 10 or more full-time employees, Respondent verifies that: (1) it does not have a practice, policy, guidance, or directive that discriminates against a firearm entity or firearm trade association and (2) will not discriminate during the term of the contract against a firearm entity or firearm trade association. If circumstances relevant to this provision change during the course of the contract, Respondent shall promptly notify Agency. Please initial.

(Required: Maximum 1000 characters allowed)

2
0

Notification Survey

In order to better serve our offerors, the Collin County Purchasing Department is conducting the following survey. We appreciate your time and effort expended to submit your bid. Should you have any questions or require more information please call (972) 548-4165. How did you receive notice of this request?

- Plano Star Courier Plan Room Collin County eBid Notification Collin County Website
- Other

(Required: Check only one)

2
1 **Bid Bond Acknowledgement**

I understand that accompanying this bid, is a certified check, cashier's check or Bid Bond in the amount of five percent (5%) of the total amount bid. Bidders submitting a bid via Collin County eBid shall upload a Bid Bond at <https://collincountytx.ionwave.net>. Regardless of delivery method, all Bid Bonds shall be received prior to the bid opening time to be considered.

I understand that the original Bid Bond shall be received in the Collin County Purchasing Department no later than close of business on the third working day after the bid opening. **Late receipt of original Bid Bond shall be cause for rejection of bid.** Please initial.

(Required: Maximum 4000 characters allowed)

2
2 **Construction Acknowledgement**

Bidder, declares that the only person or parties interested in this bid are those principals named herein, that his/her bid is made without collusion with any other person, firm or corporation, that he/she has carefully examined the Contract Documents including the Advertisement for Bids, Instruction to Bidders, Construction Agreement, Specifications and the Drawings, therein referred to and has carefully examined the locations, conditions and classes of materials for the proposed work, and agrees that he/she will provide all the necessary labor, machinery, tools, equipment, apparatus and other items incidental to construction and will do all the work and furnish all the materials called for in the Contract Documents in the manner prescribed therein. Bidder hereby declares that he/she has visited the site of the Work and has carefully examined the Contract Documents pertaining to the Work covered by the above Bid, and he/she further agrees to commence work within ten (10) consecutive calendar days after date of written Notice to Proceed and to substantially complete the work on which he/she has bid within the number of days specified subject to such extensions of time allowed by Specifications. Bidder certifies that the bid prices contained in this bid have been carefully checked and are submitted as correct and final. The prices have been shown in words and figures for each item listed in this bid and it is understood that in the event of a discrepancy, the words shall govern. Please initial.

(Required: Maximum 1000 characters allowed)

2
3 **Addendum No. 1 Acknowledgement**

Please initial to verify your receipt of the addendum.

(Required: Maximum 1000 characters allowed)

2
4 **Addendum No. 2 Acknowledgement**

Please initial to verify your receipt of the addendum.

(Required: Maximum 1000 characters allowed)

Bid Lines

1 **Package Header**

Bid Grand Total

Quantity: 1 UOM: lump sum Total: \$

Item Notes: Lines 1.1, 1.2, 1.3 and 1.4 must add up to the Bid Grand Total

Supplier Notes: _____

- No bid
- Alternate specification
(Attach separate sheet)
- Additional notes
(Attach separate sheet)

Package Items

1.1 Total Material Cost for Repairs to Second Floor Walkway
(Response required)

Quantity: 1 UOM: lump sum Price: \$ Total: \$

Supplier Notes: _____

- No bid
- Additional notes
(Attach separate sheet)

1.2 Total Labor Cost for Repairs to Second Floor Walkway
(Response required)

Quantity: 1 UOM: lump sum Price: \$ Total: \$

Supplier Notes: _____

- No bid
- Additional notes
(Attach separate sheet)

1.3 Total Material Cost for Repairs to First Floor Soffit
(Response required)

Quantity: 1 UOM: lump sum Price: \$ Total: \$

Supplier Notes: _____

- No bid
- Additional notes
(Attach separate sheet)

1.4 Total Labor Cost for Repairs to First Floor Soffit
(Response required)

Quantity: 1 UOM: lump sum Price: \$ Total: \$

Supplier Notes: _____

- No bid
- Additional notes
(Attach separate sheet)

2 Additive Alternate No. 1: In lieu of the use of light-to-medium duty traffic coating for the second level walkway surfaces, heavy duty traffic coating to be applied.

(Response required)

Quantity: 1 UOM: lump sum Price: \$ Total: \$

Item Notes: Reference Structural & Waterproofing Repairs to Exterior Walkway, Section 07 18 00

Supplier Notes: _____

- No bid
- Alternate specification
(Attach separate sheet)
- Additional notes
(Attach separate sheet)

3 Unit Prices

(Line excluded from response total)

Supplier Notes: _____

- Additional notes
(Attach separate sheet)

Item Attributes

1. State Unit Price for: Strengthen shelf angles along walkway exterior perimeter (Per linear Foot)

Note: Base Bid amount shall include 30 linear foot.

Reference Reference Structural & Waterproofing Repairs to Exterior Walkway, Detail 1/S3.0

(Required: Numbers only)

2. State Unit Price for: Strengthen shelf angles along walkway interior perimeter (Per linear Foot)

Note: Base Bid amount shall include 70 linear foot.

Reference Structural & Waterproofing Repairs to Exterior Walkway, Detail 3/S3.0

(Required: Numbers only)

3. State Unit Price for: Strengthen perimeter walkway beams at concrete deck to be removed (Per Linear Foot)

Note: Base Bid amount shall include 75 linear foot.

Reference Structural & Waterproofing Repairs to Exterior Walkway, Detail 3/S3.1

(Required: Numbers only)

4. State Unit Price for: Strengthen perimeter walkway beams at concrete deck to remain (Per Linear Foot)

Note: Base Bid amount shall include 50 linear foot.

Reference Structural & Waterproofing Repairs to Exterior Walkway, Detail 7/S3.1

(Required: Numbers only)

5. State Unit Price for: Install bracing between walkway beams at locations shown on drawings and other locations designated by Engineer during construction (Per each)

Note: Base Bid amount shall include 13 each.

Reference Structural & Waterproofing Repairs to Exterior Walkway, Detail 6/S3.1

(Required: Numbers only)

Supplier Information

Company Name: _____

Contact Name: _____

Address: _____

Phone: _____

Fax: _____

Email: _____


Supplier Notes

The undersigned hereby certifies the foregoing bid submitted by the company listed below hereinafter called "bidder" is the duly authorized agent of said company and the person signing said bid has been duly authorized to execute same. Bidder affirms that they are duly authorized to execute this contract; this company; corporation, firm, partnership or individual has not prepared this bid in collusion with any other bidder or other person or persons engaged in the same line of business; and that the contents of this bid as to prices, terms and conditions of said bid have not been communicated by the undersigned nor by any employee or agent to any other person engaged in this type of business prior to the official opening of this bid.


Print Name

Signature


Project: 5/18/2022 1:59 PM by Hussein, Terence File Name: P:\2020\2020_Temp\2020.0756.1 - 300 E PARK WALKWAY REPAIRS (S\G) Drawings by WJE\Sheets\S2.1 STRUCTURAL PLANS.dwg



1 PARTIAL EAST DECK SECOND LEVEL STRUCTURAL FRAMING PLAN - GRID 1 THRU 7
SCALE: 1/8" = 1'-0"





2 PARTIAL EAST DECK SECOND LEVEL STRUCTURAL FRAMING PLAN - GRID 7 THRU 10
SCALE: 1/8" = 1'-0"



3 WEST DECK SECOND LEVEL STRUCTURAL FRAMING PLAN
SCALE: 1/8" = 1'-0"

- SHEET NOTES:**
- NEW SLAB ON METAL DECK SHALL HAVE NOMINAL 3-1/2" TOTAL THICKNESS AND SHALL BE FINISHED FLUSH WITH ADJACENT CONCRETE. REINFORCEMENT SHALL BE W6X6 - W4.0 X W4.0 W.W.F. (MESH SHALL BE RIGIDLY HELD IN POSITION 1" BELOW TOP OF SLAB). REFER TO GENERAL NOTES FOR ADDITIONAL METAL DECK AND REINFORCEMENT INFORMATION.
 - SEE S3.0 FOR TYPICAL DETAILS FOR NEW SLAB ON METAL DECK.
 - FOR COLUMN REPAIRS AT 1ST LEVEL, SEE 10/S3.0.
 - FOR COLUMN REPAIRS AT 2ND LEVEL, SEE 12/S3.0.
 - BEAM REPAIRS SHOWN ON PLANS ARE KNOWN AREAS WHERE REPAIR IS REQUIRED. CONTRACTOR IS RESPONSIBLE FOR MEASURING SECTION LOSS DUE TO CORROSION AFTER REMOVAL OF WALL CLADDING AND SPECIFIED AREAS OF CONCRETE AND METAL DECK. REFER TO DETAILS FOR ADDITIONAL INSTRUCTION.
 - SECTIONS FOR SHELF ANGLE REPLACEMENT ARE SHOWN FOR ORIENTATION ONLY. CONTRACTOR IS RESPONSIBLE FOR MEASURING SECTION LOSS DUE TO CORROSION AFTER REMOVAL OF WALL CLADDING. REFER TO DETAILS FOR ADDITIONAL INSTRUCTION.
 - REFER TO ARCH. FOR FLOOR DRAIN REPLACEMENT LOCATIONS. SUPPORT FOR NEW DRAINS SHALL BE PER 14/S3.1.
 - PROVIDE A TEMPORARY WALKWAY SURFACE AT LEVEL 2 AND SEQUENCE WORK AS REQUIRED TO ALLOW FOR AREAS INDICATED ON DRAWINGS TO REMAIN OPEN TO PEDESTRIAN TRAFFIC DURING NORMAL BUSINESS HOURS.



WJE ENGINEERS ARCHITECTS MATERIALS SCIENTISTS

Wiss, Janney, Elstner Associates, Inc.
6363 N. State Highway 161, Suite 550
Irving, Texas 75038
972.550.7777 tel | 972.550.7770 fax
www.wje.com

TX REGISTERED ENGINEERING FIRM F-0093

Atlanta | Austin | Boston | Chicago | Cleveland | Dallas | Denver | Detroit
Doylestown | Honolulu | Houston | Indianapolis | London | Los Angeles
Milwaukee | Minneapolis | New Haven | Northbrook (HQ) | New York
Philadelphia | Pittsburgh | Portland | Princeton | Raleigh | San Antonio
San Diego | San Francisco | Seattle | South Florida | Washington, DC



Seal

Consultants

Project

**Structural & Waterproofing
Repairs to Exterior Walkway**
900 E. Park Blvd.
Plano, TX 75074

Client

Collin County, Texas
4600 Community Avenue
McKinney, TX 75071

Mark	Date	Description
3	5-18-2022	ADDENDUM #2
2	5-16-2022	ADDENDUM #1
1	2-21-2022	REVISIONS PER COUNTY
-	2-11-2022	ISSUED FOR CONSTRUCTION

Project No. 2020.6756.1
Date 2-11-2022
Drawn TJH
Checked SVG/PBL
Scale As Noted


STRUCTURAL PLANS

Sheet Title


Sheet No. **S2.0**

File Name: P:\2020\2020\Temp\2020.0756.1 - 900 E. PARK BLVD WALKWAY REPAIRS (SVG) Drawings by WJE\shahs\S2.0 ARCHITECTURAL PLANS.dwg
 Plot Date: 5/18/2022 2:00 PM by Hussain, Terence


© Copyright 2022. All rights reserved. No part of this document may be reproduced in any form or by any means without permission from Wiss, Janney, Elstner Associates, Inc. (WJE). WJE disclaims any responsibility for its unauthorized use.






1 PARTIAL EAST DECK SECOND LEVEL PLAN (GRID 1 THRU 7)
 SCALE: 1/8" = 1'-0"



2 PARTIAL EAST DECK SECOND LEVEL PLAN (GRID 7 THRU 10)
 SCALE: 1/8" = 1'-0"



3 PARTIAL WEST DECK SECOND LEVEL PLAN (GRID 3 THRU 10)
 SCALE: 1/8" = 1'-0"



- NOTES:**
- REMOVE, STORE, AND REINSTALL ALL (E) SIGNAGE, FIXTURES, AND OTHER SURFACE MOUNTED ITEMS ON REPLACED BRICK VENEER.
 - ROUTE AND SEAL ALL JOINTS AND CRACKS IN EXCESS OF 1/16" IN CONCRETE DECK PRIOR TO APPLICATION OF (N) TRAFFIC COATING (REF. 7/S4.1)
 - APPLY (N) TWO COAT SYSTEM ON (E) HANDRAILS, POSTS, COLUMNS, AND OTHER EXPOSED STEEL COMPONENTS AT WALKWAYS.
 - WHERE WALKWAY MUST REMAIN OPEN DURING BUSINESS HOURS AT LOCATIONS SHOWN ON DRAWINGS, PERFORM TRAFFIC COATING INSTALLATION OVER WEEKENDS AND RE-OPEN TO TRAFFIC DURING NORMAL BUSINESS HOURS. INSTALLATION SEQUENCE SHALL BE AS FOLLOWS, OR AS RECOMMENDED IN WRITING BY MANUFACTURER:
 - WEEKEND #1: APPLY EPOXY PRIMER
 - WEEKEND #2: APPLY BASE COAT AND TOP COAT(S).

WJE ENGINEERS ARCHITECTS MATERIALS SCIENTISTS
Wiss, Janney, Elstner Associates, Inc.
 6363 N. State Highway 161, Suite 550
 Irving, Texas 75038
 972.550.7777 tel | 972.550.7770 fax
 www.wje.com
 TX REGISTERED ENGINEERING FIRM F-0093
 Atlanta | Austin | Boston | Chicago | Cleveland | Dallas | Denver | Detroit
 Doylestown | Honolulu | Houston | Indianapolis | London | Los Angeles
 Milwaukee | Minneapolis | New Haven | Northbrook (HQ) | New York
 Philadelphia | Pittsburgh | Portland | Princeton | Raleigh | San Antonio
 San Diego | San Francisco | Seattle | South Florida | Washington, DC


Seal

 Consultants

Project
Structural & Waterproofing Repairs to Exterior Walkway
 900 E. Park Blvd.
 Plano, TX 75074

Client
 Collin County, Texas
 4600 Community Avenue
 McKinney, TX 75071

Mark	Date	Description
3	5-18-2022	ADDENDUM #2
2	5-16-2022	ADDENDUM #1
1	2-21-2022	REVISIONS PER COUNTY
-	2-11-2022	ISSUED FOR CONSTRUCTION



Project No.	2020.6756.1
Date	2-11-2022
Drawn	TJH
Checked	SVG/BCS
Scale	As Noted

WATERPROOFING PLANS
 Sheet Title
 Sheet No. **S2.1**