

#### COLLIN COUNTY, TEXAS

ADDENDUM No. One (1)

RFP No. 2022-230

### REQUEST FOR PROPOSAL

### FOR

## **GPS OFFENDER MONITORING**

DATE: MAY 20, 2022

NOTICE TO ALL PROSPECTIVE BIDDERS:

PLEASE MAKE THE FOLLOWING CHANGES TO THE REQUEST FOR PROPOSAL:

| CHANGE DUE DATE:                  |                          | FROM:<br>TO: | : MAY 26, 2022 AT 2:00 PM<br>JUNE 2, 2022 AT 2:00 PM |
|-----------------------------------|--------------------------|--------------|--|
| CHANGE QUESTION DEA               | DLINE:                   | FROM:<br>TO: | : MAY 12, 2022 AT 5:00 PM<br>MAY 24, 2022 AT 5:00 PM |
| DELETE DOCUMENT:<br>REPLACE WITH: | SPECIFICAT<br>SPECIFICAT |              | 022-230<br>022-230 ADDENDUM 1                        |
| DELETE DOCUMENT:<br>REPLACE WITH  |                          |              | EQUIREMENTS<br>EQUIREMENTS ADDENDUM 1                |
| DELETE LINE ITEM:                 | #2-STATE PH<br>PAID      | RICE PE      | R DAY FOR ACTIVE GPS UNIT-OFFENDER                   |
| ADD LINE ITEM:                    | LINE ITEM #              | ŧ1, ATTF     | RIBUTE 1- INSTALLATION FEES (IF ANY)                 |
| ADD ATTRIBUTE:                    | #23-ADDENI               | DUM No       | D. 1 ACKNOWLEDGEMENT                                 |

ALL OTHER TERMS AND CONDITIONS OF THE BID AND SPECIFICATIONS REMAIN THE SAME.

SINCERELY, MICHELLE CHARNOSKI, NIGP-CPP, CPPB PURCHASING AGENT

## 4.0 EVALUATION CRITERIA AND FACTORS

4.1 The award of the contract shall be made to the responsible contractor, whose proposal is determined to be the best-evaluated offer resulting from negotiation, taking into consideration the relative importance of price and other factors set forth in the Request for Proposals in accordance with Vernon's Texas Code Annotated, Local Government 262.030.

The Evaluation Committee will review all proposals received by the Opening date and time as part of a documented evaluation process. For each decision point in the process, the County will evaluate contractors according to specific criteria and will elevate a certain number of contractors to compete against each other. The proposals will be evaluated on the following criteria.

The County will use a competitive process based upon "selection levels." The County recognizes that if a contractor fails to meet expectations during any part of the process, it reserves the right to proceed with the remaining contractors or to elevate a contractor that was not elevated before. The selection levels are described in the following sections.

# LEVEL 1 - CONFORMANCE WITH MANDATORY REQUIREMENTS

• Conformance with RFP guidelines and submittal requirements to include proposal response to Section 6.0 and Attachment A – Requirements.

The first part of the elevation process is to validate the completeness of the proposal and ensure that all the RFP guidelines and submittal requirements are met. Those Vendors who do not meet all the requirements for the RFP may, at the discretion of the County, be contacted to submit the missing information within two business days. Incomplete or noncompliant RFPs may be disqualified.

### LEVEL 2 – DETAILED PROPOSAL ASSESSMENT (Maximum 70 Points)

Contractors elevated to Level 2 may be asked to make a presentation to show unit and website referenced in proposal, as well as any other cost and implementation planning considerations in the proposal. All Contractors who are elevated to Level 2 will be required to submit a three (3) demonstration units and link(s) to a test website for testing. Contractor shall provide units at time of presentation, or upon request.

The Evaluation Committee will conduct a detailed assessment of all proposals elevated to this Level. Proposals may earn up to 70 Points based on evaluated criteria.

| Points | Evaluation Criteria  |
|--------|--|
| 35     | Device Meeting Requirements – See Attachment A and demonstration/testing of the unit (Proposal Format Item 6.7). |

The Evaluation Criteria evaluated in Level 2 include:

| 25 | Services Provided, Project Team, Project Plan (Proposal Format Item 6.3; 6.4)             |
|----|---|
| 10 | Qualifications of the Firm/Similar Projects Involved With (Proposal Format Item 6.2; 6.6) |

It is anticipated that Collin County will elevate proposals scoring at least 49 points (70%) to Level 3.

## LEVEL 3 – COST (Maximum 30 Points)

Contractors who are elevated to Level 3 will have their points combined from Level 2 for a maximum of 100 points total. For evaluation purposes, cost will be calculated as follows:

Pre-Trial Release: Monthly average 275 units 275 units x 30 days in month x Contractor Daily Rate for County Paid (see 6.8.1) x 12 months. plus Install Fees (if any) 361 units x install fee (see 6.8.1.1).

<u>CSCD</u>:

Monthly average 22 units

22 units x 30 days in month x Contractor daily Rate for County Paid (see 6.8.1) x 12 months. plus

Install Fees (if any) 31 units x install fee (see 6.8.1.1).

<u>Juvenile Probation</u>: Monthly average 28 units 28 units x 30 days in month x Contractor daily Rate for County Paid (see 6.8.1) x 12 months. Plus Install Fees (if any) 61 units x install fee (see 6.8.1.1)

| Points | Evaluation Criteria             |
|--------|---------------------------------|
| 30     | Cost (Proposal Format Item 6.8) |

### LEVEL 4 – REFERENCES (Maximum 20 Points)

| Points | Evaluation Criteria                   |
|--------|---------------------------------------|
| 20     | References (Proposal Format Item 6.5) |

The County will contact the references. These references will be asked a series of questions regarding their satisfaction with the solution and the performance of the implementation supplier.

# LEVEL 5 – BEST AND FINAL OFFER

Contractors who are susceptible of receiving award will be elevated to Level 5 for Best and Final Offer. Contractor may be asked to respond in writing to issues and questions raised by the County as well as any other cost and implementation planning considerations in the proposal, and may be invited to present their responses on-site. Proposals may be re-evaluated based upon Criteria in level 2 through 4.

Based on the result of the Best and Final Offer evaluation, a single contractor will be identified as the finalist for contract negotiations. If a contract cannot be reached after a period of time deemed reasonable by the County, it reserves the right to contact any of the other contractors that have submitted proposals and enter into negotiations with them.

# 5.0 SPECIAL CONDITIONS AND SCOPE OF SERVICES

- 5.1 Authorization: By order of the Commissioners Court of Collin County, Texas sealed proposals will be received for **GPS Offender Monitoring**.
- 5.2 Intent of Request for Proposal: Collin County's intent of this Request for Proposal (RFP) and resulting contract is to provide contractors with sufficient information to prepare a proposal for **GPS Offender Monitoring** to be utilized by Pre-Trial Release, Community Corrections and Supervision (CSCD) and Juvenile Probation.
- 5.3 Term: Provide for a term contract commencing on September 1, 2022 through and including August 31, 2023 with the option of two (2) one (1) year renewals.

5.3.1 Transitional Period: Upon normal completion of this contract, not to include termination for default, and in the event that no new contract has been awarded by the original expiration date of the existing contract including any extension thereof, it shall be incumbent upon the Contractor to continue the contract under the same terms and conditions until a new contract can be completely operational. At no time shall this transition period extend more than ninety (90) days beyond the original expiration date of the existing contract and any extension thereof.

5.3.2 At the end of this contract should another vendor be awarded the contract all participants with over thirty (30) days left of monitoring will be changed out to the new vendor. If a participant has less than thirty (30) days left on the monitor the existing vendor will continue to monitor until completion date for that participant.

5.4 Point of Contact: Information regarding the purchasing process and the contents of this RFP may be obtained from J.D. Griffin, CPPB Senior Buyer or email jgriffin@co.collin.tx.us.

#### RFP No. 2022-230

- 5.5 Funding: Funds for payment have been provided through the Collin County budget approved by the Commissioners Court for this fiscal year only. State of Texas statutes prohibit the County from any obligation of public funds beyond the fiscal year for which a budget has been approved. Therefore, anticipated orders or other obligations that arise past the end of the current Collin County fiscal year shall be subject to budget approval.
- 5.6 Price Reduction: If during the life of the contract, the contractor's net prices to its customers for the same product(s) and/or services shall be reduced below the contracted price, it is understood and agreed that the County shall receive such price reduction.
- 5.7 Price Redetermination: A price redetermination may be considered by Collin County only at the anniversary date of the contract. All requests for price redetermination shall be in written form, shall be submitted a minimum of ninety (90) days prior to anniversary date, and shall include documents supporting price redetermination such as manufacturer's direct cost, postage rates, Railroad Commission rates, federal/state minimum wage law, federal/state unemployment taxes, FICA, insurance coverage rates, etc. The proposer's past experience of honoring contracts at the proposed price will be an important consideration in the evaluation. Collin County reserves the right to accept or reject any/all of the price redetermination as it deems to be in the best interest of the County.
- 5.8 Completion/Response Time: Contractor shall place product(s) and/or complete services at the County's designated location within the number of calendar days according to the schedule proposed by contractor in section 6.4.
- 5.9 Delivery/Setup/Installation Location: Locations for delivery and installation will be as follows:

### For Pre-Trial Release:

Collin County Detention Center 4300 Community Ave. McKinney, TX 75071

### For Juvenile Probation:

Collin County Juvenile Probation 4690 Community Ave. McKinney, TX 75071

Collin County Juvenile Probation 900 E. Park Blvd., Suite 210 Plano, TX 75074

Collin County Juvenile Detention 4700 Community Ave. McKinney, TX 75071 For CSCD:

Russell A. Steindam Courts Building 2100 Bloomdale Road, Suite 12262 McKinney, TX 75071

Plano Sub-Courthouse 900 E. Park Blvd., Suite 200 Plano, TX 75074

Minimum Security Community Corrections Facility 4800 Community Ave. McKinney, TX 75071

Collin County Detention Center 4300 Community Ave. McKinney, TX 75071

Optional-Vendor location (requires CSCD approval)

- 5.10 Freight/Delivery Charges: Any freight or delivery charges shall be included in the submitted pricing. No additional fees for delivery/freight/fuel surcharges or other fees shall be invoiced or paid by Collin County.
- 5.11 Testing: Testing may be performed at the request of Collin County, by an agent so designated, without expense to Collin County.
- 5.12 Samples/Demos: Samples/demos shall be furnished free of expense to Collin County. All Contractors who are elevated to Level 2 will be required to submit a demonstration unit for testing. Contractor will provide demonstration unit at date and time of presentation.
- 5.13 Approximate Value/Usage: Approximate usage does not constitute an order, but only implies the probable quantity the County will use. Annual estimated expenditure for CSCD is \$40,000, annual estimated expenditure for Pre-Trial release is \$700,000, and annual estimated expenditure for Juvenile Probation is \$40,000.

5.13.1 CSCD installed 31 GPS devices for Fiscal Year 2021. The monthly average of GPS devices monitored was 22 units per month for Fiscal Year 2021.

5.13.1.1 Lost/Damaged Units – For CSCD since September 2019: Tag-2 OBC (charger)-2, charger dock-1.

5.13.2 Collin County Justice Center (Pre-Trial Release) installed 361 GPS devices for Fiscal Year 2021. The monthly average GPS devices monitored was 275 units for Fiscal Year 2021.

5.13.2.1 Lost/Damaged Units - For Pre-Trial Release since September 2019: Tag-67, OBC (charger)-85, charger dock-68, RF beacons-4.

5.13.3 Collin County Juvenile Probation installed 61 GPS devices for Fiscal Year 2021. The monthly average GPS devices monitored was 28 units for Fiscal Year 2021.

5.13.3.1 Lost/Damaged Units - For Juvenile Probation since September 2019: Tag-8, OBC (charger)-9, charger dock-10, RF beacons-12.

- 5.14 Background Check: All Contractor employees that will be working on site or by Remote Access shall pass a background check performed by Collin County before any work may be performed. The selected contractor shall be provided the required information for background checks.
- 5.15 Subcontractors: Contractor shall state names of all subcontractors and the type of work they will be performing. If a contractor fails to specify a subcontractor, then he shall be deemed to have agreed that he is fully qualified to perform the contract himself, and that he will fully perform the contract himself.

No proposer whose proposal is accepted shall (a) substitute any subcontractor, or (b) permit a subcontract to be voluntarily assigned or transferred or allow it to be performed by anyone other than the original subcontractor listed in the original proposal without approval in writing from the Collin County Purchasing Department.

The successful proposer further agrees that Collin County and its agents, servants and employees shall not be liable for any loss or damage resulting from personal injury, physical loss, harassment of or discrimination against employee or other violations of the provisions of this contract occasioned by the acts or omissions of the successful proposer's sub-contractors, their agents or employees. The indemnification provisions of this contract shall apply to all sub-contractors.

5.16 Confidential or Proprietary Information: Collin County is subject to the Texas "Public Information Act", Texas Government Code Chapter 552. Contractors shall identify those portions of their proposals that they deem to be confidential, proprietary information or trade secrets. Contractors shall clearly indicate each and every section to which this applies. It is not sufficient to preface the entire proposal with a proprietary statement. State of Texas Attorney General retains the final authority as to the extent of material that is considered proprietary or confidential.

### 5.17 **PROPOSAL SCHEDULE**

Collin County reserves the right to change the schedule of events as it deems necessary.

| RFP Released                         | May 3, 2022                          |
|--------------------------------------|--------------------------------------|
| Deadline for submission of questions | <del>May 16, 2022</del> May 24, 2022 |
| Proposals Due                        | May 26, 2022 June 2, 2022            |
| Demonstrations                       | June 28-29, 2022 - tentative         |
| Award of RFP                         | July 2022                            |

## 5.18 **PURPOSE/SCOPE OF WORK**

The principal program objective is a reduction of commitments to the Collin County Justice Center. The GPS monitoring services is an alternative to incarceration due to revocation of non-violent offenders as a condition of pre-trial release, surety bond, and as a condition of appeal bond for both felony and misdemeanor high-risk offenders and as a condition of Supervision. These services are utilized by Pre-Trial Release, Community Supervision and Corrections Department (CSCD) and Juvenile Probation.

Current Device - SMART TAG

Current Service Provider – Buddi US

5.19–5.25 – See Attachment A – Requirements. Complete Attachment A and submit in accordance with section 6.7.

# 6.0 PROPOSAL FORMAT

In accordance with the directions below, contractor shall provide a response for each item in Section 6.2 – 6.8 in order and include item numbers in response. Answer all questions fully, clearly, and concisely, giving complete information. Do not skip items. Do not refer to other parts of your proposal for the answers. You may not modify either the order or language of the question. **Responses shall include a statement of "agree", "confirmed", "will provide", "not applicable", or "exception taken" along with any additional information.** If an item is "not applicable" or "exception taken", contractor shall state that and refer to Section 7.0 Exceptions, with explanation.

Contractor shall adhere to the instructions in this request for proposals on preparing and submitting the proposal. If contractor does not follow instructions regarding proposal format, points will be deducted during the evaluation process.

- 6.1 **PROPOSAL DOCUMENTS:** To achieve a uniform review process and to obtain a maximum degree of comparability, the proposal shall, at a minimum include a Table of Contents detailing sections and corresponding page numbers.
  - 6.1.1 Proposals may be submitted online via <u>http://collincountytx.ionwave.net</u> or submitted via CD-ROM or Flash Drive. Electronic submissions are preferred.
  - 6.1.2 If submitting manually, proposal shall be submitted in a sealed envelope or box with RFP name, number, and name of firm printed on the outside of the envelope or box. Manual submittals shall be sent/delivered to the following address and shall be received prior to the date/time for opening:

Collin County Purchasing 2300 Bloomdale, Suite 3160 McKinney, TX 75071

Paper copies shall be printed on letter size (8  $\frac{1}{2}$  x 11) paper and assembled using spiral type bindings, staples, or binder clips. Do not use metal-ring hard cover binders. Manual submittals shall include an electronic copy in a searchable format.

It shall be the responsibility of the contractor to insure that their proposal reaches Collin County Purchasing prior to the date/time for the opening no matter which submission method is used.

Proposal shall include but not be limited to information on each of the following:

# 6.2 **FIRM OVERVIEW**

Contractor shall define the overall structure of the Firm to include the following:

- 6.2.1 A descriptive background of your company's history.
- 6.2.2 State your principal business location and any other service locations.
- 6.2.3 State the address and normal business hours of your local service location and list the number of technical support personnel assigned to this work location. Should a service location not exist in the Collin County region please list your nearest service location to the county.
- 6.2.4 What is your primary line of business?
- 6.2.5 How long have you been selling product(s) and/or providing service(s)?
- 6.2.6 State the number and location of installations where your services are in use.
- 6.2.7 Describe plan to keep Collin County up to date on current changes and operating systems, during the term of the contract.
- 6.2.8 Identify any terminated public sector projects. Disclose the jurisdiction and explain the termination.
- 6.2.9 Is your company currently for sale or involved in any transaction to expand or to become acquired by another business entity? If yes, please explain the impact both in organizational and directional terms.

6.2.10 List of all lawsuits within the past ten (10) years resulting in award (in or outside of court) to a client and provide basis and finding of any settlement.

#### 6.3 PROPOSED PROJECT TEAM/STAFF QUALIFICATIONS/ EXPERIENCE/ CREDENTIALS

- 6.3.1 Provide credentials, qualifications as well as experience for each team member or key personnel on the project.
- 6.3.2 Provide name, job title, responsibilities, role on the project, and number of years they have been in the role.

### 6.4 **PROPOSED PROJECT PLAN**

- 6.4.1 Provide an implementation plan for the proposed product(s)/service(s) to include but not limited to the following areas:
  - 6.4.1.2 Proposed Project Plan/Timeline showing, at a minimum, the following key areas:
    - 6.4.1.2.1 Installation
    - 6.4.1.2.2 Education and Training
    - 6.4.1.2.3 Testing and Support
- 6.4.3 The County will provide a project implementation resource for Pre-Trial Release, CSCD, and Juvenile Probation to oversee and coordinate integration of the requirements. Contractor shall include a description of how they will interact with this resource.

#### 6.5 **REFERENCES**

- 6.5.1 Provide a minimum of three (3) references. Include the following information for each reference: the name and address of the organization, as well as the name, position, email and telephone number of the contact in the referred organization. References with similar projects and users are preferred.
  - 6.5.1.1 Describe the services provided. Include organizations that have completed similar in scope projects in the last two (2) years.

### 6.6 SIMILAR PROJECTS INVOLVED WITH

6.6.1 Provide a list of other similar projects that you are involved with currently or will be involved with during the duration of this project.

### 6.7 **REQUIREMENTS**

- 6.7.1 Contractor shall respond to all requirements in Attachment A-Requirements.
  - 6.7.1.1 Requirements that require a detailed response shall be submitted as attachment named "Detailed Response to Requirements". The responses shall be in order and include the reference numbers within this document. Acknowledgement of response on this sheet is

required and reference of location of response shall be referenced in the comment section of this document.

6.7.1.2 Any response answered as a "yes" means that the solution will comply.

### 6.8 **PRICING/FEES**

Contractor shall state pricing in the appropriate categories below.

- 6.8.1 State Price per day for Active GPS unit County Paid 6.8.1.1 – Installation Fees, if any
- 6.8.2 State Price per day for Active GPS unit Offender Paid 6.8.2.1 Installation Fees, if any
- 6.8.3 State Price for Replacement Unit
- 6.8.4 State Price for any additional fees associated with product for service

#### 7.0 **EXCEPTIONS**

Instructions for completing section:

The exception table shall be completed for any exception from requirements identified in this RFP. Please complete the following worksheet listing any and all exceptions from the information requested in the Request for Proposal. Attach additional pages as needed. If no exceptions are listed, it is understood that the contractor has agreed to all RFP requirements, even if a notation is referenced in an individual section.

| Section Number/ | Required  | Service | You | are | Steps Taken to Meet Requirement |
|-----------------|-----------|---------|-----|-----|---------------------------------|
| Question Number | Unable to | Perform |     |     |                                 |
|                 |           |         |     |     |                                 |
|                 |           |         |     |     |                                 |
|                 |           |         |     |     |                                 |
|                 |           |         |     |     |                                 |
|                 |           |         |     |     |                                 |
|                 |           |         |     |     |                                 |
|                 |           |         |     |     |                                 |

| Reference<br>Number | IMPORTANT INFORMATION:<br>Requirements that require a detailed response shall be submitted as attachment with titled "Detailed<br>Response to Requirements". The responses shall be in order and include the reference numbers within this<br>document. Acknowledgement of response on this sheet is required and reference of location of response shall<br>be referenced in the comment section of this document.<br>Any responses that are answered as a yes mean that the system will fully comply with no setup required,<br>configurable with no changes to source code, or are provided with reporting tool. If the functionality is not<br>available at this time the response shall be answered as no and shall be included in your proposal as<br>"exceptions" with further explanation. Refer to Section 7.0 of the specifications for more details on<br>Exceptions. | Yes<br>System<br>currently<br>performs these<br>functions<br>and/or agree to<br>requirement | cannot agree to | Written Respo<br>If you need add<br>"Detailed Resp |
|---------------------|--|---|-----------------|--|
| 5.19                | GENERAL REQUIREMENTS   |   |                 |  |
| 5.19.1              | Contractor shall be responsible for the installation/removal of the GPS monitors for the Pre-Trial Release,<br>Collin County Supervision and Corrections (CSCD) and Juvenile Probation at the location(s)stated in section<br>5.9. The County shall not be responsible for paying for lost and damaged equipment.  |   |                 |  |
|                     | Installation/Removal shall be Monday – Friday, 8:00 AM - 5:00 PM for Pre-Trial Release and CSCD and 7:00 AM - 6:00 PM for Juvenile Probation. Contractor is not responsible for weekends or holidays.  |   |                 |  |
| 5.19.3              | Monitoring shall be done by the offeror at the offeror's location.   |   |                 |  |
| 5.19.4              | County personnel shall be able to use the application to create, edit, and apply inclusion and exclusion zones.  |   |                 |  |
| 5.19.5              | Contractor shall be responsible for sending daily notifications of violations via email.   |   |                 |  |
| 5.20                | Unit Requirements  |   |                 |  |
| 5.20.1              | The GPS tracking unit shall attach to the offender as a bracelet (i.e. "one piece system")   |   |                 |  |
| 5.20.2              | The unit shall be FCC certified  |   |                 |  |
| 5.20.3              | The GPS Tracking Unit/Monitoring Bracelet shall be lightweight.  |   |                 |  |
| 5.20.4              | The monitoring unit shall not pose a safety hazard to the offender or others. Provide warranty/indemnity information.  | ,   |                 |  |
| 5.20.5              | The monitoring unit shall function reliably under normal environmental and atmospheric conditions.   |   |                 |  |
| 5.20.6              | The unit shall transmit data, including offender's monitoring status and GPS tracking points to a central host system operated by the Contractor.  |   |                 |  |
| 5.20.7              | After department personnel have used the web-based software to establish schedules and zones (inclusion<br>and exclusion) parameters, it is desired that said parameters be stored on both the gps tracking unit and on the<br>Contractor's central host system simultaneously. The county desires a gps tracking unit that can<br>independently verify and record parameter compliance/violations without further communication with the<br>central host system. This would include both equipment violations and zone violations. Describe how the<br>proposed system would accomplish this.   |   |                 |  |
| 5.20.8              | When the GPS tracking unit recognizes that a violation has occurred, the unit shall log the violation on-board<br>and initiate a data transfer with the central host system, regardless of the next preset "call in" time. The<br>central host system shall immediately notify the department and or other identified persons (e.g. victims,<br>officers, law enforcement) of the violation. Provide Literature and/or sample data.  |   |                 |  |
| 5.20.9              | The GPS tracking unit shall have the capability to notify the offender of instances of non-compliance by using at least one of the following methods 1) displaying text, 2) issuing audible tones, 3) displaying led lights or 4) vibrations. The unit shall be able to notify the offender of such instances even in the absence of communications with the central host system.  |   |                 |  |
| 5.20.10             | The unit shall automatically identify and send key event and general information to the central host system pertaining to the activities of the offender, the unit, and the transmitter as follows:  |   |                 |  |
|                     | 5.20.10.1 Unauthorized absence from his or her residence.  |   |                 |  |
|                     | 5.20.10.2 Equipment malfunctions (all installed components).   |   |                 |  |
|                     | 5.20.10.3 Tampering with equipment (all installed components).   |   |                 |  |
|                     | <ul><li>5.20.10.4 Power degradation (electrical loss or reserve backup power low).</li><li>5.20.10.5 Location verification failure (includes loss of GPS signals).</li></ul>   |   |                 |  |
|                     |  |   |                 |  |
|                     | <ul><li>5.20.10.6 Missed calls from the tracking unit.</li><li>5.20.10.7 Exclusion and inclusion zone violations (The offender traveled to an unauthorized location)</li></ul>   |   |                 |  |
|                     | 5.20.10.7 Exclusion and inclusion zone violations (The offender traveled to an unauthorized location)<br>5.20.10.8 The location and movement of the offender   |   |                 |  |
|                     |  |   |                 |  |

| oonse: Include additional comments below.<br>Iditional space please include with your submittal attachment titled<br>ponse to Requirements" and note accordingly below. |
|---|
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |

|   |                     | IMPORTANT INFORMATION:<br>Requirements that require a detailed response shall be submitted as attachment with titled "Detailed  | <u>Yes</u><br>System                     | <u>No</u><br>System does                               | Written Respo<br>If you need add |
|---|---------------------|---|--|--|----------------------------------|
| Ary responses that are answered as a yes mean that the system will thilly comply with ne setup required,<br>second products with further expansion. Refer to Section 7.04 the specifications for more details         requirement           52.011         The monitoring unit shall include an internal clock and shall be included in your proposal as in the event of a common inclusion simptimum with the monitoring data in the event of a common inclusion simptimum with the ability to continue to record and store monitoring data in the event of a control of a control of the specification in instruction. Once of a control in the event of a control of the unit shall have the ability to store and hall transmit all data to central host system. Indicate the data storage time lengths.         Image: Specific                         | Reference<br>Number | Response to Requirements". The responses shall be in order and include the reference numbers within this document. Acknowledgement of response on this sheet is required and reference of location of response shall be referenced in the comment section of this document.   | currently<br>performs these<br>functions | not perform this<br>function and/or<br>cannot agree to | "Detailed Respo                  |
| The unit shall have the ability to continue to record and store monitoring data in the event of a comminication discussion with the central host system. Once communication is restored, the unit shall rammit all data to central host system. Indicate the data storage time lengths.           5.20.13         The unit shall have the ability to store all monitoring data in the event of an extended power failure. Once the unit shall transmit all data to central host system. Indicate time limits and provisions for book up           5.20.13         The unit shall be equipped with tamper detection and a notification system that records a violation if/when the unit's battery is removed and notifies the central host system of such violations.           5.20.16         The unit shall be equipped with tamper detection and a notification system that records a violation if/when the unit's battery is removed and notifies the central host system of such violations.           5.20.16         CHC PS tracking unit shall incorporate a system that can detect motion in the absence of both GPS and system incorporated.           5.20.17         and has not received GPS signals for a predetermined amount of time. Describe how the central host system is notified of such violations.           5.20.18         team of CPS tracking points with corresponding time/date stamps at frequencies of at the stams.           5.20.18         team of CPS tracking points with corresponding time/date stamps at frequencies of at the able to allow spectral states.           5.20.17         and use the event of CPS tracking points with corresponding time/date stamps at frequencies of at the able to grave speresperime of the units and a least once every 30 second   |                     | configurable with no changes to source code, or are provided with reporting tool. If the functionality is not<br>available at this time the response shall be answered as no and shall be included in your proposal as<br>"exceptions" with further explanation. Refer to Section 7.0 of the specifications for more details on | -  |  |                                  |
| 5.20.12       communications disruption with the central host system. Once communication is restored, the unit shall transmit all data to central host system. Indicate the data storage time lengths.       Image: Communication and power is restored, the unit shall transmit all data to central host system. Indicate time limits and provisors for back up         5.20.13       The unit shall be equipped with tamper detection and a notification system that records a violation if/when the unit's bast lequent and notifies the central host system of such violations.       Image: Communication and power is restored, the unit shall transmit all data to central host system of such violations.         5.20.14       The unit shall be equipped with tamper detection and a notification system that records a violation if/when the unit's bast reported and notifies the central host system of such violations.       Image: Communication dispute the data system that and detet motion in the absence of both GPS and cellular availability. The unit shall log whether or not the unit is in motion. Describe the motion detection system interported.         5.20.17       The unit shall necord and store GPS tracking points with corresponding time/date stamps at frequencies of at is notified of such violations.       Image: Communication dispute the reliability of time data status and at least once every 30 seconds during violation status.         5.20.18       The unit shall necord and store GPS tracking points with corresponding time/date stamps at frequencies of at its insting for the kup and store GPS tracking points with orresponding time/date stamps at frequencies of at the dist status.       Image: Communication distore GPS tracking points with corresponding time/date stampere of time of second apost status and at le   | 5.20.11             | The monitoring unit shall include an internal clock and shall date/time stamp all recorded events.  |  |  |                                  |
| 5.20.13       communication and power is restored, the unit shall transmit all data to central host system. Indicate time limits and provisions for back up       Image: Communication and power is restored, the unit shall be equipped with tamper detection and a notification system that records a violation if/when the unit's scale is opened and notifies the central host system of such violations.       Image: Communication and power is restored, the unit's assess is opened and notifies the central host system of such violations.         5.20.14       The unit shall be equipped with tamper detection and a notification system that records a violation if/when the unit's harding unit shall licorporate a system that can detect motion in the absence of both GPS and the maximum shall log whether or not the unit is in motion. Describe the motion detection system incorporated.         5.20.16       cellular availability. The unit shall log whether or not the unit is in motion. Describe how the central host system is notified of such violations.       Image: Communication and power is a sintified of such violation status and a telast once every 30 seconds during violation status.         5.20.17       and has not receiver do seconds regardless of violation status and a telast once every 30 seconds during violation status.       Image: Communication and power is a sintified of such violation status and a telast once every 30 seconds during violation status.         5.20.19       The unit shall have battery if exceeding 12 hours between charges. The County prefers a battery of life of 24 hours between charges.       Image: Charging and sintication and a sintication and a sintication and a sintication and a sintication and prefere or shall "plug" intot standar power singles. Charging system shall include  | 5.20.12             | communications disruption with the central host system. Once communication is restored, the unit shall  |  |  |                                  |
| 3.2.0.14       the unit's case is opened and notifies the central host system of such violations.       Image: the unit shall be equipped with tamper detection and a notification system that records a violation if/when the unit's battery is removed and notifies the central host system of such violations.       Image: the unit's battery is removed and notifies the central host system of such violations.         5.20.15       The GPS tracking unit shall incorporate a system that can detect motion in the absence of both GPS and cellular availability. The unit shall log whether or not the unit is in motion. Describe the motion detection system incorporated.         5.20.16       The unit shall have the capability to record a violation if/when the unit has simultaneously been in motion and has not received GPS signals for a predetermined amount of time. Describe how the central host system is notified of such violations.         5.20.18       Icas one every 60 seconds regardless of violation status and at least once every 30 seconds during violation status.         5.20.19       The unit shall have a battery life exceeding 12 hours between charges. The County prefers a battery of life of 24 hours between charges.         5.20.19       The units offered by Contractor shall have been in use by a law enforement, corrections or probation status and other with use. State two years of if the units are newer than 2 years, the Contractor must provide data to allow the county to determine the reliability of the unit out in the field.         5.20.20       The unit shall have batteries with Auge tharged and swapped out by offender or shall "plug" into standard power supplies. Charging system shall he lightweight and accommodate 110V (domestic) and 220V (internati  | 5.20.13             | communication and power is restored, the unit shall transmit all data to central host system. Indicate time   |  |  |                                  |
| 5.20.15       the unit's battery is removed and notifies the central host system of such violations.       Image: Contract of the CPS tracking unit shall incorporate a system that can detect motion in the absence of both GPS and system incorporated.         5.20.16       cellular availability. The unit shall log whether or not the unit is in motion. Describe the motion detection system incorporated.       Image: Contract of the CPS tracking points with corresponding time/date stamps at frequencies of at is notified of such violations.         5.20.17       The unit shall neve the capability to record a violation if/when the unit has simultaneously been in motion and has not received GPS signals for a predetermined amount of time. Describe how the central host system is notified of such violations.         5.20.18       Icasa once every 60 seconds regardless of violation status and at least once every 30 seconds during violation status.         5.20.19       The unit shall have a battery life exceeding 12 hours between charges. The County prefers a battery of life of 24 hours between charges.         5.20.20       The unit shall have a battery life exceeding 12 hours between charges. The County prefers a battery of life of 24 hours between charges.         5.20.21       The unit shall have a battery life exceeding 12 hours between charges. The County prefers a battery of life of 24 hours between charges.         5.20.21       The unit shall be in compliance with U.S. patent laws.         The unit shall be in compliance with U.S. patent laws.         The unit shall be in compliance with U.S. patent laws.         The unit shall be in compli   | 5.20.14             |   |  |  |                                  |
| 5.20.16       cellular availability. The unit shall log whether or not the unit is in motion. Describe the motion detection system incorporated.       Image: Comparison of the capability to record a violation if/when the unit has simultaneously been in motion and has not received GPS signals for a predetermined amount of time. Describe how the central host system in since of auch violations.       Image: Comparison of the comparison of           | 5.20.15             | the unit's battery is removed and notifies the central host system of such violations.  |  |  |                                  |
| 5.20.17       and has not received GPS signals for a predetermined amount of time. Describe how the central host system is notified of such violations.       Image: control of the system is notified of such violations.         5.20.18       Inclusion of the system is notified of such violations.       Image: control of the system is notified of such violations.         5.20.19       The unit shall record and store GPS tracking points with corresponding time/date stamps at frequencies of at least once every 60 seconds regardless of violation status and at least once every 30 seconds during violation status.       Image: control of the system is notified of the system is the system is the system is not status.         5.20.19       The unit shall have a battery life exceeding 12 hours between charges. The County prefers a battery of life of the unit soffered by Contractor shall have been in use by a law enforcement, corrections or probation department in the U.S. for at least two years or if the units are newer than 2 years, the Contractor must provide data to allow the county to determine the reliability of the unit out in the field.         5.20.21       The unit shall have batteries which are casily charged and swapped out by offender or shall "plug" into standard power supplies. Charging system shall be lightweight and accommodate 110V (domestic) and 220V (international) power supplies. Charging system shall include a light to indicate whether the GPS unit is charging or has a full charge.       Image: control of the system is control of the optic tamper mechanisms.         5.20.23       The transmitter bracelet shall be water resistant Please indicate depth of water resistance.       Image: control of the application shall througe a web-based software a  | 5.20.16             | cellular availability. The unit shall log whether or not the unit is in motion. Describe the motion detection   |  |  |                                  |
| 5.20.18       least once every 60 seconds regardless of violation status and at least once every 30 seconds during violation status.         5.20.19       The unit shall have a battery life exceeding 12 hours between charges. The County prefers a battery of life of 24 hours between charges.         5.20.20       department in the U.S. for at least two years or if the units are newer than 2 years, the Contractor must provide data to allow the county to determine the reliability of the unit out in the field.         5.20.21       The unit shall have batteries which are easily charged and swapped out by offender or shall "plug" into standard power supplies. Charging system shall be lightweight and accommodate 110V (domestic) and 220V (international) power supplies. Charging system shall be lightweight and accommodate 110V (domestic) and 220V (international) power supplies. Charging system shall include a light to indicate whether the GPS unit is charging or has a full charge.         5.20.22       The transmitter bracelet shall be water resistant. Please indicate depth of water resistance.         5.20.23       The transmitter shall have dual tamper detection utilizing electronic and fiber optic tamper mechanisms.         5.21.1       The contractor shall provide a web-based software application that provides department personnel with access to central host system.         5.21.3       The application shall be accessible through a standard web browser interface.         5.21.4       The application shall be accessible through a standard web browser interface.         5.21.4       The application shall hort require installation on County computers.    <   |                     | and has not received GPS signals for a predetermined amount of time. Describe how the central host system   |  |  |                                  |
| 3.20.19       24 hours between charges.       Image: Charge and the construction of the construct | 5.20.18             | least once every 60 seconds regardless of violation status and at least once every 30 seconds during violation  |  |  |                                  |
| 5.20.20       department in the U.S. for at least two years or if the units are newer than 2 years, the Contractor must provide data to allow the county to determine the reliability of the unit out in the field. <ul> <li>5.20.21</li> <li>The unit shall be in compliance with U.S. patent laws.</li> <li>The unit shall have batteries which are easily charged and swapped out by offender or shall "plug" into standard power supplies. Charging system shall be lightweight and accommodate 110V (domestic) and 220V (international) power supplies. Charging system shall include a light to indicate whether the GPS unit is charging or has a full charge.               5.20.23             The transmitter bracelet shall be water resistant. Please indicate depth of water resistance.             <li>5.20.23</li> <li>The transmitter bracelet shall be water resistant. Please indicate depth of water resistance.</li> <li>5.20.24</li> <li>The transmitter bracelet shall be water detection utilizing electronic and fiber optic tamper mechanisms.</li> <li>5.21.1</li> <li>The Contractor shall provide a web-based software application that provides department personnel with access to central host system.</li> <li>5.21.2</li> <li>The application shall be accessible through a standard web browser interface.</li> <li>5.21.3</li> <li>The application shall utilize security protocols that will prevent unauthorized access to the database and the offender information contained therein.</li> <li>5.21.4</li> <li>The application shall not require installation on County computers.</li> <li>Image: the application shall not require installation on County computers.</li> <li>Image: the application shall not require installation on County computers.</li></li></ul>   | 5.20.19             |   |  |  |                                  |
| 5.20.22The unit shall have batteries which are easily charged and swapped out by offender or shall "plug" into<br>standard power supplies. Charging system shall be lightweight and accommodate 110V (domestic) and<br>20V (international) power supplies. Charging system shall include a light to indicate whether the GPS unit<br>is charging or has a full charge.Image: Charging system shall be water resistant Please indicate depth of water resistance.Image: Charging system shall be water resistant Please indicate depth of water resistance.Image: Charging system shall be water resistant Please indicate depth of water resistance.Image: Charging system shall be water resistant Please indicate depth of water resistance.Image: Charging system shall be water resistant Please indicate depth of water resistance.Image: Charging system shall be water resistant Please indicate depth of water resistance.Image: Charging system shall be water resistant Please indicate depth of water resistance.Image: Charging system shall be water resistant Please indicate depth of water resistance.Image: Charging system shall be water resistant Please indicate depth of water resistance.Image: Charging system shall be water resistant Please indicate depth of water resistance.Image: Charging system shall be water resistant Please indicate depth of water resistance.Image: Charging system shall be water re   | 5.20.20             | department in the U.S. for at least two years or if the units are newer than 2 years, the Contractor must   |  |  |                                  |
| 5.20.22       standard power supplies. Charging system shall be lightweight and accommodate 110V (domestic) and 220V (international) power supplies. Charging system shall include a light to indicate whether the GPS unit is charging or has a full charge.         5.20.23       The transmitter bracelet shall be water resistant Please indicate depth of water resistance.         5.20.24       The transmitter shall have dual tamper detection utilizing electronic and fiber optic tamper mechanisms.         5.21       Software/Hosting Requirements         5.21.1       The Contractor shall provide a web-based software application that provides department personnel with access to central host system.         5.21.2       The application shall be accessible through a standard web browser interface.         5.21.3       The application shall utilize security protocols that will prevent unauthorized access to the database and the offender information contained therein.         5.21.4       The application shall not require installation on County computers.  | 5.20.21             | The unit shall be in compliance with U.S. patent laws.  |  |  |                                  |
| 5.20.24       The transmitter shall have dual tamper detection utilizing electronic and fiber optic tamper mechanisms.       Image: Constraint of the constraint optic tamper mechanisms.         5.21       Software/Hosting Requirements       Image: Constraint optic tamper mechanisms.       Image: Constraint optic tamper mechanisms.         5.21.1       The Contractor shall provide a web-based software application that provides department personnel with access to central host system.       Image: Constraint optic tamper mechanisms.       Image: Constraint optic tamper mechanisms.         5.21.2       The application shall be accessible through a standard web browser interface.       Image: Constraint optic tamper mechanisms.       Image: Constraint optic tamper mechanisms.         5.21.3       The application shall utilize security protocols that will prevent unauthorized access to the database and the offender information contained therein.       Image: Constraint optic tamper mechanisms.       Image: Constraint optic tamper mechanisms.         5.21.4       The application shall not require installation on County computers.       Image: Constraint optic tamper mechanisms.       Image: Constraint optic tamper mechanisms.  | 5.20.22             | standard power supplies. Charging system shall be lightweight and accommodate 110V (domestic) and 220V (international) power supplies. Charging system shall include a light to indicate whether the GPS unit   |  |  |                                  |
| 5.21       Software/Hosting Requirements       Image: Constractor shall provide a web-based software application that provides department personnel with access to central host system.         5.21.1       The Contractor shall provide a web-based software application that provides department personnel with access to central host system.       Image: Constraint of the personnel with access to central host system.         5.21.2       The application shall be accessible through a standard web browser interface.       Image: Constraint of the personnel with access to the database and the offender information contained therein.         5.21.3       The application shall not require installation on County computers.       Image: Constraint of the personnel with access to the database and the offender information shall not require installation on County computers.   |                     | <b>L</b>  |  |  |                                  |
| 5.21.1       The Contractor shall provide a web-based software application that provides department personnel with access to central host system.       Image: Contractor shall provide a web-based software application that provides department personnel with access to central host system.         5.21.2       The application shall be accessible through a standard web browser interface.       Image: Contractor shall utilize security protocols that will prevent unauthorized access to the database and the offender information contained therein.       Image: Contractor shall not require installation on County computers.         5.21.4       The application shall not require installation on County computers.       Image: Contractor shall not require installation on County computers.  |                     |   |  |  |                                  |
| 5.21.1       access to central host system.       Image: Control of the application shall be accessible through a standard web browser interface.       Image: Control of the application shall utilize security protocols that will prevent unauthorized access to the database and the offender information contained therein.       Image: Control of the application shall not require installation on County computers.       Image: Control of the application shall not require installation on County computers.       Image: Control of the application shall not require installation on County computers.       Image: Control of the application shall not require installation on County computers.       Image: Control of the application shall not require installation on County computers.       Image: Control of the application shall not require installation on County computers.  | 5.21                |   |  |  |                                  |
| 5.21.3       The application shall utilize security protocols that will prevent unauthorized access to the database and the offender information contained therein.       Image: Control of the database and the offender information contained therein.         5.21.4       The application shall not require installation on County computers.       Image: Control of the database and the offender information contained therein.  |                     | access to central host system.  |  |  |                                  |
| 5.21.3       offender information contained therein.         5.21.4       The application shall not require installation on County computers.   | 5.21.2              |   |  |  |                                  |
|   |                     | offender information contained therein.   |  |  |                                  |
| 5.21.5 This application shall be the single point for the department to setup and access information relative to GPS.   | 5.21.4              | The application shall not require installation on County computers.   |  |  |                                  |
|   | 5.21.5              | This application shall be the single point for the department to setup and access information relative to GPS.  |  |  |                                  |

| onse: Include additional commente below   |
|---|
| oonse: Include additional comments below.<br>Iditional space please include with your submittal attachment titled<br>ponse to Requirements" and note accordingly below. |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |

| Reference<br>Number | IMPORTANT INFORMATION:<br>Requirements that require a detailed response shall be submitted as attachment with titled "Detailed<br>Response to Requirements". The responses shall be in order and include the reference numbers within this<br>document. Acknowledgement of response on this sheet is required and reference of location of response shall<br>be referenced in the comment section of this document.<br>Any responses that are answered as a yes mean that the system will fully comply with no setup required,<br>configurable with no changes to source code, or are provided with reporting tool. If the functionality is not<br>available at this time the response shall be answered as no and shall be included in your proposal as<br>"exceptions" with further explanation. Refer to Section 7.0 of the specifications for more details on<br>Exceptions. | Yes<br>System<br>currently<br>performs these<br>functions<br>and/or agree to<br>requirement | cannot agree to |  |
|---------------------|--|---|-----------------|--|
| 5.21.6              | The application shall allow County personnel to view information about the offender, including but not limited to personal information, current electronic monitoring data, violation statuses, notification settings and reports.   |   |                 |  |
| 5.21.7              | The application shall allow County personnel to enroll/edit/ remove offenders without calling the monitoring center.   |   |                 |  |
| 5.21.8              | The application shall allow County personnel to create, edit, delete and apply monitoring parameters (such as daily/weekly schedules) for individual offenders or groups of offenders.   |   |                 |  |
| 5.21.9              | The application shall allow for notifications to be sent to County personnel via email, text message/page, and facsimile.  |   |                 |  |
| 5.21.10             | The application shall allow the County personnel to enter information to initiate multiple alert notifications (i.e. victims, officers, law enforcement) for specified key events (i.e. notify victim when an offender comes near an exclusion zone) or non-compliance with monitoring parameters.   |   |                 |  |
| 5.21.11             | The application shall allow department personnel to filter report results by violation/event.5.21.11.1Strap tamper5.21.11.2Inclusion zone violation  |   |                 |  |
|                     | 5.21.11.3       Exclusion zone violation         5.21.11.4       GPS tracking unit in motion with no GPS         5.21.11.5       GPS tracking unit case tamper   |   |                 |  |
| 5.21.12             | 5.21.11.6 Battery levels/charging history<br>The application shall enable County to find up-to-date location and monitoring information for any offender.<br>This "location request" function shall display offender location within two (2) minutes of request unless<br>wireless coverage unavailable.   |   |                 |  |
| 5.21.13             | The application shall display location of the offender on an interactive map containing recognizable state, county, municipality, and street names.  |   |                 |  |
| 5.21.14<br>5.21.15  | The application shall display every GPS point recorded by field units.<br>The application shall allow County personnel to easily zoom in and out by dragging the mouse to designate an area.   |   |                 |  |
| 5.21.16             | The application shall allow the County personnel to easily determine the approximate address of any tracking point.  |   |                 |  |
| 5.22                | Training   |   |                 |  |
| 5.22.1              | Contractor to provide at least one (1) initial training session of at least four (4) hours each for pre-trial release, CSCD (Adult Probation) and Juvenile Probation. This would be a total of three (3) training sessions at start of contract. Contractor shall also provide on-going training as needed.  |   |                 |  |
| 5.23                | Maintenance and Support  |   |                 |  |
|                     | Contractor shall maintain replacement parts during the term of the contract and shall service and/or replace defective parts within twenty-four (24) hours of any malfunction. If unit is not operable, a loaner/replacement unit shall be available to maintain continuous monitoring of offender.  |   |                 |  |
| 5.23.2              | Contractor shall provide twenty-four (24) hour technical service and support.  | ļ   |                 |  |
| 5.24                | <b>Storage of Data</b><br>Collin County requires storage of each participant's monitoring data for the life of the contract. Collin<br>County requests this information be stored on an electronic storage medium and provided to Collin County  |   |                 |  |
| 5.24.1              | upon written request. Upon termination of the contract, electronic copies of all data shall become the exclusive property of Collin County and Contractor shall provide affidavit that all participants' records have been removed from their system.  |   |                 |  |

| <u>conse:</u> Include additional comments below.<br>Iditional space please include with your submittal attachment titled<br>ponse to Requirements" and note accordingly below. |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |

| Number | IMPORTANT INFORMATION:<br>Requirements that require a detailed response shall be submitted as attachment with titled "Detailed<br>Response to Requirements". The responses shall be in order and include the reference numbers within this<br>document. Acknowledgement of response on this sheet is required and reference of location of response shall<br>be referenced in the comment section of this document.<br>Any responses that are answered as a yes mean that the system will fully comply with no setup required,<br>configurable with no changes to source code, or are provided with reporting tool. If the functionality is not<br>available at this time the response shall be answered as no and shall be included in your proposal as<br>"exceptions" with further explanation. Refer to Section 7.0 of the specifications for more details on<br>Exceptions. | Yes<br>System<br>currently<br>performs these<br>functions<br>and/or agree to<br>requirement | cannot agree to |  |
|--------|--|---|-----------------|--|
| F 24 2 | Data shall be readily available upon request within forty-eight (48) hours until one (1) year after defendant is   |   |                 |  |
|        | deactivated. Confidentiality   |   |                 |  |
|        | Confidentiality of offender records shall not be compromised. Contractor shall prevent unauthorized access to this data. Unauthorized access to the system shall not be allowed nor information disclosed to any third party without prior written authorization from Collin County.   |   |                 |  |
| 5.25.2 | Any personal or monitoring information for any offender made available shall only be used for the purpose of carrying out the provisions of this contract, and shall not be divulged nor made known in any manner to any person except as may be necessary in the performance of this contract.  |   |                 |  |
| 5.25.3 | Contractor agrees to assume responsibility for protection of the confidentiality of offender records and that all work shall be performed under the supervision of the Contractor or the Contractor's representative(s).   |   |                 |  |
| 5.25.4 | Each designated staff member of the Contractor to whom information may be available or disclosed shall be notified in writing by the Contractor that information disclosed to such employee can be used only for a purpose and to the extent authorized herein.  |   |                 |  |
| 5.25.6 | Contractor shall notify Collin County immediately upon receipt of any legal process requiring disclosure of records of participants.   |   |                 |  |

| <u>conse:</u> Include additional comments below.<br>Iditional space please include with your submittal attachment titled<br>ponse to Requirements" and note accordingly below. |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |