

**INTERLOCAL AGREEMENT
BETWEEN
COLLIN COUNTY AND THE
CULLEOKA WATER SUPPLY CORPORATION
CONCERNING THE REIMBURSEMENT OF THE COST OF ADJUSTMENT,
REMOVAL AND/OR RELOCATION OF CERTAIN FACILITIES IN CONNECTION
WITH THE MYRICK LANE & BOORMAN LANE ROADWAY PROJECT**

THIS INTERLOCAL AGREEMENT (this "Agreement") is made and entered into by and between COLLIN COUNTY, TEXAS (the "County"), a political subdivision of the State of Texas, and the CULLEOKA WATER SUPPLY CORPORATION (the "Corporation") (the County and the Corporation are sometimes referred to herein individually as a "Party" and collectively as the "Parties").

RECITALS:

WHEREAS, the Interlocal Cooperation Act (Texas Government Code Chapter 791) authorizes any local government to contract with one or more local governments to perform governmental functions and services under the terms of the Act; and

WHEREAS, the County has deemed it necessary to make certain roadway improvements from FM 546 to Highway 380 along Myrick Lane and Boorman Lane (the "Project") in Collin County, Texas; and

WHEREAS, the Project will necessitate the adjustment, removal and/or relocation (collectively, the "Rearrangement") of certain facilities of the Corporation, as described in Exhibit A, (the facilities subject to Rearrangement are referred to hereinafter as the "Conflicting Facilities"); and

WHEREAS, the County has agreed to reimburse the Corporation for its actual cut-of-pocket costs and expenses incurred directly in connection with the Rearrangement of the Conflicting Facilities, excluding Betterments (as hereinafter defined), but only to the extent eligible for participation by the County (such costs and expenses are referred to hereinafter as the "Eligible Costs," and the facilities related thereto as the "Eligible Facilities");

NOW, THEREFORE, this Agreement is made and entered into by the County and the Corporation upon and for the mutual consideration stated herein.

WITNESSETH:

ARTICLE I.

As used in this Agreement, the following terms shall have the following meanings:

"Adjusted Facilities" shall mean Corporation facilities that (a) are required to be adjusted, removed and/or relocated in order to accommodate the Project as designed and constructed by the County, and (b) may currently be located within a utility easement within the bounds of the Project.

"Betterment" shall mean any increase in the service capacity, or any upgrading of the Adjusted Facilities above the standard practices, devices or materials, specified in this Agreement or customarily used by the Corporation on projects solely financed by the Corporation.

ARTICLE II.

The Corporation shall prepare plans and specifications for the improvements, accept bids, award a contract to construct the improvements, and administer the construction contract. Prior to awarding any contract for the Rearrangement, the Corporation shall provide the County with written notice of the selected contractor, the bid tabulation, and the proposed contract amount. The County shall have ten (10) business days to review and provide comments. In all such activities, the Corporation shall comply with all statutory requirements applicable to a public works project. Changes to the plans, other than what was submitted for initial project acceptance by the County, must be reviewed and approved by the Corporation and the County.

All Rearrangement work shall be performed in strict accordance with the construction plans prepared by Dunaway Associates dated June 2026 (the "Plans"), a copy of which is attached hereto as Exhibit D. Any deviation from the Plans requires the prior written approval of the County. The Corporation's construction contract shall require the contractor to furnish performance and payment bonds in the full amount of the contract price and to name the County as an additional insured on all required insurance policies (including commercial general liability and workers' compensation).

The Corporation shall coordinate the Rearrangement with the County's roadway construction schedule. The County and its representatives shall have the right to observe and inspect the work at reasonable times upon reasonable notice solely to verify compliance with the Plans and to confirm that Eligible Costs are being incurred. The Corporation shall provide the County with monthly progress reports and at least 48 hours' advance notice prior to major construction activities (e.g., roadway bores, connections, or backfilling).

ARTICLE III.

The Corporation estimates the total actual cost of the Rearrangement to be seven hundred eighty thousand eight hundred and sixty nine dollars (\$780,869.00) ("Estimated Cost") as outlined in Exhibit B. The extent of each Party's financial responsibilities is outlined in Exhibit C. The County agrees to reimburse the Corporation for the Rearrangement cost by allocating five hundred seventy eight thousand three hundred and eleven dollars and fifty eight cents (\$578,311.58) ("Eligible Costs") for the performance of the Rearrangement.

ARTICLE IV.

County and Corporation recognize the costs provided at the time of this agreement are estimated. The County's reimbursement for the Rearrangement shall not exceed five hundred seventy eight thousand three hundred and eleven dollars and fifty eight cents (\$578,311.58) which is 74.06% of the Estimated Cost. Immediately after tabulating all the bids received for the

Corporation's Rearrangement of the Conflicting Facilities, the Corporation will notify the County in writing of the name of the contractor selected by the Corporation and the bid amount for the project. If said contractor's bid for the Corporation's work differs from the amount stated in Article III, the cost savings or exceedances will be distributed based on the percentage of shared costs as outlined in Exhibit C (County share 74.06%, Corporation share 25.94%), provided, however, that the County's total reimbursement obligation under this Agreement shall not exceed the not-to-exceed amount stated above without the County's prior written approval.

ARTICLE V.

Upon completion of the Rearrangement, the Corporation shall invoice the County for actual Eligible Costs incurred up to the amount set forth in Article III above (subject to adjustment as otherwise provided in this Agreement) and shall include with its invoice detailed backup documentation (including subcontractor invoices, payroll records, material receipts, and progress reports) sufficient to substantiate such costs. The Corporation shall maintain all records related to Eligible Costs for at least four (4) years after final payment and shall grant the County and its auditors access to such records upon reasonable notice. Final reimbursement shall be conditioned upon (i) delivery of record (as-built) drawings in a format acceptable to the County, and (ii) the County's verification that the work substantially complies with the Plans for purposes of determining Eligible Costs. All payments due to the Corporation from the County will be paid by the County within forty-five (45) days after receipt of said invoice and documentation from the Corporation.

ARTICLE VI.

The Corporation shall obtain the County's prior written approval for any change order that affects Eligible Facilities or increases the total Eligible Costs. The County shall not unreasonably withhold approval. If a change order is approved and results in total costs that exceed the Eligible Costs stated in Article III, the Corporation will send copies of invoices covering the additional amounts authorized by a change order approved by the Corporation. The County will pay the additional amount resulting from said change order, if any, in the manner otherwise set forth in this Agreement, unless further time is required by the County Commissioner's Court to approve said payment and/or appropriate the necessary funds. The Corporation shall be responsible for all other costs, which exceed the total estimated Eligible Costs and/or are not Eligible Facilities.

ARTICLE VII.

If the actual amount of Eligible Costs is less than the amount stated in Article III (subject to adjustment as otherwise provided in this Agreement), the Corporation agrees to refund to the County the amount of any overpayment within 45 days of final closeout.

ARTICLE VIII.

TO THE EXTENT ALLOWED BY LAW, EACH PARTY AGREES TO RELEASE, DEFEND, INDEMNIFY, AND HOLD HARMLESS THE OTHER (AND ITS OFFICERS, AGENTS, AND EMPLOYEES) FROM AND AGAINST ALL CLAIMS OR CAUSES OF

ACTION FOR INJURIES (INCLUDING DEATH), PROPERTY DAMAGES (INCLUDING LOSS OF USE), AND ANY OTHER LOSSES, DEMANDS, SUITS, JUDGEMENTS AND COSTS, INCLUDING REASONABLE ATTORNEYS' FEES AND EXPENSES, IN ANY WAY ARISING OUT OF, RELATED TO, OR RESULTING FROM ITS PERFORMANCE UNDER THIS AGREEMENT, OR CAUSED BY ITS NEGLIGENT ACTS OR OMISSIONS (OR THOSE OF ITS RESPECTIVE OFFICERS, AGENTS, EMPLOYEES, OR ANY OTHER THIRD PARTIES FOR WHOM IT IS LEGALLY RESPONSIBLE) IN CONNECTION WITH PERFORMING THIS AGREEMENT.

ARTICLE IX.

MISCELLANEOUS

Section 8.1: Addresses and Notice. Unless otherwise provided in this Agreement, any notice, communication, request, reply, delivery or advice ("Notice") provided or permitted to be given, made or accepted by a Party, must be in writing and shall be given (i) by email at the email address of the Party to be notified as set forth below, or (ii) by the mailing of same by United States certified mail (return receipt requested), with proper postage affixed thereto and addressed to the Party to be notified at the address set forth below. Notice by email shall be effective upon actual receipt by the Party to be notified. Notice by certified mail shall be effective when actually received, as reflected on the corresponding return receipt. For the purpose of Notice, the email and mailing addresses of the Parties shall, until changed as hereinafter provided, be as follows:

To the County: Collin County | Engineering
4690 Community Avenue, Ste. 200
McKinney, Texas 75071
Attn: Tracy Homfeld, PE, CFM
Email: thomfeld@co.collin.tx.us

To the Corporation: Culleoka WSC
Attn: Arthur Rhodes
3388 FM 982
Princeton, Texas 75407
Email: ARhodes@culleoka.org

Section 8.2. Venue. The laws of the State of Texas shall govern the interpretation, validity, performance and enforcement of this Agreement. The parties agree that this Agreement is performable in Collin County, Texas and that exclusive venue shall lie in Collin County, Texas.

Section 8.3. Severability. The provisions of this Agreement are severable. If any paragraph, section, subdivision, sentence, clause, or phrase of this Agreement is for any reason held by a court of competent jurisdiction to be contrary to law or contrary to any rule or regulation having the force and effect of the law, the remaining portions of the Agreement shall be enforced as if the invalid provision had never been included.

Section 8.4. Entire Agreement. This Agreement embodies the entire Agreement between the parties and may only be modified in writing executed by both parties.

Section 8.5. Successors and Assigns. This Agreement shall be binding upon the Parties hereto, their successors, heirs, personal representatives and assigns. Neither Party will assign or transfer an interest in this Agreement without the written consent of the other Party.

Section 8.6. Immunity. It is expressly understood and agreed that, in the execution of this Agreement, neither Party waives, nor shall be deemed hereby to have waived any immunity or defense that would otherwise be available to it against claims arising in the exercise of governmental powers and functions. By entering into this Agreement, the Parties do not create any obligations, express or implied, other than those set forth herein, and this Agreement shall not create any rights in parties not signatories hereto.

Section 8.7. Force Majeure. No Party shall be liable or responsible to the other Party, nor be deemed to have defaulted under or breached this Agreement, for any failure or delay in fulfilling or performing any term of this Agreement, when and to the extent such failure or delay is caused by or results from acts beyond the affected Party's reasonable control, including, without limitation: acts of God; flood, fire or explosion; war, invasion, riot or other civil unrest; actions, embargoes or blockades in effect on or after the date of this Agreement; or national or regional emergency (each of the foregoing, a "Force Majeure Event"). A Party whose performance is affected by a Force Majeure Event shall give notice to the other Party, stating the period of time the occurrence is expected to continue and shall use diligent efforts to end the failure or delay and minimize the effects of such Force Majeure Event.

Section 8.8. Term. This Agreement shall be effective upon execution by both Parties and shall terminate when the Rearrangement of the Conflicting Facilities have been completed and all reimbursement payments due to the Corporation under this Agreement have been paid to the Corporation.

Section 8.9. Recitals; Attachments, Exhibits. The Parties agree to the truth of the recitals set forth above in this Agreement. The recitals and all attachments or exhibits to this Agreement are, by this reference, incorporated into and deemed a part of this Agreement.

Section 8.10. Interpretations. This Agreement and all the terms and provisions hereof shall be liberally construed to effectuate the purposes set forth herein and to sustain the validity of this Agreement. The Parties agree that this Agreement shall not be construed in favor of or against any of the Parties on the basis that the Party did or did not author this Agreement.

[Remainder of Page Blank
Signatures Follow]

ATTEST:

By: [Signature]
Name: SHONA NAVARRE
Title: ADMIN. SECRETARY
Date: 7-15-2026

COUNTY OF COLLIN, TEXAS

By: [Signature]
Name: CHRIS HILL
Title: COUNTY JUDGE
Date: 13 JULY 2026
Executed on this 15th day of JULY,
2026, by the County of Collin,
pursuant to Commissioners' Court
Order No. 2026-732-07-13.

ATTEST:

By: [Signature]
Name: Ginger K. Phillips
Title: Notary
Date: 6-16-26

CULLEOKA WATER SUPPLY
CORPORATION

By: [Signature]
Name: Arthur Rhodes
Title: General Manager
Date: 16 June 2026
Executed on behalf of the Culleoka Water
Supply Corporation



EXHIBIT A

The approved set of construction plans for the Corporation's Rearrangement will describe the actual construction work required. A summary of the Rearrangement is as follows:

- The proposed cut and cap of the existing 3" waterlines and 1" waterlines within the proposed road right-of-way on FM 546.
- The proposed 3" waterline bore across FM 546 with 6" steel encasement.
- The proposed 3" waterline and service connections to be relocated on FM 546.
- The proposed cut and cap of the existing 8" and 6" waterlines within the proposed road right-of-way on CR 452.
- The proposed 8", 4", and 2" waterlines and service connections on and near CR 452 and CR 456.
- The proposed 8" waterline bore across Grenada Lake Drive with 16" PVC encasement.
- The proposed 8" waterline bore across CR 452 with 16" PVC encasement.
- The proposed 4" waterline bore with 8" PVC encasement across the proposed road right-of-way near CR 452.
- The proposed 2" waterline
- The proposed bores required for all relocations, e.g. driveways, fences, sewer lines, etc.

Collin County Contact Information

Request for reimbursement submitted to:

Collin County
Attn: Tracy Homfeld
4690 Community Avenue, Suite 200
McKinney, Texas 75071
972-548-3733

Culleoka Water Supply Corporation Contact Information:

Name: Arthur Rhodes, General Manager
Address: 3388 FM 982
Princeton, Texas 75407
Phone: Work: (972) 736-2592
Email: ARhodes@culleoka.org

EXHIBIT B

Culleoka WSC Utility Relocation Myrick-Boorman Ln Estimated Project Cost					
06/02/2026					
Construction Cost Estimate - All Relocations					
No.	Description	Unit	Quantity	Unit Price	Total
1	Furnish & Install 3" DR-18 C900 PVC waterline with appurtenances	LF	462	\$ 30.00	\$ 13,860.00
2	Furnish & Install 3" DR-18 C900 PVC waterline via Driveway and Fence Bores without encasement with appurtenances	LF	50	\$ 150.00	\$ 7,500.00
3	Furnish & Install 3" DR-18 C900 PVC waterline via Highway Bore with 6" SCH. 40 Steel encasement with appurtenances	LF	90	\$ 250.00	\$ 22,500.00
4	Furnish & Install 2" SDR-9 HDPE waterline with appurtenances	LF	762	\$ 20.00	\$ 15,240.00
5	Furnish & Install 2" SDR-9 HDPE waterline via Driveway Bore with appurtenances	LF	44	\$ 40.00	\$ 1,760.00
6	Furnish & Install 4" DR-18 C900 PVC waterline with appurtenances	LF	1,248	\$ 40.00	\$ 49,920.00
7	Furnish & Install 4" DR-18 C900 PVC waterline via Driveway and Fence Bores without encasement with appurtenances	LF	30	\$ 60.00	\$ 1,800.00
8	Furnish & Install 4" DR-18 C900 PVC waterline via Road Bore with 8" DR-18 C900 PVC encasement with appurtenances	LF	170	\$ 60.00	\$ 10,200.00
9	Furnish & Install 8" DR-18 C900 PVC Casing for 4" DR-18 C900 PVC carrier pipe with appurtenances	LF	184	\$ 100.00	\$ 18,400.00
10	Furnish & Install 8" DR-18 C900 PVC waterline with appurtenances	LF	2,150	\$ 100.00	\$ 215,000.00
11	Furnish & Install 8" DR-18 C900 PVC waterline via Driveway and Fence Bores without encasement with appurtenances	LF	85	\$ 200.00	\$ 17,000.00
12	Furnish & Install 8" DR-18 C900 PVC waterline via Sanitary Sewer and Fence Bore with 16" DR-18 C900 PVC encasement with appurtenances	LF	20	\$ 200.00	\$ 4,000.00
13	Furnish & Install 8" DR-18 C900 PVC waterline via Sanitary Sewer and Road Bore with 16" DR-18 C900 PVC encasement with appurtenances	LF	35	\$ 200.00	\$ 7,000.00
14	Furnish & Install 8" DR-18 C900 PVC waterline via County Road Bore with 16" DR-18 C900 PVC encasement with appurtenances	LF	35	\$ 200.00	\$ 7,000.00
15	Furnish & Install 16" DR-18 C900 PVC Casing for 8" DR-18 C900 PVC carrier pipe with appurtenances	LF	94	\$ 225.00	\$ 21,150.00
16	Furnish & Install 3" Gate Valve	EA	2	\$ 1,500.00	\$ 3,000.00
17	Furnish & Install 4" Gate Valve	EA	3	\$ 2,000.00	\$ 6,000.00
18	Furnish & Install 6" Gate Valve	EA	1	\$ 3,000.00	\$ 3,000.00
19	Furnish & Install 8" Gate Valve	EA	4	\$ 4,000.00	\$ 16,000.00
20	Furnish & Install 8"x4" Tapping Saddle	EA	1	\$ 1,500.00	\$ 1,500.00
21	Furnish & Install Ductile Iron Fittings	TON	1.5	\$ 15,000.00	\$ 22,500.00
22	Furnish & Install Short-Side Service Connection to existing meter with appurtenances	EA	12	\$ 1,500.00	\$ 18,000.00
23	Furnish & Install Flush Valve Assembly with appurtenances	EA	2	\$ 4,000.00	\$ 8,000.00
24	Furnish & Install Auto-Flush Hydrant Assembly with appurtenances	EA	1	\$ 4,000.00	\$ 4,000.00
25	Connections to Existing Waterlines	EA	9	\$ 5,000.00	\$ 45,000.00
26	Furnish & Install Seeding	SF	59280	\$ 0.10	\$ 5,928.00
27	Furnish & Install Tracer Tape	LF	5,102	\$ 3.00	\$ 15,306.00
28	Furnish & Install Road Bore Trench Safety	LF	295	\$ 10.00	\$ 2,950.00
29	Furnish & Install Erosion Control	LF	23110	\$ 2.50	\$ 57,775.00
30	Mobilization Demobilization	LS	1	\$ 31,080.00	\$ 31,080.00
Construction Cost Subtotal					\$ 652,369.00
Non-Construction Cost Estimate					
No.	Description	Unit	Quantity	Unit Price	Total
1	Engineering Design Services	LS	1	\$ 74,600.00	\$ 74,600.00
2	Construction Inspection/Admin Services	LS	1	\$ 43,900.00	\$ 43,900.00
3	Culleoka WSC Administration Costs	LS	1	\$ 10,000.00	\$ 10,000.00
Non-Construction Cost Subtotal					\$ 128,500.00
Total Project Cost					\$ 780,869.00
NOTE: This is an O.P.C.C. only. Actual costs may vary depending on prevailing material, wage and fuel prices. Any required legal, permitting fees, or administrative costs are not included.					

EXHIBIT C

Culleoka WSC Utility Relocation Myrick-Boorman Ln Reimbursable Waterline Lengths				
Pipe Size (IN)	Easement Eligible (LF)	Public ROW / Not Eligible (LF)	Totals (LF)	Eligibility (%)
1	7	96	103	6.80%
2	288	30	318	90.57%
3	953	115	1068	89.23%
6	1158	687	1845	62.76%
8	1767	534	2301	76.79%
Total	4,173	1,462	5,635	74.06%
Total Existing Length of Line (Eligible)			4,173	
Total Existing Length of Line (Not Eligible)			1,462	

Culleoka WSC Utility Relocation Myrick-Boorman Ln Project Costs	
Collin County Cost (74.06%):	\$ 578,311.58
Culleoka WSC Cost (25.94%):	\$ 202,557.42
Total Project Cost:	\$ 780,869.00

EXHIBIT D

FM 546 TO MYRICK LN/BOORMAN LN
UTILITY RELOCATIONS FOR PROPOSED ROADWAYS
COLLIN COUNTY, TEXAS

JUNE 2026




118 McKinney St. • P.O. Box 606 • Farmersville, Texas 75442
Tel: 972.784.7777
(TXENG FIRM F-1114)

INDEX OF SHEETS

NUMBER	DESCRIPTION
	GENERAL
1	COVER
2-1	VICINITY MAP
	GUTTERAL NOTES
4	WATER
5-7	3" WA. FM 546
8-9	3" WA. CR 452
10	2" WA. & 4" WA. CR 452 TO DOVE HILL TRAIL
	3" WA. CR 456
	DETAILS
11	OUTLEGA WSC STANDARD DETAILS
12	CITY OF PRINCETON STANDARD DETAILS





DUNAWAY
115 Apt. 1001, J. & P. O. Box 6056, Farmersville, Texas 75442
Tel. 817-784-7777
(FAXING FORM 7-114)

444-2
602720906



—

B011637.009
E.A.C-M.
Z.D.
Z.D.
JUNE 2026

- GENERAL NOTES:**
1. ALL WATER LINES SHALL BE 150 P.S.I. PRESSURE CLASS 150 PVC PIPE UNLESS OTHERWISE NOTED.
 2. ALL FITTINGS SHALL BE CAST IRON OR DUCTILE IRON UNLESS OTHERWISE NOTED.
 3. ALL VALVES SHALL BE 150 P.S.I. SQUARE HEAD UNLESS OTHERWISE NOTED.
 4. ALL VALVES AND FITTINGS SHALL BE PROPERLY RESTRAINED WITH MECHANICAL JOINTS OR APPROVED EQUIVALENT.
 5. EXISTING WATER LINES SHALL BE PROTECTED BY NEW LINES AND SERVICE LINES RECONNECTED.
 6. NEW WATER LINE INSTALLATION SHALL BE COORDINATED TO MINIMIZE DOWN-TIME.
 7. CONTRACTOR SHALL FIELD VERIFY LOCATION AND SIZE OF ALL WATER LINES THE LOCATION OF ALL ELECTRICAL UTILITY LINES AND THE PRESENCE & LOCATION OF ALL OTHER UTILITIES IN THE AREA.
 8. CONTRACTOR SHALL FINISH GRADE TRENCH LINE TO MATCH EXISTING TERRAIN.
 9. CONTRACTOR SHALL INSTALL ALL WATER LINES WITH A MINIMUM COVER OF 42".
 10. NO COVERING OF LINES ALLOWED UNTIL INSPECTED BY CULLEOKA WSC OR ENGINEER'S APPOINTED REPRESENTATIVE.
 11. CASING MUST BE INSTALLED UNDER STATE ROADS & COUNTY ROADS. A ROAD SCORE PERMIT MUST BE DISPLAYED AND AVAILABLE FOR INSPECTION. ENCASEMENT SHALL BE PER YEAR 1 REQUIREMENTS.
 12. ALL RULES AND REGULATIONS, REQUIRED BY THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY (TCEQ), MUST BE MET.
 13. WATER LINES SHALL BE INSTALLED IN ACCORDANCE WITH TEXAS COMMISSION ON ENVIRONMENTAL QUALITY (TCEQ) WATER DISTRIBUTION SYSTEM GENERAL CONSTRUCTION NOTES.
 14. ABANDONED EXISTING WATER METERS AND FIRE HYDRANTS SHALL BE REMOVED AND REUSED. DAMAGED WATER METERS SHALL BE REPLACED BY THE CONTRACTOR.
 15. TAPPING SLEEVES SHALL BE STAINLESS STEEL FULL WRAP TAPPING SADDLES SHALL BE DUAL STRAP BRASS.
 16. ABATEMENT AND REMEDIATION OF ASBESTOS CONCRETE WATER LINES SHALL BE DONE IN ACCORDANCE WITH SPECIFICATION 1003-ASBESTOS CEMENT PIPE REMOVAL CORPORATION STOPS AND CURB STOPS SHALL NOT BE MUELLER.
 17. CONSULT THE ENGINEERING REPRESENTATIVE BEFORE DISTURBING ANY SOIL CONCERNING THE SEPTIC FIELD LINES. WATER LINES SHALL BE INSTALLED TO MEET MINIMUM DISTANCES PER 30 TAC 285. SEPTIC FIELDS SHALL NOT ENTER CULLEOKA WSC EASEMENTS.
 18. CUSTOMER FUNDED TESTING WILL BE PERFORMED ON THIS PROJECT FOR SOIL DENSITY (COMPACTION) AND CONCRETE REQUIREMENTS. IN THE EVENT OF A TEST FAILURE, THE CONTRACTOR SHALL PAY FOR ANY RETEST FEES.
 19. OPERATIONS ALONG HIGHWAYS SHALL BE PERFORMED IN SUCH MANNER THAT ALL EXCAVATED MATERIAL, ALL OPERATING EQUIPMENT, AS WELL AS PARKED VEHICLES, ARE KEPT OFF THE PAVEMENT AT ALL TIMES. ANY VEHICLES REQUIRED TO REMAIN ON THE ROADWAY, INCLUDING SHOULDERS, ARE TO BE PROPERLY BARRICADED ACCORDING TO THE TEXAS MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES.
 20. WHERE EXCAVATION OR BACKFILLING OPERATIONS DISTURB SOIL OR SODDING, SUCH AREAS SHALL BE RESTORED TO THE ORIGINAL STATE. IF NOT A BETTER CONDITION, AFTER BACK FILLING, LAY SOODING BLOCK SODDING, OR THE ESTABLISHMENT OF VEGETATION THROUGH SEEDING SHALL OCCUR ON ALL SLOPES OF 3 TO 1 OR FLATTER. BROADCAST SEEDING SHOULD BE LIMITED TO FLAT AREAS WHICH HAVE CLAY OR TIGHT SOIL TEXTURE ONLY. THIS APPLICATION METHOD IS NOT RECOMMENDED FOR ANY OPEN AREA OR ANY AREA WHOSE PREDOMINANT SOIL TEXTURE IS LOOSE OR SANDY. SODDING OR USE OF A SOIL RETENTION BLANKET IS RECOMMENDED IF A SOIL RETENTION BLANKET IS USED OF THE TEXAS STANDARD SPECIFICATIONS FOR CONSTRUCTION OF HIGHWAYS, STREETS, AND BRIDGES BY THE BROADCAST METHOD IS RECOMMENDED.
 21. PROPER TRAFFIC CONTROL MEASURES SHALL BE MAINTAINED FOR DURATION OF CONSTRUCTION AS PRESCRIBED BY THE TEXAS DEPARTMENT OF TRANSPORTATION PERSONNEL. (REFERENCE TEXAS MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES) THE CONTRACTOR OR OWNER SHALL PROVIDE BARRICADES, WARNING SIGNS, AND FLAGGERS WHEN APPLICABLE. ANY EXCAVATION IN CLOSE PROXIMITY TO THE CURB AND GUTTER SHALL NOT BE PERFORMED UNTIL THE TEXAS DEPARTMENT OF TRANSPORTATION MAINTENANCE SUPERVISOR HAS BEEN CONTACTED TO DETERMINE IF SHORING IS REQUIRED.
 22. ALL BORE PITS OR OPEN EXCAVATION SHALL BE CLOSED THE SAME DAY THEY ARE OPENED IF AT ALL POSSIBLE. ANY PIT OR EXCAVATION LEFT OPEN OVERNIGHT SHALL BE BARRICADED AS REQUIRED BY THE TEXAS DEPARTMENT OF TRANSPORTATION REPRESENTATIVE AND IN ACCORDANCE WITH THE TEXAS MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES.
 23. CONSTRUCTION OPERATIONS SHALL BE SUSPENDED DURING WET CONDITIONS WHEN IN THE STATES OPEN ON DAMAGE TO THE RIGHT-OF-WAY COULD OCCUR OR WHEN SAFETY TO THE TRAVELING PUBLIC IS AN ISSUE.
 24. WATER METERS SHALL NOT BE PLACED ON "DO NOT RIGHT-OF-WAY".
 25. THE CONTRACTOR SHALL SECURE A COPY OF AN EXECUTED PERMIT AND BE FULLY AWARE OF THE REQUIREMENTS CONTAINED HEREIN BEFORE A JOB IS STARTED. A COPY OF THE FULLY EXECUTED PERMIT SHALL BE LOCATED AT ALL TIMES ON THE JOB UNTIL FINAL COMPLETION.
 26. NO FLANGE FITTINGS ALLOWED EXCEPT FOR TAPPING SLEEVES OR AS OTHERWISE SPECIFIED BY THE PLANS OR BY DIRECTION OF REPRESENTATIVE OF CULLEOKA WSC.
 27. 3" AND LARGER ROAD BORES SHALL BE DRY BORE.
 28. WATER LINES SHALL BE INSTALLED TO ALLOW OPERATIONAL SERVICE. CULLEOKA WSC RESERVES THE RIGHT TO RECOVER WATERLINE ENCASEMENT UNDER ROADWAYS OR UNDER/BOVER CROSSING UTILITIES WHERE THE DESIGN WILL LIMIT ACCESS AND SERVICEABILITY IN THE FUTURE.
 29. WATERLINE INDICATOR TYPE MATERIAL SHALL BE 34 PMS WARNING TAPE, PART NO. #7903-BLUE. TAPE SHALL BE INSTALLED NO DEEPER THAN 3 TO 15 FEET FROM THE SURFACE.
 - 30.
 - 31.

NOTES TO BE OBSERVED BY THE CONTRACTOR AND THE OWNER:

1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

9. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

11. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

12. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

13. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

14. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

15. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

16. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

17. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

18. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

19. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

20. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

21. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

22. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

23. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

24. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

25. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

26. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

27. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

28. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

29. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

30. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

31. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

32. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

33. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

34. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

35. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

36. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

37. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

38. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

39. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

40. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

41. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

42. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

43. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

44. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

45. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

46. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

47. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

48. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

49. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

50. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

51. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

52. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

53. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

54. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

55. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

56. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

57. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

58. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

59. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

60. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

61. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

62. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

63. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

64. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

65. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

66. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

67. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

68. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

69. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

70. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

71. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

72. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

73. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

74. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

75. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

76. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

77. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

78. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

79. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

80. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

81. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

82. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

83. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

84. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

85. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

86. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

87. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

88. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

89. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

90. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

91. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

92. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

93. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

94. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

95. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

96. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

97. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

98. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

99. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.

100. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES AND AGENCIES.



GENERAL NOTES

FM 546 TO MYRICK LN/BOORMAN
LN UTILITY RELOCATIONS FOR
PROPOSED ROADWAYS



TABLE 1

CULLEOKA W.S.C. WATER LINE SPECIFICATIONS

APPLICATION	MATERIAL	DIAMETER	STANDARD	DIMENSION RATIO	PRESSURE RATING
Standard Carrier Pipe	PVC	4" to 12"	AWWA Standard C900	DR 18	150 psi
Standard Carrier Pipe	PVC	14" to 48"	AWWA Standard C905	DR 25	185 psi
Restrained Joint Carrier Pipe	PVC (Vulcanized, Corrosion-Resistant)	4" to 12"	AWWA Standard C900 / RJ	DR 18	150 psi
Restrained Joint Carrier Pipe	PVC	18"	AWWA Standard C905 / RJ	DR 25	185 psi
State Roadway Crossing Encasement, Open Cut	Steel	4" to 24"	ASTM A252 Grade 2, Wall Thickness Schedule 40 or 0.375" whichever is less	N/A	No Rating
State Roadway Bore Encasement	Steel	4" to 24"	ASTM A252 Grade 2, Wall Thickness Schedule 40 or 0.375" whichever is less	N/A	No Rating
City / Collin County Roadway Crossing Encasement, Open Cut	PVC	4" to 12"	AWWA Standard C900	DR 25	No Rating
City / Collin County Roadway Crossing Encasement, Open Cut	PVC	14" to 48"	AWWA Standard C905	DR 25	No Rating
City / Collin County Roadway Crossing Encasement, Open Cut	HDPE PVC	4" to 63" 4" to 27"	AWWA Standard C906 ASTM D3034, ASTM F829	DR 11 SDR 35, PS46	No Rating
Railroad Crossing Encasement	Steel	4" to 24"	Use Railroad Specifications	N/A	No Rating
Creek Crossing Encasement	HDPE PVC	4" to 63" 4" to 27"	AWWA Standard C906 ASTM D3034, ASTM F829	DR 11 SDR 35, PS46	180 psi
Service Line	PE	3/4" to 2"	AWWA Standard C901	SDR 9	200 psi

NOTES:

Carrier Pipe shall be restrained joint if encased more than 30'

THIS DOCUMENT IS THE PROPERTY OF CULLEOKA W.S.C. AND IS TO BE USED ONLY FOR THE PROJECT AND LOCATION SPECIFICALLY IDENTIFIED HEREON. IT IS TO BE RETURNED TO CULLEOKA W.S.C. UPON COMPLETION OF THE PROJECT. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM CULLEOKA W.S.C.




GENERAL NOTES





FM 546 TO MYRICK LN/BOORMAN
LN UTILITY RELOCATIONS FOR
PROPOSED ROADWAYS





NOTE: THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND EASEMENTS PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND EASEMENTS PRIOR TO CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND EASEMENTS PRIOR TO CONSTRUCTION.




LOCATION MAP
1"=2000'


3" WL FM 546 ~ STA 0+00 TO END

FM 546 TO MYRICK LN/BOORMAN LN UTILITY RELOCATIONS FOR PROPOSED ROADWAYS





MATCH LINE STA 9+00



NOTES TO BE OBSERVED: ALL SHOWN ARE FOR INFORMATION ONLY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR THE PROTECTION OF ALL EXISTING UTILITIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL EXISTING UTILITIES.

8" WL CR 452 ~ STA 0+00 - 9+00

FM 546 TO MYRICK LN/BOORMAN LN UTILITY RELOCATIONS FOR PROPOSED ROADWAYS



8011637.009

E.A.C.M.

Z.D.

Z.D.

JUNE 2025

5

S 2nd St

CR 452

LOCATION MAP

I-200R

N

FM 546 TO MYRICK LN/BOORMAN
LN UTILITY RELOCATIONS FOR
PROPOSED ROADWAYS


DUNAWAY
11800 Katyway Dr. • P.O. Box 616 • Commerce, Texas 75424
Tel: 972/754-7177
Fax: 972/754-7178

LEADERSHIP



THE KENTING URBAN ZONE ON THE TAIWAN STRAIT IS BEING DEVELOPED BY THE HONGKONG AND SHANGHAI TRADING COMPANY (HSBC) IN CONJUNCTION WITH THE CHINESE GOVERNMENT. HSBC HAS BEEN SELECTED BY THE CHINESE GOVERNMENT TO DEVELOP AND MANAGE THE ZONE. HSBC HAS A LONG HISTORY OF DEVELOPING URBAN AREAS IN THE PRC. HSBC HAS BEEN INVOLVED IN THE DEVELOPMENT OF THE SHANGHAI PUDONG DISTRICT, THE SHANGHAI FINANCIAL CENTER, AND THE SHANGHAI EXPO SITE. HSBC HAS ALSO BEEN INVOLVED IN THE DEVELOPMENT OF THE BEIJING 2008 OLYMPIC VILLAGE. HSBC HAS A STRONG REPUTATION FOR ITS ABILITY TO DELIVER HIGH-QUALITY DEVELOPMENTS ON TIME AND WITHIN BUDGET. HSBC HAS A COMMITMENT TO SUSTAINABLE DEVELOPMENT AND TO THE WELL-BEING OF THE COMMUNITY. HSBC HAS A COMMITMENT TO THE ENVIRONMENT AND TO THE WELL-BEING OF THE COMMUNITY. HSBC HAS A COMMITMENT TO THE ENVIRONMENT AND TO THE WELL-BEING OF THE COMMUNITY. HSBC HAS A COMMITMENT TO THE ENVIRONMENT AND TO THE WELL-BEING OF THE COMMUNITY.



MATCH LINE STA 20+00



EXISTING UNDERGROUND VALVES SHALL REMAIN IN PLACE UNLESS OTHERWISE NOTED.



LOCATION MAP

1"=200'

8" WL CR 452 ~ STA 20+00 - 23+12.53

NOTES:
1. CONTRACTOR SHALL COORDINATE WITH ALL AGENCIES AND UTILITIES TO DETERMINE THE LOCATION AND DEPTH OF ALL EXISTING UTILITIES.
2. CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS AND APPROVALS FROM ALL AGENCIES AND UTILITIES.
3. CONTRACTOR SHALL MAINTAIN ACCESS TO ALL ADJACENT PROPERTIES AND UTILITIES AT ALL TIMES.
4. CONTRACTOR SHALL MAINTAIN ALL EXISTING UTILITIES AND STRUCTURES IN PLACE AND IN GOOD WORKING ORDER.
5. CONTRACTOR SHALL MAINTAIN ALL EXISTING UTILITIES AND STRUCTURES IN PLACE AND IN GOOD WORKING ORDER.



7

JUNE 2026


Z.D.

E.A.C.M.


801637.009

FM 546 TO MYRICK LN/BOORMAN LN UTILITY RELOCATIONS FOR PROPOSED ROADWAYS





© 2005 Microsoft Corporation. All Rights Reserved. Microsoft, Windows, and Windows XP are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.



NOTES:
1. CONTRACTOR SHALL COORDINATE WITH ALL AFFECTED AGENCIES AND UTILITIES TO OBTAIN ALL NECESSARY PERMITS AND APPROVALS PRIOR TO CONSTRUCTION.
2. CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS AND APPROVALS PRIOR TO CONSTRUCTION.
3. CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS AND APPROVALS PRIOR TO CONSTRUCTION.
4. CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS AND APPROVALS PRIOR TO CONSTRUCTION.



2" WL-1A & 4" WL-1A CR 452 to Dove Hill Trail

FM 546 TO MYRICK LN/BOORMAN LN UTILITY RELOCATIONS FOR PROPOSED ROADWAYS



ABANDON EX. 1.5" WL

INSTALL:
1.5" PLUG
CUT & CAP EX. CULLEOKA 1.5" WL

EX. METER TO
REMAIN IN
SERVICE

EX. SERVICE LINE AND METER
ON CR 452 TO BE ABANDONED
(NEW METER TO BE INSTALLED
ON CR 456, SEE SHEET 10)

LOCATING THE
EXISTING
SEWER LINE

EX. R.O.W.

STA 0+00 ~ START PROP. 4" WL-2A
INSTALL:
6" GATE VALVE
6"x4" REDUCER (N)
(2) 4" 90° BEND
6" PLUG (E)
PROP. WL TO BE 5" FROM EX. 6" WL
CUT & CAP EX. CULLEOKA 6" WL

EX. CULLEOKA 6" WL TO BE
ABANDONED AND REPLACED
WITH PROP. 4" WL-2A

STA 1+15.80 ~ 4" WL-2A
BEGIN 4" WL BORE W/ 8" PVC ENCASEMENT
I.O.P. = 545', MIN. 4' COVER

STA 2+53.26 ~ 4" WL-2A
END 4" WL BORE W/ 8" PVC ENCASEMENT
I.O.P. = 545', MIN. 4' COVER

STA 2+83.27 ~ 4" WL-2A
INSTALL:
4" 45° BEND

STA 3+20.27 ~ 4" WL-2A
BEGIN 4" WL BORE W/ 8" PVC ENCASEMENT
MIN. 4' COVER

STA 3+53.95 ~ 4" WL-2A
END 4" WL ROAD BORE W/ 8" PVC ENCASEMENT
MIN. 4' COVER

STA 3+42.43 ~ END PROP 2" WL-1A
INSTALL:
FLUSH VALVE
SHORT SIDE CONNECTION WITH
RELOCATED METER (SEE SHEET 8)

3+00+42

0+00

0+87.32 ~ 4" WL-2A
INSTALL:
4" 45° BEND

STA 0+94.97 ~ 4" WL 2A
INSTALL:
4" 11.25° BEND

PROPOSED 138 LF 4" PVC WL ROAD
BORE WITH 8" PVC ENCASEMENT


CUT & CAP EX. CULLEOKA
6" WL & 2" WL

INSTALL:
6" PLUG
2" PLUG
EX. CULLEOKA

STA 3+57.95 ~ 4" WL-2A
INSTALL:
4" 11.25° BEND

STA 3+82.00 ~ 4" WL-2A
INSTALL:
4" CUT-IN TEE
4" GATE VALVE (W)
4"x2" REDUCER (S)
2" PLUG (N)
FLUSH VALVE (N)
CONNECT TO EX. CULLEOKA 2" WL



RELOCATE EX. METER
AS NECESSARY
TO CONTINUE TO
SERVE CHEN ZHAOXI
PROPERTY

[illegible][illegible]


FM 546 TO MYRICK LN/BOORMAN
LN UTILITY RELOCATIONS FOR
PROPOSED ROADWAYS



91114
9-26-2016



- NOTES:**
1. CONTRACTOR SHALL COORDINATE WITH OPERATOR TO EXPOSE LINES.
 2. CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS AND APPROVALS FROM THE CITY OF PRINCETON AND THE STATE OF TEXAS.
 3. CONTRACTOR SHALL RESTORE ALL EXISTING UTILITIES TO ORIGINAL OR BETTER CONDITION AFTER COMPLETION OF WORK.
 4. CONTRACTOR SHALL MAINTAIN ACCESS TO ALL ADJACENT PROPERTIES AT ALL TIMES.
 5. THE CITY OF PRINCETON SHALL BE RESPONSIBLE FOR THE REMOVAL OF EXISTING UTILITIES NOT TO BE RELOCATED.



DISCLAIMER:

THE ENGINEER HAS REVIEWED THE PROPOSED UTILITY RELOCATION AND HAS FOUND IT TO BE IN ACCORD WITH THE CITY OF PRINCETON STANDARDS AND SPECIFICATIONS. THE ENGINEER HAS NOT CONDUCTED A FIELD SURVEY OF THE PROPOSED UTILITY RELOCATION AND HAS NOT VERIFIED THE EXISTENCE OR DEPTH OF THE EXISTING UTILITIES. THE ENGINEER HAS NOT CONDUCTED A FIELD SURVEY OF THE PROPOSED UTILITY RELOCATION AND HAS NOT VERIFIED THE EXISTENCE OR DEPTH OF THE EXISTING UTILITIES.


2" WL-2A CR 456 ~ STA 0+00 TO END

FM 546 TO MYRICK LN/BOORMAN LN UTILITY RELOCATIONS FOR PROPOSED ROADWAYS




DATE	10
DATE	JUNE 2026
DATE	ZD.
DATE	EAL-CH.
DATE	8011637.009

1. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 2. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 3. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 4. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 5. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.




TYPICAL OPEN CUT WATER LINE CROSSING DETAIL
NOT TO SCALE

1. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 2. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 3. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 4. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 5. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.



TYPICAL OPEN CUT WATER LINE CROSSING DETAIL
NOT TO SCALE




TYPICAL OPEN CUT WATER LINE CROSSING DETAIL
NOT TO SCALE



TYPICAL OPEN CUT WATER LINE CROSSING DETAIL
NOT TO SCALE



TYPICAL OPEN CUT WATER LINE CROSSING DETAIL
NOT TO SCALE




TYPICAL OPEN CUT WATER LINE CROSSING DETAIL
NOT TO SCALE



TYPICAL OPEN CUT WATER LINE CROSSING DETAIL
NOT TO SCALE



TYPICAL OPEN CUT WATER LINE CROSSING DETAIL
NOT TO SCALE



TYPICAL OPEN CUT WATER LINE CROSSING DETAIL
NOT TO SCALE

1. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 2. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 3. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 4. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 5. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.



TYPICAL OPEN CUT WATER LINE CROSSING DETAIL
NOT TO SCALE

1. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 2. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 3. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 4. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.
 5. THESE DETAILS ARE TO BE USED FOR ALL CULLEOKA WSC PROJECTS UNLESS OTHERWISE SPECIFIED.



CULLEOKA WSC STANDARD DETAILS





























FM 546 TO MYRICK LN/BOORMAN LN UTILITY RELOCATIONS FOR PROPOSED ROADWAYS

DUNAWAY
 118 McKinney St. • P.O. Box 600 • Farmersville, Texas 75442
 Tel: 972-754-7777
 (TXING FIRM F-1114)

06/07/2023	11
133604	
EACM	
2.0	
JUNE 2025	

GENERAL NOTES

1. ALL MATERIALS AND METHODS SHALL BE AS PROVIDED IN THE DESIGN, CONSTRUCTION, AND MAINTENANCE SPECIFICATIONS FOR THE PROJECT.
2. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
3. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
4. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
5. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
6. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
7. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
8. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
9. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
10. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
11. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
12. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
13. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
14. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
15. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
16. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
17. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
18. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
19. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).
20. ALL MATERIALS AND METHODS SHALL BE APPROVED BY THE ENGINEER BEFORE CONSTRUCTION (WITH NECESSARY MODIFICATIONS).



CITY OF PRINCETON STANDARD DETAILS

FM 546 TO MYRICK LN/BOORMAN LN UTILITY RELOCATIONS FOR PROPOSED ROADWAYS

DUNAWAY
118 McKinney St. • P.O. Box 606 • Farmersville, Texas 75442
Tel. 937-264-7272
(TXENG PRM F-1114)

12

JUNE 2026

Z.D.

Z.D.

EACM

B011637/000